01/27/2006

4

TRIMEC® 959 BROADLEAF HERBICIDE

USE THIS PRODUCT ONLY IN ACCORDANCE WITH ITS LABELING AND WITH THE WORKER PROTECTION STANDARD 40 CFR PART 170.

ACTIVE INGREDIENTS:

MCPA, dimethylamine salt	38.68%
MCPP-p, dimethylamine salt	8.16%
Dicamba, dimethylamine salt	3.81%
INERT INGREDIENTS:	<u>49.35%</u>
TOTAL	100.00%

THIS PRODUCT CONTAINS:

2.97 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 31.59%. 0.63 lbs (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 6.74%. 0.29 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 3.16%.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

See side panel for additional Precautionary Statements and First Aid.

KEEP FROM FREEZING

NET CONTENTS: 1.0, 2.5, 30, 55, and 275 U.S. GALLONS

773/AP120403
EPA REG NO 2217-773
EPA EST NO 2217-KS-1
MANUFACTURED BY:

DED COMPARED COMMITTEE

AB Employer-Overed Committy
1817 Weet 12th Bitteen
Kanaac Ohy, Measouri 04101

Telephone: 1-800-821-7925

ACCEPTED

JAN 27 2006

Under the Federal Inserticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2217-773



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Corrosive. This concentrate causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Avoid exposure to spray mist. Harmful or fatal if swallowed or absorbed through skin. Harmful if inhaled.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Chemical-resistant gloves such as barrier laminate.
- Shoes plus socks.
- Prótective eyewear:

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE; If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

FIRST AID				
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
lf on skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. 			
if swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. 			

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP-p and MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP-p and MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: • Coveralls • Chemical-resistant gloves such as barrier laminate • Shoes plus socks • Protective eyewear.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Reentry Statement: Do not reenter or permit workers to reenter treated area until sprays have dried.

4/7

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near herbicides, fertilizers, insecticides, fungicides or seeds.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: <u>For Plastic Containers</u> - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke. <u>For Metal Containers</u> - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION:

Trimec® 959 Broadleaf Herbicide provides selective broadleaf control in warm season and cool season turfgrass. Established turf of warm season grasses include, but are not limited to, bermudagrass, bahiagrass, and zoysiagrass. Established turf of cool season grasses include, but are not limited to, Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues. Do not apply this product on carpetgrass, dichondra or established turf containing desirable clovers.

USE PRECAUTIONS - OBSERVE CAREFULLY.

- 1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- 2. Do not pour spray solutions near these plants.
- 3. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
- 4. Use only lawn type sprayers.
- 5. Note: Coarse sprays are less likely to drift.
- 6. Avoid application to exposed active feeder roots of shallow-rooted trees such as poplar species and sensitive ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
- 7. Do not spray bermudagrass or zoysiagrass while emerging from dormancy, unless injury can be tolerated.
- 8. Applications to newly seeded lawns may cause injury. Delay application until well established or after two or three mowings.
- 9. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F.
- 10. Seed can be sown 3 to 4 weeks after application.
- 11. Do not contaminate domestic or irrigation waters.
- 12. Some injury can be expected to turf when used on centipedegrass or St. Augustinegrass; only spot spray weeds on these types of grasses. Clover will be damaged if sprayed.
- 13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
- 14. Failure to observe the above precautions may result in injury to desirable plants.
- 15. Do not apply this product through any type of irrigation system.



ORNAMENTAL LAWNS, ORNAMENTAL TURFGRASS AND SOD FARMS (Other than bentgrass):

Apply 3 to 4¼ pints of product per acre with spray volumes of 20 to 240 gallons per acre. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until well-established or after the second or third mowing. Grass seed can be sown 3 to 4 weeks after application at the recommended rates.

BENTGRASS TURF:

In closely-mowed bentgrass (putting and bowling greens) apply at a maximum rate of 1 fluid ounce of product per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE:

Care should be taken to avoid overdosing bentgrass or injury may result. High spray volumes (i.e., 1 fluid ounce of product in 5 gallons of water per 1,500 square feet) will aid in obtaining uniform coverage. If hand-operated sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom. Sweeping movements with a multiple nozzle boom will result in heavy local over-application and subsequent turf discoloration or injury.

-BROADLEAF WEEDS CONTROLLED-				
Aster, white heath & white prairie	Field oxeye-daisy (*creeping oxeye)	Puncturevine		
Bedstraw	Filaree, whitestem & redstem	Purslane		
Beggarweed, creeping	Florida pusley	Ragweed		
Bindweed ·	Ground ivy	Red sorrel (*sheep sorrel)		
Black medic	Groundsel	Shepherdspurse		
Broadleaf plantain	Hawkweed	Spotted spurge		
Buckhorn plantain	Healali	Spurge		
Bull thistle	Henbit	Sunflower		
Burclover	Lambsquarters	Thistle		
Burdock, common	Lawn burweed	Velvetleaf (*pie marker, Indian		
Buttercup, creeping	Lespedeza, common	mallow)		
Carpetweed	Mallow, common	Veronica (*corn speedwell)		
Chickweed, common	Matchweed	Virginia buttonweed		
Chicory	Mouseear chickweed	White clover (*Dutch clover, honeysuckle clover, white trefoil		
Cinquefoil	Oxalis (*yellow woodsorrel & creeping woodsorrel)	& purplewort)		
Clover	Parsley-piert	Wild carrot		
Compassplant	Pennsylvania smartweed	Wild garlic		
Curly dock	(*smartweed)	Wild geranium		
Dandelion	Pennywort (*dollarweed)	Wild mustard		
Dayflower	Pepperweed	Wild onion		
Deadnettle ·	Pigweed	Wild strawberry		
Dock	Pineappleweed	Wild violet		
Dogfennel	Plantain	Yarrow		
English daisy	Poison ivy	Yellow rocket		
False dandelion (*spotted catsear & common catsear)	Poison Oak			
Field bindweed (*morningglory & creeping jenny)	Prostate knotweed (*knotweed)	*Synonyms		

LIMITED WARRANTY AND DISCLAIMER.

6/3

IMPORTANT: Read this Limited Warranty and Disclaimer before buying or using this product. By opening arid using this product, buyer and all users agree to accept the terms of this Limited Warranty and Disclaimer in their entirety and without exception. If the terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full.

It is impossible to eliminate all risks inherently associated with use of this product. Damage to the treated article, ineffectiveness, or other unintended consequences can result from use of the product under abnormal conditions such as weather, presence of other materials, or the manner of use or application, etc. Such factors and conditions are beyond the control of the manufacturer, and BY PURCHASING AND USING THIS PRODUCT THE BUYER AND ALL USERS OF THIS PRODUCT AGREE TO ACCEPT ALL SUCH RISKS. Buyer and all users further agree to assume all risks of loss or damage from the use of the product in any manner that is not explicitly set forth in or that is inconsistent with label instructions, warnings and cautions.

The manufacturer warrants only that this product conforms to the chemical description given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use, subject to the inherent risks described below.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

THE EXCLUSIVE REMEDY OF BUYER AND ALL USERS OF THIS PRODUCT, AND THE EXCLUSIVE LIABILITY OF THE MANUFACTURER, FOR ANY AND ALL LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The Manufacturer must be promptly notified in writing of any claims, whether based in contract, tort, negligence, strict liability, or otherwise, to be eligible to receive either remedy stated above.

The terms of this Limited Warranty and Disclaimer, cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere. No employee or agent of the manufacturer or seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX:

Advertising claims that may be presented on the container labels

—Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf, weeds, some of which are shown on the side panel.