



U.S. Environmental Protection Agency
 Office of Pesticide Programs
 Registration Division (2820)
 401 M St., E.W.
 Washington, D.C. 20460

EPA Reg. No. 2217-782
 Date of Issuance: 10 AUG 1992

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Form of Issuance:
 Conditional

Name of Pesticide Product:
 Gordon's Stable And Kennel Spray

Under FIFRA, as amended

Name and Address of Registrant (include ZIP Code):

FBI/GORDON Corporation
 PO Box 4090
 1217 West 12th Street
 Kansas City, MO 64101

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. "2217-782".
 - b. Expand the 2nd sentence under ENVIRONMENTAL HAZARDS to read-Do not apply xxx except as indicated under mosquito control.

Signature of Approving Official:

Date:
 10 AUG 1992

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

RFM

Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

GORDON'S STABLE AND HOUSEHOLD SPRAY

2/8

- * A Pyrenone[®] Micro-emulsion
- * Clear - Stable - Leaves no oily or objectionable residues
- * Effective, fast acting insecticide
- * Controls and repels biting flies
- * For use in homes, institutions, restaurants, food processing plants, dairies, livestock buildings, and outdoors for mosquito control
- * For control of fleas and brown dog ticks on premises and on pets
- * Apply with conventional mechanical or compressed air equipment
- * Multi-purpose insecticide
- * Kills crawling and flying insects on contact
- * Contains pyrethrin insecticide derived from flowers
- * Water based formulation
- * House and garden insecticide
- * Flying and crawling insecticide

ACCEPTED
 10 AUG 1952
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pyrethrin registered under EPA Reg. No. 2217-7B2

ACTIVE INGREDIENTS

Pyrethrins		0.10%
*Piperonyl Butoxide, Technical.		1.00%
INERT INGREDIENTS		98.90%
	TOTAL	100.00%

*Equivalent to minimum 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.
 PYRENONE[®] is a registered trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS _____ U.S. GALLONS

XXX/792 APXXXXXX
 EPA REG. NO. 2217-XXX
 EPA EST. NO. 2217-KS-1
 Mfd. by PBI/GORDON CORPORATION
 1217 WEST 12TH STREET
 KANSAS CITY, MO 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

718

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquaria before space spraying or surface applications.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. *except as indicated under Mosquito Control*

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

(Containers larger than one gallon)

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. Protect from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For metal containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. For plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burying. If burned, stay out of smoke.

(Containers one gallon or less)

STORAGE: Store in original container in a cool dry place inaccessible to children and pets. Protect from freezing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash.

(Trioper Sprayers one gallon or less)

STORAGE: Turn sprayer to off position and store in a cool place.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash.

INDOOR APPLICATION

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot, surface treatment and fogging is recommended.

SURFACE SPRAYING: To control Cockroaches, Palmetto Bugs, Ants, Silverfish, Spiders, Crickets, Clovermites, Cheese Mites, Earwigs, Sowbugs, Boulder Bugs, Centipedes, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadellids, use a good sprayer adjusted for a coarse spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers, behind and beneath sinks, stoves, refrigerators and cabinets, along baseboards, around door and window frames, into dark corners and in and around garbage compactors, garbage chutes and cans. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

To control Carpet Beetles, spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control Bedbugs, spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

PET AREAS - To control Fleas and Brown Dog Ticks on premises, thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

To control Clothes Moths, remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

SPACE SPRAYING: Close doors, windows and transoms and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of House Flies, Fruit Flies, Gnats, Mosquitoes, Stripper Flies, Wasps, Hornets, Angoumois Grain Moths, Mediterranean Flour Moths, Indian meal Moths and Tobacco Moths, direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3 to 6 ounces per 1000 cubic feet of space. Do not remain in treated areas, if insects have not dropped to floor in 3 minutes, repeat spraying as quantity sprayed was insufficient. Ventilate the area after treatment is completed. To aid in the prevention of breeding, spray on standing water and in garbage pails.



6/8

FOULING: To kill exposed or accessible stages of the above named crawling insects, use a rate of 1 gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON LIVESTOCK: To protect cattle, horses and hogs from Horn Flies, House Flies, Mosquitoes and Gnats, apply a light mist sufficient to wet the surface of the hair.

To control Stable Flies, Horse Flies and Deer Flies, apply at a rate of 2 fluid ounces per adult animal sufficient to wet the hair. Repeat treatment daily or at intervals necessary to give continued protection.

To control Blood-sucking Lice, apply to the infected areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

To control Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

)
✓
FLEAS AND TICKS ON DOGS AND CATS: Start spraying at the animal's head, avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs under body and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia. Repeat as necessary.

✓
ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest (low, marsh places, stagnant pools or ponds and shore lines). Apply at a rate of 2.5 pints per acre (0.1 fluid ounce per 100 square feet). Using truck-mounted conventional misting equipment such as Rotomist^(R) models 51C, 91 or 100HT traveling at 5 mph to treat a 300 foot swath calibrate equipment to deliver 0.9 gallon per minute.

OUTDOORS (Camping, fishing, hunting)

✓
Spray outer clothing and surroundings. Repels Biting Flies, Mosquitoes, Midges and Gnats. If sprayed every hour or so, will aid in keeping surroundings free from Mosquitoes. If in rare cases skin irritation results, avoid continued contact. Do not pour or squirt; use a good sprayer which will deliver a fine mist.

DIRECTIONS FOR USE - CONSUMER LABELING

7/8

SHAKE WELL BEFORE USE

TO CONTROL:

CRAWLING INSECTS - Cockroaches, Silverfish, Sowbugs, Ants, Crickets, Earwigs, Grain Mites, Clovermites, Spiders, Boxelder Bugs, Centipedes. Turn sprayer nozzle to stream position and spray directly into cracks, crevices and other hiding places along baseboards, hitting as many bugs as possible. Repeat as necessary. Keep about three feet away from walls, fabrics and furniture.

FLYING INSECTS - Flies, Houseflies, Mosquitoes, Gnats, Mediterranean Flour Moths, Small Flying Moths. Turn sprayer nozzle to spray position. Keep about three feet away from walls, fabrics and furniture.

WASPS AND HORNETS: Turn sprayer nozzle to stream position. Spray directly on insects whenever possible. Apply a wet spray after dark when all insects have returned to their nests.

GARDEN INSECTS ON HOUSE PLANTS AND ORNAMENTAL PLANTS OUTDOORS: Turn sprayer nozzle to spray position. Direct spray so that upper and lower leaf surfaces are contacted. To control Aphids, Bagworms, Thrips, Flea Beetles, Japanese Beetles, Lace Bugs, Leafhoppers, Leafleters, Mimosa Webworm Larvae, Plant Bugs and Whiteflies use fine mist spray about 18 to 24 inches from infested plants. Use caution on new growth and tender foliage. Repeat treatment as necessary. Avoid spraying plants when temperature exceeds 85° F. Spray when air is still. Avoid heavy wetting.

FLEAS AND TICKS ON DOGS AND CATS: Turn sprayer nozzle to spray position. Start spraying at the animal's head, avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs, underbody and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia. Repeat as necessary.

PET AREAS: To control Fleas and Brown Dog Ticks on premises: Turn sprayer nozzle to spray position. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

LIMITED WARRANTY AND DISCLAIMER. The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

BEST AVAILABLE COPY

• **Effective for the control of all or only fleas**

• **For control of flea and brown dog ticks**

• **For use on pets**

• **Microencapsulated killing effect**

• **Effective**

• **Works fast**

• **Fast acting**

• **Leaves no oily stains**

• **Unscented**

• **Easy to use trigger pump**

• **Convenient trigger pump**

• **For use on plants and shrubs**