17- 18 7	8-12-2	203	CICA71	ON				1].	
Please read instructions on n	Environme	United State	ection Agen			<u>OMB Na</u> Registi mendi ther	ration	060. Approval Expires 02-28 OPP Identifier Number	
	/	Applicatio	n for Pestic	ide - Sect	tion I				
1. Company/Product Number 2217-782			2. EF	2. EPA Product Manager Marion Johnson			3.	Proposed Classification	
4. Company/Product (Name) Gordon's Stable and Kennel Spray			PM#	PM# (PM 10)				X None Restric	
5. Name and Address of Applicant <i>(Include ZIP Code)</i> PBI/Gordon Corporation PO Box 014090 Kansas City, Missouri 64101			(b)(i), EPA	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to EPA Reg. No Product Name					
	is is a new address	<u> </u>	Section -						
Amendment - Explain	plain below.			Final printed labels in response to Agency letter dated "Me Too" Application.				NOTIFICATION	
Resubmission in response to Agency letter dated Notification - Explain below.				Other - Explain below.				AUG 1 2 2003	
changes have been ma violation of 18 U.S.C.Se not consistent with the subject to enforcement	ec. 1001 to willfully terms of PR Notic	/ make any f e 98-10 and	alse statemen 40CFR 152.4 tion 12 and 14	t to the EPA 6, this produ of FIFRA.	. I furth	ner und	lerstand	that if this notification	
			Section -	<u>III</u>					
Material This Product Will Child-Resistant Packaging Yes* No	Unit Packaging Water S			Soluble Packaging 2. Type of es Place o Gla			tal stic		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	lf "Yes" Package wgt.	No. per container		Pap Oth	oer er <i>(Speci</i>	fv)	
Location of Net Contents Information Label Container			ail Container	5. Location of Label Directions On Label On Labeling accompanying product					
6. Manner in Which Label is A	ffixed to Product	Lithogra Paper gl	ued	Other					
			Section -						
1. Contact Point (Complete ite	ms directly below for it	dentification of		ntacted, if nece	issary, to	process	T		
Name Craig	Martens	[Title Manager o	f Regulatory	/ Servic	es	i elepho	ne No. <i>(Include Area Code)</i> 816/460-6287	
l certify that the statemer l acknowledge that any k both under applicable lay	nowingly false or misle	ading statemer	tachments thereto nt may be punisha			complete ant or		6. Date Application Received (Stamped)	
2. Signature	antine		Manager of	Regulatory S	Services	د. م	2798 	4	
Craig	Martens Previous editions are		i. Date Jul	y 25, 2003				nai) Yellow - Apolicant C	



2/7



11220 Aqueous Fly Spray 1-G FAF 7/25/03 7:21 AM Page 2 Ron Curttright Macintosh HD:Desktop Folder:PBI/G



FOG, MIST or SPRAY

KEEP OUT OF REACH OF CHILDREN

See next column for additional Precautionary Statements.

Pyrethrins

*Equivalent to minimum 0.8% (butylcarbityl) (6-propylpiperonly) ether and 0.2% related

ACTIVE INGREDIENTS:

compounds.



READ ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquaria before space spraying or surface applications.

FIRST AID

lf in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control cen- ter or doctor for treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
lf swallowed:	• Call a poison control center or doctor immedi- ately for treatment advice. (Continued on next page)

- 2 -

0.10%

TOTAL 100.00%

11220 Aqueous Fly Spray 1-G FAF 7/25/03 7:21 AM Page 3 Ron Curttright Macintosh HD:Desktop Folder:PB

if swallowed: (continued)	 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-tomouth if possible. Call a poison control center or doctor for treatment advice.
	ict container or label with you

FIRST AID (cont.)

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries except as indicated under mosquito control. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool dry place inaccessible to children and pets. Protect from freezing.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partially filled:** Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

SHAKE WELL BEFORE USE

ON LIVESTOCK

To protect cattle, horses and hogs from horn flies, house flies, mosquitoes, and gnats, apply a light mist sufficient to wet the surface of the hair.

To control stable flies, horse flies and deer flies, apply at a rate of 2 fluid ounces per adult animal sufficient to wet the hair. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

To control poultry lice, spray roosts, walls and nests, or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

ADULT MOSQUITO CONTROL

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat 11220 Aqueous Fly Spray 1-G FAF 7/25/03 7:21 AM Page 4 Ron Curttright Macintosh HD:Desktop Folder:PBI/G

shrubbery or vegetation where mosquitoes may rest (low, marsh places, stagnant pools or ponds and shore lines). Apply at a rate of 2.5 pints per acre (0.1 fluid ounce per 100 square feet). Using truck-mounted conventional misting equipment such as Rotomist[®] models 51C, 91 or 100HT traveling at 5 mph to treat a 300 foot swath, calibrate equipment to deliver 0.9 gallon per minute.

OUTDOORS (CAMPING, FISHING, HUNTING)

Spray outer clothing and surroundings. Repels biting flies, mosquitoes, midges, and gnats. If sprayed every hour or so, will aid in keeping surroundings free from mosquitoes. If in rare cases skin irritation results, avoid continued contact. Do not pour or squirt; use a good sprayer which will deliver a fine mist.

INDOOR APPLICATION

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot, surface treatment and fogging is recommended.

- 4 -

SURFACE SPRAYING

To control cockroaches, paimetto bugs, ants, silverfish, spiders, crickets, clovermites, cheese mites, earwigs, sowbugs, boxelder bugs, centipedes, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadelles, use a good sprayer adjusted for a coarse spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods. around the base of machinery, behind shelves and drawers, behind and beneath sinks, stoves, refrigerators and cabinets, along baseboards, around door and window frames, into dark corners, and in and around garbage compactors, garbage chutes, and cans.

For silverfish, spray bookcases.

For ants, spray trails, nests, and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

To control carpet beetles, spray edges of carpeting, and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices, and infested areas of shelving. Repeat treatment as needed.

To control bedbugs, spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards,

tin terr Arcono 11220 Aqueous Fly Spray 1-G FAF 7/25/03 7:21 AM

AM Page 5 Ron Curttright Macintosh HD:Desktop Folder:PB

moldings, and floors. Repeat treatment as needed.

To control clothes moths, remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus, and other storage areas directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

PET AREAS

To control fleas and brown dog ticks on premises:

Application Directions – Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended.

Reapplication Directions – Repeat every one (1) week if needed.

SPACE-SPRAYING

Close doors, windows and transoms, and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog.

For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths, direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3 to 6 fluid ounces per 1000 cubic feet of space. Do not remain in treated areas. If insects have not dropped to floor in 3 minutes, repeat spraying as quantity sprayed was insufficient. Ventilate the area after treatment is completed. To aid in the prevention of breeding, spray on standing water and in garbage pails.

FOGGING

To kill exposed or accessible stages of the above named crawling insects, use a rate of 1 gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

730/7-2003 AP050703 EPA REG. 2217-782 EPA EST. NO. 2217-KS-1



