≎ EPA	United States Environmental Protection Agency	Registration Amendment	OPP Identifier Nur
22/7- Please read instruction	182 MOTIFICATION s on reverse before completing form. 8-21-2003 For	m Approved. OMB No. 2070-0060.	Approval Expires 0
Hospitalises (III)			j

≎ EPA	Was	United States sental Protection Agency Vashington, DC 20460		Registration Amendment Other		OPP Ide	entiner Number		
	A	pplication							
Company/Product Num	ber 2217-782		2. EPA	EPA Product Manager Marion Johnson 3. Proposed Classification		assification			
4. Company/Product (Nan Gordon's		Spray	РМ#	DM#		Restricted			
5. Name and Address of A PBI/Gordon Corporat PO Box 014090 Kansas City, Missour Check if th	ion								
			Section - I						
Amendment - Explain	below.			Final printed Agency letter		responsi	e to		
Resubmission in resp	onse to Agency letter da	ted		"Me Too" App	olication	į		NOTIF	CATION
Notification - Explain t	pelow.			Other - Expla	in below	/.			2 1 2003
NOTIFICATION OF MI be presented on the col This notification is con- changes have been mi violation of 18 U.S.C.Se not consistent with the subject to enforcement	ntainer labeling. (Pleasistent with the properties of the labeling etc. 1001 to willfully terms of PR Notice	ease refer to positions of PF or the confidenate any false 98-10 and 4	page 7 of the orage 7 of the orage 7 of the orage 98-1 lential statement of 52.46	enclosed late O and EPA ent of form to the EPA this produ	<i>bel)</i> regulaula of I furt	ations a this pro her und	it 40CFR oduct. I erstand th	152.46, understar nat if this	and no other nd that it is a notification is
			Section - II	<u> </u>					
Material This Product Will Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes"	No. per	Water Soluble P Yes No If "Yes" Package wgt.	Ackaging No. per container	2.	Type of C Meta Plas Glas Pap Otho	al stic ss		,
3. Location of Net Contents In Label Co	formation ontainer	4. Size(s) Retail	Container		On	ion of Lab Label	el Direction		
6. Manner in Which Label is A	ffixed to Product	Lithograph Paper glued Stenciled	i	Other _	•				
			Section - I\					315 0	
Contact Point (Complete ite	ms directly below for ide		·	acted, if neces	sary, to	process I			
Name Craic	Martens	Titl	e Manager of	Regulatory	Servic	es	-	No. (<i>Includ</i> 816/460-	de Area Code) 6287
I certify that the statemer I acknowledge that any k both under applicable lav 2. Signaty e	nts I have made on this f nowingly false or mislea		hments thereto a nay be punishabl	re true, accura	ate and	complete.		6. Date App Received (Sta	· 6
Crank hard	m_		Manager of R	egulatory Se	ervices	;]		A Company of the Comp
4. Typed Name Craig Martens		5. C	July 24, 2003		9 : 7 *				

GORDON'S STABLE AND KENNEL SPRAY

- ♦ A Pyrenone[®] Micro-emulsion
- ♦ Clear Stable Leaves no oily or objectionable residues
- Effective, fast acting insecticide
- ♦ Controls and repels biting flies
- ♦ For use in homes, institutions, restaurants, food processing plants, dairies, livestock buildings, and outdoors for mosquito control
- ♦ For control of fleas and brown dog ticks on premises and on pets
- ♦ Apply with conventional mechanical or compressed air equipment
- ♦ Multi-purpose insecticide
- Kills crawling and flying insects on contact
- ♦ Contains pyrethrin insecticide derived from flowers
- Water based formulation
- ♦ House and garden insecticide
- ♦ Flying and crawling insecticide

ACTIVE INGREDIENTS:

Pyrethrins		0.10%
*Piperonyl Butoxide		1.00%
INERT INGREDIENTS:		98.90%
	TOTAL	100.00%

^{*}Equivalent to minimum 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds. PYRENONE® is a registered trademark of AgrEvo Environmental Health.

CAUTION

NOTIFICATION AUG 2 1 2003

See back panel for additional Precautionary Statements and First Aid.

NET CONTENTS ____ U.S. GALLONS

768 AP072403
EPA REG. NO. 2217-782
EPA EST. NO. 2217-KS-1
MANUFACTURED BY:

pbi/sondon

Kansas Gity, Missouri 64101 Telephone: 1-800-821-7925



READ ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquaria before space spraying or surface applications.

First Aid

I II OL AIG		
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. 	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. 	
Have the produc	ct container or label with you when calling a poison control center or doctor or going for	

treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries except as indicated under mosquito control. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

(Containers larger than one gallon)

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. Protect from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: <u>For Metal Containers</u> - Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures. <u>For Plastic Containers</u> - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke.

(Containers one gallon or less)

STORAGE: Store in original container in a cool dry place inaccessible to children and pets. Protect from freezing.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. ...

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

(Trigger Sprayers one gallon or less)

STORAGE: Turn sprayer to off position and store in a cool place.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL USE DIRECTIONS:

- INDOOR APPLICATION -

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot, surface treatment and fogging is recommended.

SURFACE SPRAYING:

To control cockroaches, palmetto bugs, ants, silverfish, spiders, crickets, clovermites, cheese mites, earwigs, sowbugs, boxelder bugs, centipedes, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadelles, use a good sprayer adjusted for a coarse spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers, behind and beneath sinks, stoves, refrigerators and cabinets, along baseboards, around door and window frames, into dark corners, and in and around garbage compactors, garbage chutes, and cans.

For silverfish, spray bookcases.

For ants, spray trails, nests, and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

To control carpet beetles, spray edges of carpeting, and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices, and infested areas of shelving. Repeat treatment as needed.

To control bedbugs, spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, and floors. Repeat treatment as needed.

To control clothes moths, remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus, and other storage areas directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

PET AREAS:

To control fleas and brown dog ticks on premises:

Application Directions - Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor, and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended.

Reapplication Directions - Repeat every one (1) week if needed.

SPACE SPRAYING:

Close doors, windows and transoms, and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog.

For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths, direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3 to 6 fluid ounces per 1000 cubic feet of space. Do not remain in treated areas. If insects have not dropped to floor in 3 minutes, repeat spraying as quantity sprayed was insufficient. Ventilate the area after treatment is completed. To aid in the prevention of breeding, spray on standing water and in garbage pails.

FOGGING:

To kill exposed or accessible stages of the above named crawling insects, use a rate of 1 gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON LIVESTOCK:

To protect cattle, horses and hogs from horn flies, house flies, mosquitoes, and gnats, apply a light mist sufficient to wet the surface of the hair.

To control stable flies, horse flies and deer flies, apply at a rate of 2 fluid ounces per adult animal sufficient to wet the hair. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

To control poultry lice, spray roosts, walls and nests, or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of bedbugs and mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

PETS:

To control fleas and ticks on dogs and cats:

Pre-Treatment Directions -

- Read entire label before each use.
- Use only on dogs and cats to kill fleas and ticks.
- Do not use on animals under 12 weeks.

Special Animals - Consult a veterinarian or call this Animal Poison Control Hotline, 1-800-345-4735 before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

Adverse Reaction Information - Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call this Animal Poison Control Hotline, 1-800-345-4735.

Application Directions - Start spraying at the animal's head, avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs under body and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia.

Reapplication Directions - Repeat every one (1) week if needed.

ADULT MOSQUITO CONTROL:

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest (low, marsh places, stagnant pools or ponds and shore lines). Apply at a rate of 2.5 pints per acre (0.1 fluid ounce per 100 square feet). Using truck-mounted conventional misting equipment such as Rotomist® models 51C, 91 or 100HT traveling at 5 mph to treat a 300 foot swath, calibrate equipment to deliver 0.9 gallon per minute.

- OUTDOORS (CAMPING, FISHING, HUNTING) -

Spray outer clothing and surroundings. Repels biting flies, mosquitoes, midges, and gnats. If sprayed every hour or so, will aid in keeping surroundings free from mosquitoes. If in rare cases skin irritation results, avoid continued contact. Do not pour or squirt; use a good sprayer which will deliver a fine mist.

DIRECTIONS FOR USE - CONSUMER LABELING

SHAKE WELL BEFORE USE

TO CONTROL --

CRAWLING INSECTS:

Cockroaches, silverfish, sowbugs, ants, crickets, earwigs, grain mites, clovermites, spiders, boxelder bugs, and centipedes. Turn sprayer nozzle to stream position and spray directly into cracks, crevices, and other hiding places along baseboards, hitting as many bugs as possible. Repeat as necessary. Keep about three feet away from walls, fabrics, and furniture.

FLYING INSECTS:

Flies, houseflies, mosquitoes, gnats, Mediterranean flour moths, and small flying moths. Turn sprayer nozzle to spray position. Keep about three feet away from walls, fabrics, and furniture.

WASPS AND HORNETS:

Turn sprayer nozzle to stream position. Spray directly on insects whenever possible. Apply a wet spray after dark when all insects have returned to their nests.

GARDEN INSECTS ON HOUSE PLANTS AND ORNAMENTAL PLANTS OUTDOORS:

Turn sprayer nozzle to spray position. Direct spray so that upper and lower leaf surfaces are contacted.

To control aphids, bagworms, thrips, flea beetles, Japanese beetles, lace bugs, leafhoppers, leaflers, mimosa webworm larvae, plant bugs and whiteflies, use fine mist spray about 18 to 24 inches from infested plants. Use caution on new growth and tender foliage. Repeat treatment as necessary. Avoid spraying plants when temperature exceeds 85°F. Spray when air is still. Avoid heavy wetting.

PETS:

To control fleas and ticks on dogs and cats:

Pre-Treatment Directions -

- · Read entire label before each use.
- Use only on dogs and cats to kill fleas and ticks.
- Do not use on animals under 12 weeks.

Special Animals - Consult a veterinarian or call this Animal Poison Control Hotline, 1-800-345-4735 before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

Adverse Reaction Information - Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call this Animal Poison Control Hotline, 1-800-345-4735.

Application Directions - Turn sprayer nozzle to spray position. Start spraying at the animal's head, avoiding the eyes, nose, and mouth as you spray. Make sure the animal's entire body is covered including the legs, under body, and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia.

Reapplication Directions - Repeat every one (1) week if needed.

PET AREAS:

To control fleas and brown dog ticks on premises:

7/8

Application Directions - Turn sprayer nozzle to spray position. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended.

Reapplication Directions - Repeat every one (1) week if needed.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

I. Advertising Claims for Consumer Labeling:

- ♦ Leaves no objectionable oil or sticky residue
- · For control of fleas and brown dog ticks
- ◆ For use on pets
- Kills and repels biting flies
- Effective
- ♦ Works fast
- · Fast acting
- Leaves no oily stains
- Unscented
- Easy to use trigger pump
- ◆ Convenient trigger pump
- For use on plants and shrubs
- · Fog or spray in dairies and livstock buildings.
- Mist directions for outdoor control of adult mosquitoes.
- Spray directly on livestock and poultry. 7
- ◆ Ready-to-use: fog, mist or spray:
- Also kills flies and mosquitoes.