F la	2317-783		12 /97	PMIO		NOTA	FRATION PS	
Please read instructions or	VEX.L. IV	ting form.	/ ~ / · l (Approval expires 05-31-98	
SEPA Environmental Protection Ag Washington, DC 20460			• .	<u> </u>	Registra Amend Other		OPP Identifier Number	
		Application	for Pestici	de - Sectio	n I			
1. Company/Product Numb	2217-783		2. EPA	Product Manage Richard Ke		-	pposed Classification	
 Company/Product (Nam Acme® Aqueous Py 		ay	PM#	(PM 10)			None Restricted	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name					
			Section - I					
Amendment - Explain below. Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Tinal printed labels in Associate Agency letter dated "Me Too" Application. Other - Explain below.								
This notification is consist	Labeling Revisions per Pl ting of "Crops" in the Dire ent with the provisions of erstand it is a violation of ms of PRN95-2 and 40 C	RN 95-2. This ready ctions for Use and t PRN95-2 & EPA re 18 USC Sec 1001 t	y-to-use insecticion to substitute "Gar gulations at 40 C to willfully make a	den Crops or Veg FR 152.46, & no ny false statemer	getables" as the other changes h at to EPA. I furth	heading. Se lave been m er understar	e page 3 of enclosed label. ade to the labeling or the nd that if this notification is	
			Section - I	[]				
Material This Product V Child-Resistant Packaging Yes*			Water Soluble Packaging		2. Type of	2. Type of Container Metal		
* Certification must be submitted	No If "Yes" Unit Packaging wgt		No If "Yes" Package wgt	No. per container		Plastic Glass Paper Other (S	pecify)	
3. Location of Net Content	s Information Container	4. Size(s) Retail	Container	5.	Location of La On Labe	al .	ons opanying product	
6. Manner in Which Label	is Affixed to Product	Lithograp Paper glu Stenciled	eđ	Other _			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
			Section - I'				·	
1. Contact Point (Comple	te items directly below							
Name James A. Armbrust	er, Ph.D		ice President	t, Regulatory	Services _.	Telephon (8	a No. (Include Area Code)	
•	tements I have made or any knowingly false or : le law.		attachments th	· ·			8: Cate Application Received (Stamped)	
2. Signature			3. Title Vice President, Regulatory Services					
4. Typed Name James A. Armbruster, Ph.D			5. Date November 22, 1996					
EPA Form 8570-1 (Bay. 8-	941 Pravious editions or	a obsolete		lag-la-	- FPA File Conv	(Jadela - 11	Vallow - Annicant Conv	

ACME AQUEOUS PYRENONE® GARDEN SPRAY

Controls Gypsy Moth Caterpillars And Japanese Beetles

An Effective Insecticide For Use On Vegetable And Ornamental Pests

A Pyrenone® Micro-Emulsion, Clear, Stable

Apply With Conventional Mechanical Compressed Air Equipment, Trigger-Type Sprayers, Or Hand Sprayers.

ACTIVE INGREDIENTS

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
INERT INGREDIENTS	99.78%
TOTAL	100.00%

^{*}Equivalent to minimum 0.16% butylcarbitol (6-propylpiperonyl) ether and 0.04% related compounds. PYRENONE® is a registered trademark of AgroEvo Environmental Health.

NOTIFICATION DE CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS (1 QUART, 2 QUARTS, or 1 GALLON)

767/ AP112296
EPA REG. NO. 2217-783
EPA EST. NO. 2217-KS-1
Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

Statement of Practical Treatment

IF SWALLOWED: Contact a physician or Poison Control Center. Induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF IN EYES OR ON SKIN: Flush affected areas with plenty of water. Contact a physician if irritation persists

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes or estuaries except as indicated under mosquito larvae control. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously. Store in original container in a cool dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash

CONTAINER DISPOSAL: Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash.

OPTION 1

TO OPERATE: Shake before using. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

OPTION 2

TO OPERATE: Shake before using. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

BEST AVAILABLE COPY

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Use On The Following Garden Crops or Vegetables:

Asparagus	Cauliflower	Kale	Radishes
Beans	Celery	Lettuce	Spinach
Broccoli	Collards	Mustard Greens	Tomatoes
Brussels Sprouts	Cranberries	Peppers	Turnips
Cabbage	Eggplant	Potatoes	

To Control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, stink bugs, green peach aphids, leaftiers, fireworms, blister beetles, Colorado potato beetles, and webworms.

Use On The Following Ornamentals:

African violets	Camellias	Dogwood	Marigolds
Asters	Carnations	Geraniums	Roses
Azaleas	Chrysanthemums	Gladiolis	Wandering Jew
Begonias	Dahlias		

ON TREES AND SHRUBS: To control gypsy moth caterpillars and adults, adult Japanese beetles, and forest tent caterpillars, treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS: To control gypsy moth caterpillars and adults, adult Japanese beetles, and forest tent caterpillars, treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

INDOORS AS A SPACE SPRAY: To control house flies, fruit flies, mosquitoes, gnats and small flying moths, apply using a good sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room with mist. Use 4 to 5 fluid ounces of product per 1000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as needed.

OUTDOORS FOR ADULT MOSQUITO CONTROL: Apply as a fine mist to treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding site; such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 5 to 6 quarts of product per acre (4 fluid ounces of product per 1000 square feet).

To control mosquito larvae, apply at the rate of 7.75 gallons of product per acre of 0.18 gailons of product per 1000 square feet. Apply as a coarse spray to the border or shallow waters of wetlands, swamps and marshes where mosquito larvae occur.

BEST AVAILABLE COPY

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

BEST AVAILABLE COPY

Page 4 of 4