2247- 783 Please read instructions on re			FILATIUN	,				060 Approu	al Expires 02-28-95
SEPA	Environme	United Sta	tection Agen			Regist Amend Other	ration		entifier Number
		Applicati	on for Pestic	ide - Sec	tion l				
1. Company/Product Num	ber 2217-783		2. EF	A Product M Josep	lanager h Tava		3.	Proposed Cl	assification
4. Company/Product (Nam Acme [®] Aqueo	ne) ous Pyrenone Gard	den Spray	PM#	Acting Pl	M, Tea	m 10		None	Restricted
5. Name and Address of A PBI/Gordon Corporati PO Box 014090 Kansas City, Missour Check if th	ion	P Code)	(b)(i), EPA	my product Reg. No uct Name	is simila	ar or iden	ntical in co	omposition a	and labeling to:
			Section -	11					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.		NOV 1 2 2002				
container labeling of supp page 5) 2) Trigger spraye approved instructions for application or dosage rate proposed label is enclosed. This notification is con made to the labeling or the willfully make any false s and 40 CFR 152.46, this pand 14 of FIFRA.	ers for this ready-to- operating or adju- for target pests in a sistent with the province confidential state tatement to the EPA	use insection isting the stresidential stres	de were previous prayer nozzle. To tes have been made in the product of this produnderstand that if IFRA and I may	ly-approved. the number aintained with a regulations uct. I understand this notification be subject to	We ask of appl hout change at 40 C tand that ation is	to revisications, ange. (Record Record Recor	the app efer to pa .46, and r violation sistent wi	sentence of lication me age 3) One no other chart of 18 U.S. th the terms	the previously- ethods, and the (1) copy of the anges have been C. Sec. 1001 to s of PRN 98-10
	B - B - 1		Section -	<u> </u>					
Material This Product Will Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents In Label Co	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container 4. Size(s) R	Water Soluble Yes No If "Yes" Package wgt.	Packaging No. per container	5. Loca	Me Pla Pla Gla Pa Dtl ation of La	her <i>(Specit</i> abel Directi	fy) ons	
6. Manner in Which Label is A	ffixed to Product	Lithogr Paper Stencil	glued ed	Other		n Labeling	accompai	nying produc	
			Section -					El Gold	
Contact Point (Complete ite	ms directly below for it	dentification o		ntacted, if nec	essary, t	o process			de Area Code)
Name Craig	Martens	0444-	<u> </u>	of Regulator	y Servi	ices ့	10:00	816/460	-6287
	nowingly false or misle		attachments thereto ent may be punisha 3. Titte Manager of	ble by fine or i	mprisoni	ment or	\$	6. Date Ap Receive (St	•
4. Typed Name) Craig	Martens		5. Date October 17, 2002						

2/6



AQUEOUS PYRENONE® GARDEN SPRAY

NOTIFICATION

NOV 1 2 2002

Controls Gypsy Moth Caterpillars And Japanese Beetles

An Effective Insecticide For Use On Vegetable And Ornamental Insects

A Pyrenone[®] Micro-Emulsion, Clear, Stable

Apply With Conventional Mechanical Compressed Air Equipment,

Trigger-Type Sprayers, Or Hand Sprayers.

ACTIVE INGREDIENTS:

Pyrethrins	*******************************	0.02%
*Piperonyl Butoxide, Technical		0.20%
INERT INGREDIENTS:		99.78%
	TOTAL	100.00%

^{*}Equivalent to minimum 0.16% butylcarbitol (6-propylpiperonyl) ether and 0.04% related compounds. PYRENONE® is a registered trademark of AgrEvo Environmental Health.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS: (1 QUART, 2 QUARTS, or 1 GALLON)

767/ AP101702
EPA Reg. No. 2217-783
EPA Est. No. 2217-KS-1
MANUFACTURED BY:

| Discontinuation | An Employee-Owned Company



READ THE ENTIRE LABEL FIRST, OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds, and cover fish aquaria before spraying.

Statement of Practical Treatment

IF SWALLOWED: Contact a physician or Poison Control Center. Induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES OR ON SKIN: Flush affected areas with plenty of water. Contact a physician if irritation persists

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes, or estuaries except as indicated under mosquito larvae control. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously. Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash.

OPTION (1)

TO OPERATE: Shake before using. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

OPTION (2)

TO OPERATE: Shake before using. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

This insecticide may be used indoors, outdoors, or in greenhouses throughout the growing season, or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

USE ON THE FOLLOWING GARDEN CROPS OR VEGETABLES:

Asparagus	Cauliflower	Kale	Radish
Beans	Celery	Lettuce	Spinach
Broccoli	Collard	Mustard Green	Tomato
Brussels Sprout	Cranberry	Pepper	Turnip
Cabbage	Eggplant	Potato	

To control: asparagus beetle, aphid, leafhoppers, whitefly, Mexican bean beetle, spotted cucumber beetle, cabbage looper, cross-striped cabbageworm, stink bugs, green peach aphid, leaf tier, blister beetle, Colorado potato beetle, and webworms.

USE ON THE FOLLOWING ORNAMENTALS:

African violet	Camellia	Dogwood	Marigold
Aster	Carnation	Geranium	Roses
Azalea	Chrysanthemum	Gladiolus	Wandering Jew
Begonia	Dahlia		

ON TREES AND SHRUBS:

To control gypsy moth caterpillars and adults, Japanese beetle (adult), and forest tent caterpillar, treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS:

To control gypsy moth (caterpillars and adults), Japanese beetle (adult), and forest tent caterpillar, treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

INDOORS AS A SPACE SPRAY:

To control house flies, fruit flies, mosquitoes, gnats and small flying moths, apply using a good sprayer adjusted to deliver a fine mist. or [To control house flies, fruit flies, mosquitoes, gnats and small flying moths, turn the nozzle tip of the sprayer to deliver a fine mist.] Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room with mist. Use 4 to 5 fluid ounces of product per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as needed.

OUTDOORS FOR ADULT MOSQUITO CONTROL:

Apply as a fine mist to treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 5 to 6 quarts of product per acre (4 fluid ounces of product per 1,000 square feet).

To control mosquito larvae, apply at the rate of 7.75 gallons of product per acre of 0.18 gallons of product per 1,000 square feet. Apply as a coarse spray to the border or shallow waters of wetlands, swamps, and marshes where mosquito larvae occur.

5/6

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



6/6

APPENDIX

- I. Advertising claims, and illustrations or graphics that may be presented on the container labeling:
 - ? Information: 1-XXX-XXX-XXXX.
 - ◆ + [First Aid Cross] 1-XXX-XXX-XXXX
 - Fast Acting
 - Use indoors or outdoors.
 - Use on roses, flowers, shrubs, trees and vegetables.
 - Apply weekly or as needed to control insects.
 - May be applied on the day of harvest.
 - Kills/Controls most common insects.
 - [Graphics] of various listed insects.
 - ◆ Ready to use (RTU)
 - For use on garden vegetables and ornamentals
- II. Chart that amplifies the Directions for Use and is consistent with the narrative previously-approved.
 - Kills/Controls: Insects: aphids, whiteflies, Japanese beetles, cabbage loopers, tent caterpillars, stinkbugs and other listed insects.
 - Use On: roses, flowers, shrubs, trees and indoor plants.
 - Use on vegetables up to the day of harvest.
 - Amount to Use: Spray to provide thorough coverage of upper and lower leaf surfaces.