

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

2217-786

DATE OF ISSUANCE

8 JUN 1993

TERM OF ISSUANCE

Conditional

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

M 887 Herbicide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Reg # 2217-786
PBI/Gordon Corporation
P.O. Box 4090
1217 West 12th Street
Kansas City, MO 64101

PA-23

196

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(2)(A) provided the registrant:

1. Submit all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(2)(B) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase, "EPA Registration No. 2217-786" to your label before you release the product for shipment.

3. Under the Precautionary Statements, delete the sentence "Wear goggles when applying this product."

Submit three (3) copies of your final printed labeling, with the change referred to above, before you release the product for shipment. Refer to the A-79 previously mailed to you for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

DATE

M 887 HERBICIDE

-KEEP FROM FREEZING-

ONE QUART COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and other broadleaf lawn weeds shown on this label.

No Spreading - No Complicated Mixing
Just attach to a garden hose & spray.

ACTIVE INGREDIENTS:

- *Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid..... 5.609%
- **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid..... 2.669%
- ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)..... 0.614%

| | |
|------------------------|----------|
| INERT INGREDIENTS..... | 91.108% |
| TOTAL | 100.000% |

THIS PRODUCT CONTAINS:

- *0.395 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 4.579%
- **0.190 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 2.206%
- ***0.044 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.510%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for Precautionary Statements and Statement of Practical Treatment.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

NET CONTENTS ONE QUART (NET WEIGHT: 2 LBS. 3 OZ.)

ACCEPTED
with COMMENTS
on EPA Letter Dated:

JUN 1977

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2817-786

713/493 APXXXXXX

EPA REG NO 2217-
EPA EST NO 2217-

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

396

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Statement of Practical Treatment

FOR EYES: Immediately flush eyes with water for 15 minutes and get medical attention.

ON SKIN: Thoroughly wash hands and exposed skin with soap and water.

IF INHALED: Move victim to fresh air.

Environmental Hazards: Drift or run-off may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift from target area.

For Refill Containers Only: When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

WHERE TO USE:

M887 Herbicide provides selective broadleaf weed control in cool season and warm season turfgrass in residential/domestic areas. Established turf of Kentucky bluegrass, perennial ryegrass, tall fescue, and the fine fescues may be treated. Also, established turf of bahiagrass, bermudagrass, and zoysiagrass may be treated. Residential/domestic areas include turfgrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households.

Do not apply this product to bentgrass, carpetgrass, centipedegrass, dichondra, ornamentals, St. Augustinegrass, or lawns containing desirable clovers.

Weeds Controlled

M887 Herbicide is especially effective on hard to control broadleaf weeds including poison ivy, poison oak, sheep sorrel and spurge. M887 controls chickweed, clover, dandelion, knotweed, and plantains and a partial list of susceptible weeds is shown below:

- | | | |
|--------------|--------------|----------------|
| BEDSTRAW | HENBIT | SHEEP SORREL |
| BLACK MEDIC | KNOTWEED | SHEPHERDSPURSE |
| BUCKHORN | LAMBSQUARTER | SPEEDWELL |
| BULL THISTLE | LESPEDEZA | SPURGE |
| BURDOCK | MALLOW | TANSY MUSTARD |
| BUTTERCUP | MORNINGGLORY | THISTLE |
| CHICORY | MUSTARD | VELVETLEAF |
| CHICKWEED | OXALIS | WILD CARROT |
| CLOVER | PEPPERGRASS | WILD CARLIC |
| COCKLEBUR | PIGWEEED | WILD LETTUCE |
| DANDELION | PLANTAIN | WILD ONION |
| DOCK | POSON IVY | YARROW |
| GALINSOGA | POISON OAK | |
| GROUND IVY | PURSLANE | |
| HAWKWEED | RAGWEED | |
| HEAL-ALL | | |

WHEN TO USE

The best control of weeds in established turf will be obtained from spring or early fall applications when weeds are actively growing. However, this product is effective anytime during the growing season.

Schedule the application to match the conditions of adequate soil moisture and air temperatures of 60° to 90° F.

The tolerance of warm season grasses to this product is lower during spring green-up when compared to full green-up. Intermittent periods of cold ($\leq 45^{\circ}$ F) and warm weather ($\geq 70^{\circ}$ F) after herbicide application during spring green-up may decrease turf quality. If this product is applied to warm season grasses during spring green-up, then use two applications at one-half of the recommended dosage rate per application to minimize turf injury and to improve perennial weed control. The interval between first and the second applications should be 10-14 days.

Do not apply this product when turfgrass is under stress from drought, insect attack, or high temperatures ($\geq 90^{\circ}$ F).

Application Suggestions

1. Delay mowing 3 to 4 days before and after the application of this product.
2. Do not apply this product immediately before rainfall or irrigation. Also, rainfall or irrigation within 24 hours after application may reduce the effectiveness. Do not irrigate or water the turfgrass within 24 hours after application.

536

3. Treated areas of common bermudagrass, bahiagrass, and the cool season turfgrasses may be re-seeded 3 to 4 weeks after application.
4. Low rates of this product may be used on newly sodded, sprigged or plugged lawns of hybrid bermudagrass, bahiagrass, and zoysiagrass. Treatments of newly established areas should be delayed until 3-4 weeks after the sodding, sprigging, or plugging operations. Use one-half of the recommended dosage rate per application.
5. Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result.

HOW MUCH TO USE

Apply M887 Herbicide at 6.4 fl. oz. of product per 1000 square feet of turf. If additional treatments are needed, then the interval between the first and subsequent applications should be 3-4 weeks.

One quart of M887 Herbicide will treat 5,000 square feet of turf.

One half gallon of M887 Herbicide will treat 10,000 square feet of turf.

INSTRUCTIONS FOR HOSE-END SPRAYERS

One of the following will be used depending on the types of hose-end sprayers.

OPTION A

1. Connect spray nozzle to garden hose.
2. Shake contents of bottle well.
3. Remove safety cap.
4. Attach tube to nozzle applicator.
5. Attach bottle to open end of spray nozzle. Turn bottle counterclockwise until threads mesh. Then turn the bottle clockwise until tightly closed.
6. Turn on water, place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly onto turfgrass evenly and uniformly (Check handy measuring guide to see how much of this liquid has been used.)

OPTION B

Connect spray nozzle to garden hose; remove safety cap from container, attach tube applicator and insert tube section. Attach container to end of nozzle.

Turn on water; place finger over hole on right side of nozzle and proper ratio will automatically be dispersed. Spray directly onto turfgrass evenly and uniformly. (Check handy measuring guide to see how much liquid has been used)

OPTION (C)

1. Attach garden hose to connector on dispenser.
2. Insert screwdriver into slot in orange lock ring and twist, snapping lock ring in two
3. Remove both parts of separated lock ring
4. Turn arrow on activator switch to OFF position
5. Push activator switch securely down against top of sprayer, which will pierce the safety seal inside the dispenser
6. To begin spraying, turn on water and then move activator switch to the ON position
7. To stop dispensing the product, turn off water

696

OPTION (D)

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counterclockwise to the OFF position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the ON position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counterclockwise to the OFF position and turn off water at the faucet.

LIMITED WARRANTY AND DISCLAIMER. The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

MEASURING GUIDE

1,000 SQ. FT.

COVERAGE

3,000 SQ. FT.

COVERAGE

5,000 SQ. FT.

COVERAGE
WHEN EMPTY