



002217-00793-103098

Printed: 10:32:07 Friday, 28 May, 1999 # 28 / 3148

Systems Integration Group, Inc.

PM 23

2217-793

10/30/98

NOTIFICATION

7177

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval Expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

- Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number: 2217-793
2. EPA Product Manager: Joanne I. Miller
3. Proposed Classification: [X] None [] Restricted
4. Company/Product (Name): Gordon's Tri-Guard
5. Name and Address of Applicant: PBI/Gordon Corporation, PO Box 014090, Kansas City, Missouri 64101
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

NOTIFICATION

OCT 30 1998

- Amendment - Explain below.
Resubmission in response to Agency letter dated
Notification - Explain below.
Final printed labels in response to Agency letter dated
'Me Too' Application.
Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II)

NOTIFICATION of Minor revisions to Directions for Use per PR Notice 95-2: 1)The Fertilizer Regulation Act in Washington became effective on June 11, 1998. Fertilizer products sold and distributed in Washington during 1999 must bear the required text as defined in the Fertilizer Regulation Act. We ask to add the required statements to comply with provisions of the Fertilizer Regulation Act and the requirements of the Department of Agriculture in Washington. Please refer to page 5 of the enclosed labeling. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other (Specify)
3. Location of Net Contents Information: Label, Container
4. Size(s) Retail Container
5. Location of Label Directions: On Label, On Labeling accompanying product
6. Manner in Which Label is Affixed to Product: Lithograph, Paper glued, Stenciled, Other

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name: Craig Martens, Title: Manager of Regulatory Services, Telephone No.: 816/460-6287
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.
2. Signature: Craig Martens, 3. Title: Manager of Regulatory Services, 4. Typed Name: Craig Martens, 5. Date: October 19, 1998, 6. Date Application Received (Stamped)

267

GORDON'S TRI-GUARD

20-10-5

NOTIFICATION

OCT 30 1998

Controls Dandelion, Chickweed, Knotweed, Plantain,
Henbit, and other broadleaf weeds.

ACTIVE INGREDIENTS:

2,4-dichlorophenoxyacetic acid	0.611%
2-(2-methyl-4-chlorophenoxy)propionic acid	0.273%
Dicamba (3,6-dichloro-o-anisic acid).....	0.058%

INERT INGREDIENTS:.....	99.058%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 12.22 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
 - 5.46 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
 - 1.16 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.
- TRIMEC® is a registered trademark of PBI/Gordon Corporation.
Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

IF ON SKIN: Promptly and thoroughly wash hands and exposed skin with soap and water.

FOR EYES: Flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.

NET WEIGHT _____ POUNDS

AP101998
 EPA REG. NO. 2217-793
 EPA EST. NO. 2217-KS-X
 MANUFACTURED BY:

 KANSAS CITY, MO 64101



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as MCP and 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCP and 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

For use on ornamental lawns and turf established in institutional, ornamental, and residential sites. Grass seed crops and sod farms uses are excluded. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Paper and Plastic Bags - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by State and local authorities by burning. If burned stay out of smoke.

WHERE TO USE:

Gordon's Tri-Guard is a Trimec® brand herbicide containing fertilizer, 2,4-D, mecoprop, and dicamba. This granular weed and feed provides a balanced supply of plant nutrients and controls a broad spectrum of broadleaf weeds in turfgrass. Supplemental nitrogen, phosphorus, and potash should be applied according to soil tests or State Extension Service recommendations.

Gordon's Tri-Guard is intended to be applied by commercial applicators, noncommercial users, lawn care operators, and landscape personnel. Cool season and warm season grasses established in institutional, ornamental, and residential sites may be treated.

Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations; for example, hospitals, nursing homes, schools, museums, libraries, sport facilities (including golfcourses), and office buildings may be treated. Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, and institutional buildings. Finally, residential sites are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.

Gordon's Tri-Guard may be applied to newly seeded cool season turfgrass. Applications are recommended only after the third mowing or after the grass seedlings have tillered and have developed an adequate secondary root system.

Gordon's Tri-Guard may be applied to newly established warm season turfgrass. Treatments should be delayed until 3 - 4 weeks after the sodding, sprigging, or plugging operations, and low application rates (1/2 of the recommendation for established turfgrass) are suggested.

A uniform broadcast distribution of product on the treated area is essential. Do not exceed the specified application rate for any area; use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Do not use this product on dichondra, carpetgrass, St. Augustinegrass, closely-mowed bentgrass putting greens, or turf containing desirable clovers.

WEEDS CONTROLLED:

Dandelion, chickweed, plantain, and clover are controlled effectively with Gordon's Tri-Guard. A partial list of susceptible weeds is shown below:

Bedstraw	Dock	Pigweed
Black medic	Ground ivy	Plantain
Buckhorn	Healall	Purslane
Burdock	Henbit	Ragweed
Chicory	Knotweed	Sheep sorrel
Chickweed	Lambsquarters	Shepherdspurse
Clover	Morningglory	Speedwell
Dandelion	Peppergrass	Thistle

HOW MUCH TO APPLY:

For Kentucky Bluegrass, Fescue spp., Perennial Ryegrass, Bermudagrass, and Zoysiagrass: Apply 132.0 to 158.4 pounds (lbs.) of Gordon's Tri-Guard per acre of established turfgrass. Or the equivalent application rates are 3.0 to 3.6 pounds of product per 1,000 square feet (sq.ft.) of turfgrass.

The maximum application rate to turf is 1.0 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

Sequential or follow-up applications may be required for dense infestations of perennial and biennial weeds. Also, adverse environmental conditions prior or after application may reduce the effectiveness. If required, the treatment interval between the first and second applications should be approximately 30 days.

Drop spreaders, rotary spreaders, and other granular equipment should be calibrated for accurate and uniform applications of this product. Calibrate the equipment by applying the product over a measured or known area and adjust the equipment according to the recommendations of the equipment manufacturer. Refer to the rate table for the appropriate bag sizes and the area to be treated.

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.

Bag Size, Lbs.	Desired Rate Per Acre, Lbs.	Desired Rate Per 1,000 Sq. Ft., Lbs.	Treated Area For This Bag Size	
			Acres	Sq. Ft.
15	132.0	3.0	----	5,000
	140.5	3.2	----	4,700
	158.4	3.6	----	4,200
16	132.0	3.0	----	5,300
	140.5	3.2	----	5,000
	158.4	3.6	----	4,400
17	132.0	3.0	----	5,700
	140.5	3.2	----	5,300
	158.4	3.6	----	4,700
18	132.0	3.0	----	6,000
	140.5	3.2	----	5,600
	158.4	3.6	----	5,000
20	132.0	3.0	----	6,700
	140.5	3.2	----	6,300
	158.4	3.6	----	5,600
30	132.0	3.0	0.23	10,000
	140.5	3.2	0.22	9,400
	158.4	3.6	0.19	8,300
35	132.0	3.0	0.27	11,700
	140.5	3.2	0.25	10,900
	158.4	3.6	0.22	9,700
36	132.0	3.0	0.28	12,000
	140.5	3.2	0.26	11,300
	158.4	3.6	0.23	10,000
40	132.0	3.0	0.31	13,300
	140.5	3.2	0.29	12,500
	158.4	3.6	0.25	11,100
45	132.0	3.0	0.34	15,000
	140.5	3.2	0.32	14,100
	158.4	3.6	0.29	12,500
48	132.0	3.0	0.37	16,000
	140.5	3.2	0.34	15,000
	158.4	3.6	0.31	13,300
50	132.0	3.0	0.38	16,700
	140.5	3.2	0.36	15,000
	158.4	3.6	0.32	13,900
55	132.0	3.0	0.42	18,300
	140.5	3.2	0.39	17,200
	158.4	3.6	0.35	15,300
60	132.0	3.0	0.46	20,000
	140.5	3.2	0.43	18,800
	158.4	3.6	0.38	16,700

Optional: Equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels as requested by supplemental registrants.

APPLICATION SUGGESTIONS:

1. Spring and fall applications are recommended for the best control. However, Gordon's Tri-Guard may be applied any time broadleaf weeds are present and actively growing.
2. Mow the turfgrass 2 to 3 days before application.
3. Water the turfgrass thoroughly (>½ inch) at least 1 to 2 days before application.
4. Schedule applications in the morning when dew is present. Or sprinkle or irrigate lightly (<¼ inch) before application to provide maximum control.
5. Rainfall or irrigation within 24 hours after application may reduce the effectiveness. Do not irrigate or water the turfgrass within 24 hours after application.

GUARANTEED ANALYSIS 20-10-5	
Total Nitrogen (N).....	20%
Water Insoluble Nitrogen (N).....	5%
Available Phosphate (P ₂ O ₅).....	10%
Soluble Potash (K ₂ O).....	5%

Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum, must have the following labeling statement: *"This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."*
- After July 1, 1999, the label must also state: *"Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at <http://www.wa.gov/ag/>"*

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- I. Previously Approved Fertilizer Grades:** Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following:

12-4-4	20-10-5	23-3-3	27-3-5
16-2-0	21-3-5	23-3-4	28-3-7
18-4-8	21-5-7	23-3-5	30-3-5
19-3-12	22-3-4	25-3-5	33-3-5

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

- II. Advertising Claims:** Advertising claims presented on the container (bag) that may or may not be used by supplemental registrants:

- ◆ Fifty pounds covers up to 16,700 square feet of turf.
- ◆ Twenty pounds covers up to 6,700 square feet.
- ◆ Provides excellent response to the fertilizer plus effective broadleaf weed control.
- ◆ Combines the advantages of fertilization plus a broad range of weed control.
- ◆ Provides controlled release nitrogen feeding from Poly-S™ Technology.

- III. Previously approved retail container package sizes include:** 15, 16, 17, 18, 20, 30, 35, 36, 40, 45, 48, 50, 55, and 60 pounds.