PM ?	23 921	7-1795	5 3-6-91	1 71	OTIFI	CATION 1000
SEPA	Un Environmental Washin	ited States Protectic gton, DC 204	on Agency	Registra Amend Other	ation ment	OPP Identifier Number 243570
		Applicatio	on for Pesticide - S	ection I		
1. Company/Product Number 22	17-795		2. EPA Product N Joann	<sup>Nanager</sup> e   Miller	3. Pro	posed Classification
4. Company/Product (Name) Gordon's Triplex			РМ# (PM 2	3)		
5. Name and Address of App PBI/Gordon Corporatio P.O. Box 014090 1217 West 12th Street Kansas City, MO 6410	licant <i>(Include ZIP Cod</i> N 1 <i>is a new address</i>	- -	6. Expedited I (b)(i), my produ to: EPA Reg. No Product Nam	Review. In accord ct is similar or iden 	ance with tical in cor	FIFRA Section 3(c)(3) nposition and labeling
			Section - II		Alo.	
Amendment - Explain Resubmission in respo Notification - Explain I	below. onse to Agency letter o below.	dated	Final pri Agency Me To Other -	nted labels in respon letter dated o <sup>*</sup> Application. Explain below.	se to MAR	6 1997
proposed labeling is enclosed been made to the labeling or to statement to the EPA. I furthe of FIFRA and I may be subject	This notification is con the confidential statement r understand that if this r t to enforcement action a	nsistent with th t of formula of notification is r and penalties r	he provisions of PRN 95-2 and this product. I understand that not consistent with the terms of under Section 12 and 14 of FIF Section - III	EPA regulations at 40 it is a violation of 18 U: PRN 95-2 and 40 CFF RA.	CFR 152.46, SC.Sec. 100 R 152.46, this	and no other changes have 1 to willfully make any false 5 product may be in violation
1. Material This Product Will	Be Packaged In:					
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Packaging Yes No If "Yes" No. ; Package wgt contr	2. Type o	f Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents I	nformation	4. Size(s) Re	tail Container	5. Location of Le	abel Directio el	ns •
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	raph C glued iled	ther		and a second s
			Section - IV			
1. Contact Point (Complete )	items directly below fo	or identificatio	on of individual to be contact	ed, if necessary, to p	process this	application.)
Name Craig Martens			Title Manager, Regulatory	Services	Telephone (81	No. (Include Area Code) 16) 421-4070
I certify that the stater I acknowledge that an both under applicable I	nents I have made on y knowingly false or m aw.	Certifica this form and isleading stat	ation I all attachments thereto are tement may be punishable b	true, accurate and c y fine or imprisonmer	in or	6: Dats Application Rec sived (Stamped)
2. Signature Marthar	luns		3. Title Manager, Regulatory S	Services		
4. Typed Name V Craig Martens	, <u>, , , , , , , , , , , , , , , , , , </u>	-	5. Date February 17, 1997			4 4 6 4 1 4 4 4 6 6 7 6 7 6 7
EPA Form 8570-1 (Rev. 8-94	Previous editions are	obsolete.		Wolte - FPA File Cop	v (original)	Yellow - Annicant Conv

# GORDON'S TRIPLEX 24-4-8

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, and other broadleaf weeds.

# ACTIVE INGREDIENTS

* 2,4-Dichlorophenoxyacetic acid	0.684%
** 2-(2-methyl-4-chlorophenoxy) propionic acid	0.306%
*** Dicamba:(3,6-dichloro-o-anisic acid)	0.065%
INERT INGREDIENTS	98.945%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

\*13.676 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton

\*\*6.121 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton

\*\*\*1.291 lbs. 3,6-dichloro-o-anisic acid equivalent per ton

Isomer Specific by AOAC Methods.

TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION

MATTEICATION MAR 6 1997

# **KEEP OUT OF REACH OF CHILDREN**

# CAUTION

# **Statement of Practical Treatment**

IF ON SKIN: Promptly and thoroughly wash hands and exposed skin with soap and water.

IF IN EYES: Flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.

# NET WEIGHT (15, 16, 17, 18, 20, 30, 35, 36, 40, 45, 50, 55, OR 60) POUNDS

 793 AP021797
 Page 1 of 6

 793 AP021797
 Page 1 of 6

 793 EPA REG. NO. 2217-795
 775

 800 PBI/GORDON CORPORATION
 775

### STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

### **STORAGE & DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** <u>For Paper and Plastic Bags</u> - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by State and local authorities by burning. If burned stay out of smoke.

#### WHERE TO USE:

Gordon's Triplex is a Trimec<sup>®</sup> brand herbicide containing fertilizer, 2,4-D, mecoprop, and dicamba. This granular weed and feed provides a balanced supply of plant nutrients and controls a broad spectrum of broadleaf weeds in turfgrass. Supplemental nitrogen, phosphorus, and potash should be applied according to soil tests or State Extension Service recommendations.

Gordon's Triplex is intended to be applied by commercial applicators, noncommercial users, hawn care operators, and landscape personnel. Cool season and warm season grasses established in institutional, omamental, and residential sites may be treated.

\*\*\*\*\*

EPA Reg. No. 2217-795

Page 2 of 6

Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations; for example areas around hospitals, nursing homes, schools, museums, libraries, sport facilities (including golf courses), and office buildings may be treated. Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, and institutional buildings. Finally, residential sites are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.

4047

Gordon's Triplex may be applied to newly seeded cool season turfgrass. Applications are recommended only after the third mowing or after the grass seedlings have tillered and have developed an adequate secondary root system.

Gordon's Triplex may be applied to newly established warm season turfgrass. Treatments should be delayed until 3 - 4 weeks after the sodding, sprigging, or plugging operations, and low application rates (½ of the recommendation for established turfgrass) are suggested.

A uniform broadcast distribution of product on the treated area is essential. Do not exceed the specified application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Do not use this product on dichondra, carpetgrass, St. Augustinegrass, closely-mowed bentgrass putting greens, or turf containing desirable clovers.

**WEEDS CONTROLLED:** Dandelion, chickweed, plantains, and clover are controlled effectively with Gordon's Triplex. A partial list of susceptible weeds is shown below:

Bedstraw	Dock	Pigweed	
Black Medic	Ground Ivy	Plantains	
Buckhorn	Healall	Purslane	
Burdock	Henbit	Ragweed	
Chicory	Knotweed	Sheep Sorrel	
Chickweed	- Lambsquarters	Shepherdspurse	
Clover	Morningglory	Speedwell	
Dandelion	Peppergrass	Thistle	

#### HOW MUCH TO APPLY:

For Kentucky Bluegrass, Fescue spp., Perennial Ryegrass, Bermudagrass, and Zoysiagrass: Apply 140.5 to 174.2 pounds (lbs.) of Gordon's Triplex per acre of established turfgrass. Or the equivalent application rates are 3.2 to 4.0 pounds of product per 1,000 square feet (sq.ft.) of turfgrass.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

Sequential or follow-up applications may be required for dense infestations of perennial and biennial weeds. Also, adverse environmental conditions prior or after application may reduce the effectiveness. If required, the treatment interval between the first and second applications should be approximately 30 days.

Drop spreaders, rotary spreaders, and other granular equipment should be calibrated for accurate and uniform applications of this product. Calibrate the equipment by applying the product over a measured or known area and adjust the equipment according to the recommendations of the equipment manufacturer. Refer to the rate table for the appropriate bag sizes and the area to be treated.

EPA Reg. No. 2217-795

Page 3 of 6

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.

50f7

Bag Size,	Desired Rate	Desired Rate Per	Treated Area Fo	r This Bag Size
Lbs.	Per Acre, Lbs.	1,000 Sq.Ft., Lbs.	Acres	Sq,Ft.
•	140.5	3.2		4,700
15	158.4	3.6		4,200
	174.2	4.0		3,800
	140.5	3.2		5,000
16	158.4	3.6		4,400
	174.2	4.0		4,000
	140.5	3.2		5,300
17	158.4	3.6		4,700
	174.2	4.0		4,300
	140.5	3.2		5,600
18	158.4	3.6		5,000
	174.2	4.0	*	4,500
	140.5	3.2		6,300
20	158.4	3.6		5,600
	174.2	4.0		5,000
	140.5	3.2	0.22	9,400
30	158.4	3.6	0.19	8,300
	174.2	4.0	0.17	7,500
	140.5	3.2	0.25	10,900
35	158.4	3.6	0.22	9,700
	174.2	4.0	0.20	8,800
	140.5	3.2	0.26	11,300
36	158.4	3.6	0.23	10,000
	174.2	4.0	0.21	9,000
	140.5	3.2	0.29	12,500
40	158.4	3.6	0,29	11,100
	174.2	4.0	0.23	10,000
	140.5	3.2	0.32	14,100
45	158.4	3.6	0.29	12,500
	174.2	4.0	0.26	11,300
	140.5	3.2	0.36	15,600
50	158.4	3.6	0.32	13,900
N.5	174.2	4.0	4.00.29	12,500
	140.5	3.2	0.39	17,200
55	158.4	3.6	0.35	15,300
55	174.2	4.0	0.32	13,800
<u> </u>	140.5	3.2	0.43	. 18,800
60	158.4	3.6	0.38	16,700
]	174.2	4.0	0.34	15,000

*Optional:* Equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels as requested by supplemental registrants.

Page 4 of 6

đ.

## APPLICATION SUGGESTIONS:

- 1. Spring and fall applications are recommended for the best control. However, Gordon's Triplex can
- be applied any time broadleaf weeds are present and actively growing.
- 2. Mow the turfgrass 2 to 3 days before application.
- 3. Water the turfgrass thoroughly (>1/2 inch) at least 1 to 2 days before application.
- 4. Schedule applications in the morning when dew is present. Or, sprinkle or irrigate lightly (<¼ inch) before application to provide maximum control.
- 5. Rainfall or irrigation within 24 hours after application may reduce the effectiveness. Do not irrigate or water the turfgrass within 24 hours after application.

GUARANTEED ANALYSIS 24-4-8	
Total Nitrogen (N)	24%
Water Insoluble Nitrogen (N)	5%
Available Phosphate (P205)	4%
Soluble Potash (K <sub>2</sub> O)	8%

# LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

the second se



1

Page 5 of 6

, tr

Previously Approved Fertilizer Grades: Fertilizer grades with nutrient contents expressed as the I. percentages of N, P2O5, and K2O include the following:

10-6-4	19-5-9	22-7-7	25-3-8
12-5-5	20-4-6	22-10-10	26-3-3
12-4-4	20-4-8	23-3-3	26-3-5
15-5-10	20-10-0	23-7-7	26-4-6
16-2-3	20-10-5	24-3-6	28-3-3
16-3-5	21-5-7	24-4-8	28-3-7
16-6-9	21-3-5	24-5-10	30-3-5
18-3-5	22-3-6	25-3-3	30-3-10
18-4-8	22-6-6	25-3-5	30-4-8

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

GUARANTEED ANALYSIS	
Total Nitrogen (N)	19%
5.6% Water Insoluble Nitrogen	
9.0% Ammoniacal nitrogen	
1.4% Urea Nitrogen*	
3.0% Water Soluble Organic Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>3</sub> )	5%
Soluble Potash (K <sub>2</sub> O)	9%
Total Magnesium (MG)	1.0%
0.2% Water Soluble Magnesium (Mg)	
Total Sulfur (S)	8.0%
8.0% Combined Sulfur (S)	
Total Iron (Fe)	1.0%
0.1% Soluble Iron (Fe)	
Total Manganese (Mn)	0.5%
0.01% Water Soluble Manganese (Mn)	
*Contains 3.0% Slowly Available Nitrogen from Methylene Ure	ea.
Nutrient Sources: Urea, Methylene Urea, Ammonium Phosp	hate,
Ammonium Sulfate, Sulfate of Potash, Dolomite, Sulfat	e of
Potash, Magnesia, Iron Sulfate, Manganese Sulfate, Manga	inese
Oxide.	
Chlorine (CI) not more than	3.0%

- II. Advertising Claims: Advertising claims presented on the container (bag) that may or may not be used by supplemental registrants:
  - Fifty pounds covers up to 15,600 square feet of turf.
  - Twenty pounds covers up to 6,300 square feet.
  - Provides excellent response to the fertilizer plus effective broadleaf weed control.
  - · Combines the advantages of fertilization plus a broad range of weed control.
  - ◆ Provides controlled release nitrogen feeding from Poly-S™ Technology.
  - + Homogeneous fertilizer granules for high quality turf.
  - Slow release nitrogen for long lasting feeding without burning when applied as directed Continual root development for a thick lush lawn. ٠
  - ÷
  - This fertilizer contains iron which will stain concrete and painted surfaces.

EPA Reg. No. 2217-795

Page 6 of 6