	1 <u> </u>	
Approved.	OMB No.	2070-0060
	17-3	7707
		Approved. OMB No.

PM 23	2217 - 799	3-6-97	•	10TIFICATION 0.0060. Approved expires 05-31-98
≎EPA	United States Environmental Protection Washington, DC 204	n Agency	Registration Amendment Other	OPP Identifier Number
	Application	n for Pesticide - S	ection I	
. Company/Product (Name	2217-799	PM#	ne I Miller	3. Proposed Classification None Restricted
PBI/Gordon Corporat P.O. Box 014090 1217 West 12th Stre- Kansas City, MO 64	plicant (Include ZIP Code) tion	1	Review. In accordance is similar or identical.	e with FIFRA Section 3(c)(3) If in composition and labeling
1	· · · · · · · · · · · · · · · · · · ·	Section - II		
Notification - Explain Explanation: Use addition NOTIFICATION of alternational labeling is enclosed. This is to the labeling or the confidence of the EPA. I further understated the EPA.	ponse to Agency letter dated	Other - Other - 1 and Section II.) -3-5" and submission of final and sof PRN 95-2 and EPA regret. I understand that it is a violat with the terms of PRN 95-2	ulations at 40 CFR 152,46, a ation of 18 USC.Sec. 1001	6 1997 2. One (1) copy of the final printed and no other changes have been made to willfully make any false statement to
		Section - III		
. Material This Product Wi	Il Re Packaged In:	Occion in		
Child-Resistant Packaging Yes* No Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging Yes No If "Yes" No. Package wgt cont	per	ontainer Metal Plastic Glass Paper Other (Specify)
Label Label is.	Container	raph Tie	5. Location of Label On Label On Labeling	Directions •
	Paper Stenc			
·		Section - IV		
. Contact Point (Complete lame Craig Martens	items directly below for identification	on of individual to be contact Title Manager, Regulatory	Tro	ess this application.) elephone No. (Include Area Code) (816) 421-4070
	Certifica ements I have made on this form end ny knowingly felse or misleading sta I law.	l all attachments thereto are		

ACTIVE INGREDIENTS: * 2-methyl-4-chlorophenoxyacetic acid............ 0.550% ** 2-(2-methyl-4-chlorophenoxy) proprionic acid.. 0.250% *** Dicamba: 3,6-dichloro-o-anisic acid 0.055% INERT INGREDIENTS 99.145% TOTAL 100.000%

THIS PRODUCT CONTAINS:

11.00 lbs, or 0.550% 2-methyl-4-chlorophenoxyacetic acid equivalent per ton,

** 5.00 lbs. or 0.250% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.

*** 1.10 lbs. or 0.055% 3,6-dichloro-o-anisic acid equivalent per ton. Isomer Specific by AOAC Methods,

KEEP OUT OF REACH OF CHILDREN AUTIO

See side panel for additional Precautionary Statements.

NET WEIGHT 18 POUNDS



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY,

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wash thoroughly with soap and water after handling.

Statement of Practical Treatment

IF ON SKIN: Wash thoroughly with soap and water. Get medical attention. IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nonlarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated area until sprays have dried or dusts

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

DIRECTIONS FOR USE

WHERE TO USE: M24 Weed and Feed is a Trimec* brand herbicide containing fertilizer, MCPA, mecoprop, and dicamba. This granular weed and feed provides a balanced supply of plant nutrients and controls a broad spectrum of broadleaf weeds in turigrass. Supplemental nitrogen, phosphorous, and potash should be applied according to soil tests or State Extension Service recommendations.

M24 Weed and Feed controls broadleaf weeds commonly found in cool season and warm season turfgrass established in residential/domestic areas. Established turf of warm season turifuses established in residential united and centipedegrass may be treated. bermudagrass, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated. Also, Kentucky bluegrass, fescues, and perennial ryegrass may be treated. Residential/ domestic areas include turigrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households,

Do not apply this product to bentgrass, carpelgrass, dichondra, ornamentals, or lawns containing desirable clovers.

WHEN TO USE: The maximum control of weeds will be obtained from spring or fall applications when the weeds are actively growing.

Dandelion, chickweed, plantains, and henbit are controlled with M24 Weed and Feed, A partial list of susceptible weeds is shown below:

Bedstraw Black Medic Burdock Chicory Chickweed Clover

Dandelion Dock Ground Ivy Healall Henbit

Knolweed Lambsquarters Peppergrass Pigweed Plantains

Purslane Ragweed Sheep Sorrel Shepherdspurse Thistle

APPLICATION INSTRUCTIONS:

- APPLICATION INSTRUCTIONS:

 1. Spring and fall applications are recommended for the best control. However, M24 Weed and Feed can be applied any time broadleaf weeds are present and actively growing. Treatments of newly established warm season turfgrass should be delayed until 3 to 4 weeks after the sodding, sprigging or plugging operations. Application of this product to newly seeded areas of cool season grasses should be delayed until the third mowing.

 2. Mow the turfgrass 2 to 3 days before application.

 3. Water the turfgrass 2 to 3 days before application.

 4. It is recommended that this product be applied when plant leaves are most by dew in the early morning or just after watering the lawn. Herbicide granules retained in water droplets on the leaves are readily absorbed. So, schedule applications in the morning when daw is present. Or, sprinkle or Irrigate lightly (¼ inch) before application to provide maximum control.

 5. Do not irrigate or water the turfgrass within 24 hours after application.

HOW MUCH TO APPLY:

HOW MUCH TO APPLY:

For bermudagrass, zoys/agrass, St. Augustinegrass and centipedegrass: Apply
4.0 pounds of product per 1,000 square feet of turfgrass. A second or follow-up
application may be required for dense infestations of weeds or for adverse seasonal
conditions. If needed, the second application of 4.0 pounds of product per 1,000
square feet should be used 30 days after the first application.

For Kentucky bluegrass, fescues, and perennial ryegrass: Apply 4.0 pounds of product per 1,000 square feet of turigrass. A second or follow-up application may be required for dense infestations of weeds or for adverse seasonal conditions. If needed, the second application of 4.0 pounds of product per 1,000 square feet should be used 30 days after the first application.

A uniform broadcast distribution of product on the treated area is essential. Do not exceed the specified application rate for any area; and use care in the application of this product within the dripling of trees, shrubs, and other ornamentals.

Drop spreaders and rotary spreaders should be calibrated for uniform applications of this product. Refer to the rate table for the appropriate bag sizes and the area to be treated.

ag Size	Desi
(Ľbs.)	Per 1000
18	

ired Rate Treated Area For 0 Sq. Ft. {Lps.} This Bag Size (Sq. Ft.) 4.0 4,500

21-3-5 GUARANTEED ANALYSIS

Total Nitrogen (N)	%
Available Phosphate (P ₂ O ₃)	%.
Soluble Polash (K ₂ 0)5	%

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OF ITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product Inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.