

2217-811

09-04-2009

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SEP 4 2009

Mr. James L. Kunstman, Ph.D
PBI/Gordon Corporation
Post Office Box 014090
Kansas City, Missouri 64101

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 4, 2009 for:

EPA Registration 2217-811 EH-1328 Weed and Feed

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|---|--|
| 1. Company/Product Number <p style="text-align: center;">2217-811</p> | 2. EPA Product Manager <p style="text-align: center;">Joanne I. Miller</p> | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) <p style="text-align: center;">EH-1328 Weed and Feed</p> | PM# <p style="text-align: center;">Product Manager—Team 23</p> | |
| 5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|---|
| <input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below. |
|--|---|

NOTIFICATION

SEP - 4 2009

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification Per Pesticide Registration Notice (PRN) 2007-4:
 Please refer to cover letter for details and certification statement.

 e-mail to jkunstman@pbigordon.com FAX: 816-421-2731

Section - III

| | | | |
|--|---|---|--|
| 1. Material This Product Will Be Packaged In: | | | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No <i>* Certification must be submitted</i> | Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per Container | 2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container | 4. Size(s) Retail Container <p style="text-align: center;">15, 16, 17, 18, 20 and 36 pound bags</p> | 5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | |

Section - IV

| | | |
|--|--|--|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name <p style="text-align: center;">James L. Kunstman, Ph.D.</p> | Title <p style="text-align: center;">Director of Regulatory Services</p> | Telephone No. (Include Area Code) <p style="text-align: center;">816-460-6292</p> |
| I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received <p style="text-align: center;">(Stamped)</p> |
| 2. Signature | 3. Title <p style="text-align: center;">Director of Regulatory Services</p> | |
| 4. Typed Name <p style="text-align: center;">James L. Kunstman, Ph.D.</p> | 5. Date <p style="text-align: center;">August 4, 2009</p> | |

Certification with Respect to Label Integrity

version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

| PROPOSED LABEL | | |
|--------------------|-----------------------|--------------------------------------|
| EPA Registration # | Date Submitted to EPA | Electronic file name |
| 2217-811 | 8/4/2009 | 002217-00811.20090804.notif-proposed |

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.



08/04/2009

Signature

Date

James L. Kunstman, Ph.D.

Name (typed)

Director, Regulatory Services

Title



1217 WEST 12TH STREET • P.O. BOX 014090
KANSAS CITY, MISSOURI 64101-0090
816-421-4070 • 1-800-821-7925
FAX: 816-474-0462

August 4, 2009

Document Processing Desk (PRN)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Ms. Joanne I. Miller, (PM-23)

Dear Ms. Miller:

**Subject: Response to Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment".
EH-1328 Weed and Feed (EPA Reg. No. 2217-811)**

I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:

1. We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment." One (1) copy of the annotated labeling is enclosed for your review. Please refer to page 3 of the draft labeling.

2. **Certification:** This notification is consistent with the guidance PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this amended labeling is not consistent with the terms of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

II. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the draft labeling

```

o o o o
o o o c
o o c
o o o
o o o o
o u o
o o o c
o o o o
o o o c
o o o o
o o o o
o o o o
o
o o o
o o o c
o o o o
o o o c
o o o o

```

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

James L. Kunstman, Ph.D.
Director of Regulatory Services

EH1328 WEED AND FEED

29-3-4

NOTIFICATION

SEP - 4 2009

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| Dimethylamine salt of 2,4-dichlorophenoxyacetic acid | 0.78% |
| Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid . | 0.15% |
| Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid) | 0.04% |
| INERT INGREDIENTS: | 99.03% |
| TOTAL | 100.00% |

THIS PRODUCT CONTAINS:

13.00 lbs. or 0.65% 2, 4-dichlorophenoxyacetic acid equivalent per ton.
 2.60 lbs. or 0.13% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.
 0.60 lb. or 0.03% 3, 6-dichloro-o-anisic acid equivalent per ton.
 Isomer Specific by AOAC Methods.
 TRIMEC® is a registered trademark of PBI/Gordon Corporation.
 Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements and First Aid.

NET WEIGHT (15, 16, 17, 18, 20, or 36) POUNDS

AP080409
 EPA REG. NO. 2217-811
 EPA Est. No. 2217-KS-1

MANUFACTURED BY:



Telephone: 800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or if absorbed through skin. Causes (moderate) eye injury (irritation). Avoid contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

First Aid

| | |
|----------------------|---|
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to by a poison control center or doctor. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If on skin: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS:

This pesticide may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL USE PRECAUTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

CONTAINER DISPOSAL:

~~If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partially filled: Call your local solid waste agency or toll free number (1-800-xxx-xxxx) for disposal instructions. Never place unused product down any indoor or outdoor drain.~~

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain!

USE PRECAUTIONS:

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not apply to newly seeded lawns until after the third mowing.

WHERE TO USE:

EH1328 Weed and Feed controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a 29-3-4 fertilizer provides a supply of plant food. Supplemental nitrogen, phosphorous, and potash should be applied according to soil tests or State Extension Service recommendations.

EH1328 Weed and Feed controls broadleaf weeds commonly found in cool season and warm season turfgrass established in residential areas. Established turf of Kentucky bluegrass, fescues, and perennial ryegrass may be treated. Established turf of bermudagrass, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated. Residential areas include turfgrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households.

Do not apply this product to carpetgrass, dichondra, ornamentals, or lawns containing desirable clovers.

APPLICATION INSTRUCTIONS:

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

APPLICATION INSTRUCTIONS: (Optional Tabular Format)

| Application Schedule | Cultural Practices |
|-------------------------------|---|
| 1 - 2 days before application | Mow lawn to normal height 1 to 2 days before application. |
| 1 day before application | Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering. |
| Day of application | Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants. |
| 1 - 2 days after application | Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made. |

HOW MUCH TO1 APPLY:

For Kentucky bluegrass, fescues, and perennial ryegrass, bermudagrass, zoysiagrass, St. Augustinegrass and centipedegrass: Apply 3.0 to 3.6 pounds of product per 1,000 square feet of turfgrass. A second or follow-up application may be required for dense infestations of weeds or for adverse seasonal conditions. The second application of 3.0 to 3.6 pounds of product per 1,000 square feet should be used 30 days after the first application. Do not apply this product to 'Floritam' St. Augustinegrass in Florida.

The maximum application rate to turf is 1.1 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

A uniform distribution of product on the treated area is essential. Choose a calm day to insure uniform coverage and to avoid spreading granules onto flowers, vegetables, and ornamental shrubbery. Do not exceed the application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Drop spreaders and rotary spreaders should be calibrated for uniform applications of this product.

CALIBRATION INSTRUCTIONS:

Refer to the rate table (in the appendix) for the appropriate bag sizes and the area to be treated.

- For 3.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330 square feet.
- For 3.2 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.
- For 3.4 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 300 square feet and adjust to apply at the rate of 1 pound of product per 300 square feet.
- For 3.6 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet.

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels.

| Bag Size, Pounds | Application Rate, Pounds/1,000 Sq.Ft. | Treated Area for This Bag Size, Square Feet |
|------------------|---------------------------------------|---|
| 15 | 3.0 | 5,000 |
| | 3.2 | 4,700 |
| | 3.4 | 4,400 |
| | 3.6 | 4,200 |
| 16 | 3.0 | 5,300 |
| | 3.2 | 5,000 |
| | 3.4 | 4,700 |
| | 3.6 | 4,400 |
| 17 | 3.0 | 5,600 |
| | 3.2 | 5,300 |
| | 3.4 | 5,000 |
| | 3.6 | 4,700 |
| 18 | 3.0 | 6,000 |
| | 3.2 | 5,600 |
| | 3.4 | 5,300 |
| | 3.6 | 5,000 |
| 20 | 3.0 | 6,600 |
| | 3.2 | 6,300 |
| | 3.4 | 5,900 |

| | | |
|----|-----|--------|
| | 3.6 | 5,600 |
| 36 | 3.0 | 12,000 |
| | 3.2 | 11,200 |
| | 3.4 | 10,600 |
| | 3.6 | 10,000 |

SPREADER PATTERNS AND PRODUCT DISTRIBUTION:

1. Apply two header strips.
2. Operate spreader the longest way of the lawn.
3. For drop spreaders, overlap wheels to insure complete coverage.
4. Close spreader openings when turning.

SINGLE PASS DISTRIBUTION:

First spread the borders of your lawn. Then spread the center by spreading in straight line passes. Spread at a uniform walking speed to insure even coverage [Graphics Optional]. To avoid gaps and streaks, first spread the border and fill in center with uniform, parallel passes.

Coverage - To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct all non-lawn areas (house, gardens, etc.). One bag covers up to XXX square feet. [Graphics Optional]

Advisory For Fertilizers Containing Iron:

- Contains 1% Iron
- Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete surfaces, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

- BROADLEAF WEEDS -

| | | | |
|---------------------------|-----------------|-----------------------------|------------------------|
| Annual yellow sweetclover | Cockle | Musk thistle | Spiny amaranth |
| Aster | Cocklebur | Mustard | Spiny cocklebur |
| Austrian fieldcress | Common mullein | Narrowleaf plantain | Spiny sowthistle |
| Bedstraw | Creeping jenny | Narrowleaf vetch | Spotted catsear |
| Beggarticks | Cudweed | Nettle | Spotted spurge |
| Betony, Florida | Curly dock | Orange hawkweed | Spurweed |
| Bindweed, field | Daisy, English | Oriental cocklebur | Stinging nettle |
| Bird vetch | Daisy fleabane | Oxalis | Strawberry, India mock |
| Bitter wintercress | Daisy, oxeye | Parsley-piert | Tall nettle |
| Bittercress, hairy | Dandelion | Parsnip | Tall vervain |
| Bitterweed | Dichondra | Pearlwort | Tansy ragwort |
| Black-eyed Susan | Dogbane | Pennycress | Tansy mustard |
| Black medic | Dogfennel | Pennywort | Tanweed |
| Black mustard | Dollarweed | Peppergrass | Thistle |
| Blackseed plantain | Elderberry | Pepperweed | Trailing crownvetch |
| Blessed thistle | False dandelion | Pigweed | Tumble mustard |
| Bloodflower milkweed | Falseflax | Pineywoods bedstraw | Tumble pigweed |
| Blue lettuce | False sunflower | Plains coreopsis (tickseed) | Velvetleaf |
| Blue vervain | Fiddleneck | Plantain | Venice mallow |
| Bracted plantain | Florida pusley | Poison ivy | Virginia buttonweed |
| Brassbuttons | Frenchweed | Poison oak | Virginia creeper |
| Bristly oxtongue | Galinsoga | Pokeweed | Virginia pepperweed |
| Broadleaf dock | Goathead | Poorjoe | Water pennywort |
| Broadleaf plantain | Goldenrod | Prairie sunflower | Wavyleaf bullthistle |
| Broomweed | Ground ivy | Prickly lettuce | Western clematis |
| Buckhorn | Gumweed | Prickly sida | Western salsify |

- BROADLEAF WEEDS -

| | | | |
|---------------------|-------------------|-----------------------|---------------------------|
| Buckhorn plantain | Hairy fleabane | Prostrate knotweed | White mustard |
| Bulbous buttercup | Hawkweed | Prostrate pigweed | Wild aster |
| Bull thistle | Healall | Prostrate spurge | Wild buckwheat |
| Bullnettle | Heartleaf drymary | Prostrate vervain | Wild carrot |
| Burclover | Heathaster | Puncturevine | Wild four-o'clock |
| Burdock | Hedge bindweed | Purslane, common | Wild garlic |
| Burning nettle | Hedge mustard | Ragweed | Wild geranium |
| Burweed | Hemp | Red sorrel | Wild lettuce |
| Buttercup | Henbit | Redroot pigweed | Wild marigold |
| Buttonweed | Hoary cress | Redstem filaree | Wild mustard |
| Canada thistle | Hoary plantain | Rough cinquefoil | Wild onion |
| Carolina geranium | Hoary vervain | Rough fleabane | Wild parsnip |
| Carpetweed | Horsenettle | Russian pigweed | Wild radish |
| Catchweed bedstraw | Jimsonweed | Russian thistle | Wild rape |
| Catnip | Knawel | Scarlet pimpernel | Wild strawberry |
| Catsear | Knotweed | Scotch thistle | Wild sweet potato |
| Chickweed, common | Kochia | Sheep sorrel | Wild vetch |
| Chickweed, mouseear | Lambsquarters | Shepherdspurse | Woodsorrel |
| Chicory | Lespedeza | Slender plantain | Woolly croton |
| Cinquefoil | Mallow | Smallflower galinsoga | Woolly morningglory |
| Clover, crimson | Matchweed | Smooth dock | Woolly plantain |
| Clover, hop | Mexicanweed | Smooth pigweed | Wormseed |
| Clover, red | Milk vetch | Sorrel | Yarrow |
| Clover, strawberry | Morningglory | Sowthistle | Yellow rocket |
| Clover, sweet | Mouseear hawkweed | Spanishneedles | Yellowflower pepperweed |
| Clover, white | Mugwort | Speedwell | and other broadleaf weeds |

Fertilizer Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum, must have the following labeling statement: "This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."
- After July 1, 1999, the label must also state: "Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at <http://www.wa.gov/agr/>."
- For Texas: Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.xxxxx.com>.

Referrals to other sequentially used products:

- For best results, apply (brand name) products.
- Apply using the 4-Step Program
- **Forevergreen 4-Step Program:**
 - STEP 1:* Forevergreen Crabgrass Preventor - Apply March - early May - Prevents crabgrass and most other annual weed grasses. - Greens your lawn with extended feeding nitrogen.
 - STEP 2:* Forevergreen Weed & Feed - Apply May - June - Kills dandelion, clover, plantain and over XXX other broadleaf weeds. - Thickens and greens your lawn with extended feeding nitrogen.
 - STEP 3:* Forevergreen Lawn Food - Apply June - August - Thickens and promotes a lush green lawn. - Greens with iron and sulfur. - Thickens and greens your lawn with extended feeding nitrogen.
 - STEP 4:* Forevergreen Winterizer & Weed Control - Apply late August - mid October - Kills dandelion, clover, plantain and over XXX other broadleaf weeds. - Slow release nitrogen for long lasting feeding.

OR

STEP 4: Forevergreen Starter & Winterizer - Apply late August - November - Slow release nitrogen for long lasting feeding. - Enhances root building and prepares your lawn for winter dormancy. - Use with new seeding and sodding of turfgrass.

Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order of Injunctive Relief in Washington Toxics Coalition. et al. v. EPA, C01-0132C, (W.D. WA). For further information, please refer to www.epa.gov/espp/wtc/.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

To the extent allowed by applicable law, the terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



13
7
12

APPENDIX

I. Previously Approved Fertilizer Grades:

- ◆ Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following: 23-3-7 and 29-3-4

| | | |
|---------|--------|--|
| 22-0-8 | 26-0-3 | |
| 22-0-10 | 29-3-4 | |
| 23-3-7 | | |
| | | |

- ◆ The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

| 23-3-7 GUARANTEED ANALYSIS | |
|---|-----|
| Total Nitrogen (N)..... | 23% |
| Water Insoluble Nitrogen..... | 5% |
| Available Phosphate (P ₂ O ₅)..... | 3% |
| Soluble Potash (K ₂ O)..... | 7% |

II. Advertising claims appropriate for the bag size:

- ◆ (Fifteen, Sixteen, Seventeen, Eighteen, or Twenty) Pounds Covers Up To 5,000 Square Feet.
- ◆ Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and other broadleaf weeds.
- ◆ Controls (Number) weeds!
- ◆ Answers to FAQ's on the internet at www.xxxxx.com
- ◆ Contains slow release nitrogen for long lasting feeding without burning, when applied as directed.
- ◆ Continual root development for a thick, lush lawn.

III. The following advertising claims may be used on container labels, or in advertisements or other promotional material for the subject product:

• Green Cycle

Spring

- Crabgrass Control & Lawn Food

Summer

- Weed & Feed

Fall

- Lawn Food

Winter

- Fall & Winter Lawn Food

- Lilly Miller Ultragreen [product] feeds and protects all year long!
- A Granular Fertilizer Containing Trimec® Herbicide Which Controls: [weeds]
- Specially formulated to promote root building and winter hardiness.
- Slow release nitrogen for a longer lasting green lawn
- Controls Over 150 Broadleaf Weeds!
- Prepares Your Lawn For Winter
- 100% Satisfaction Guarantee Or Your Money Back