.PM 23		217-812	·	3-6-97		•		FICATION
SEPA	ں Environmental	nited States	gency	Form Appl		омв No. 2070 Registratio Amendme Other	n	OPP Identifier Number 243577
Application for Pesticide - Section I								
1. Company/Product Numbe 22	17-812		2. EP/	A Product Man Joanne I				pposed Classification
4. Company/Product (Name) EH1329 Weed and Fe			PM#	(PM 23)				None Restricted
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
Check if this	is a new address			luct Name				
		S	ection -	· 11				
Amendment - Explain below.  Resubmission in response to Agency letter dated				Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.				
NOTIFICATION of alternate I labeling is enclosed. This not to the labeling or the confident the EPA. I further understand and I may be subject to enforce	fication is consistent with tlal statement of formula that if this notification is	n the provisions of PR of this product. I under not consistent with the ies under Section 12	N 95-2 and erstand that e terms of F	EPA regulation of the same of	s at 40 of 18 US 10 CFR	CFR 152.46, and C.Sec. 1001 to	i no othe willfully a luct may	er changes have been made make any false statement to be in violation of FIFRA
1. Material This Product Wil	l Be Packaged In:			-		"'A'A'	90%	
Child-Resistant Packaging Yes* No * Certification must	Unit Packaging Yes No If "Yes"	No. per If "	Yes No Yes"	Packaging No. per		F G	Aetal Plastic Blass Paper	
be submitted	Unit Packaging wgt.	container Pa	ckage wgt	containe	er .	<u> </u>	other (S	pecify)
3. Location of Net Contents  Label C	Information Container	4. Size(s) Retail Co	ntainer		5. Lo	oation of Label I On Label On Labeling		ns panying product
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Othe	or			A
		Se	ection -	IV				
1. Contact Point (Complete	items directly below f	or identification of in	ndîvidual to	be contacted,	, if nec	essary, to proce	ss this	application.)
Name Craig Martens		Title Man	ager, Reç	gulatory Ser	vices	Te		e N(i.: (Indiude Area Code) 6):421-4070
-	ments I have made on ny knowingly false or n law.			_		-		6. Date Application Received (Stamped)
$\mathcal{L}$			Title lanager, Regulatory Services					
			Date					
			ruary 17, 1997					
PA Form 9570-1 (Pay 9-9)	I) Descriptor estistant est	ahaalasa						

# 901-29 Weed and Feed 29-3-4

EPA REG. NO. 2217-812 EPA EST. NO. 2217-KS-1

MANUFACTURED BY ) pbi/coxdon corporation An Employee-Owned Company KANSAS CITY, MISSOURI 64101

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid ...... 0.61% \*\* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid .... \*\*\* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic) acid ....... 0.05% INERT INGREDIENTS

THIS PRODUCT CONTAINS:

10.20 lbs. or 0.51% 2,4-dichlorophenoxyacetic acid equivalent per ton.

5.00 lbs. or 0.25% 2-(2-methyl-4-chlorophenoxy) proplonic acid equivalent per ton.

0.80 lbs. or 0.04% 3,6-dichloro-o-anisic acid equivalent per ton. Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements and Statement of Practical Treatment.

# **NET WEIGHT 18 POUNDS**



### **PRECAUTIONARY STATEMENTS**

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or if absorbed through skin. Causes (moderate) eye injury (irritation). Avoid contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Statement of Practical Treatment
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists,
IF ON SKIN: Wash with plenty of scap and water. Get medical attention.
IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

ENVIRONMENTAL HAZARDS:
This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

### STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS: Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not apply to newly seeded lawns until after the third mowing.

WHERE TO USE

901-29 Weed and Feed controls a wide range of lawn weeds including dandellon, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 29-3-4 fertilizer provides a balanced supply of plant food. Supplemental nitrogen, phosphorous, and potash should be applied according to soil tests or State Extension Service recommendations.

901-29 Weed and Feed controls broadleaf weeds commonly found in cool season and warm season turfgrass established in residential areas. Established turf of Kentucky bluegrass, fescues, and perennial ryegrass may be treated. Established turf of bermudagrass, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated. Residential areas include turfgrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households.

Do not apply this product to carpetgrass, dichondra, ornamentals, or lawns containing desirable clovers.

APPLICATION INSTRUCTIONS:
 Mow lawn to normal height 1 to 2 days before application.
 Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
 Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
 Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

### APPLICATION INSTRUCTIONS: (Optional Tabular Format)

Application Schedule	Cultural Practices
1 - 2 days before application	Mow lawn to normal height 1 to 2 days before application.
1 day before application	Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering.
Day of application	Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
1 - 2 days after application	Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

### HOW MUCH TO APPLY:

HOW MUCH TO APPLY:

For Kentucky bluegrass, fescues, and perennial ryegrass, bermudagrass, zoysiagrass, St. Augustinegrass and centipedegrass: Apply 3.0 to 3.6 pounds of product per 1,000 square feet of turfgrass. A second or follow-up application may be required for dense infestations of weeds or for adverse seasonal conditions. The second application of 3.0 to 3.6 pounds of product per 1,000 square feet should be used 30 days after the first application. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

ſ	Bag Size, Pounds	Application Rate Pounds/1000 Sq. Ft.	Treated Area for This Bag Size, Square Feet			
Γ		3.0	6,000			
1		3.2	5,600			
Į	18	3.4	5,300			
		3.6	5,000			

A uniform distribution of product on the treated area is essential. Choose a calm day to insure uniform coverage and to avoid spreading granules onto flowers, vegetables, and ornamental shrubbery. Do not exceed the application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Drop spreaders and rotary spreaders should be calibrated for uniform applications of this product.

CALIBRATION INSTRUCTIONS: Refer to the rate table for the area to be treated

- For 3.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330
- For 3.2 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310
- on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.

  For 3.4 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 300 square feet and adjust to apply at the rate of 1 pound of product per 300 square feet.

  For 3.6 pounds of product per 1,000 square feet of furfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet.

### **WEEDS**

Bedstraw Black Medic Buckhorn Burdock Chic(y Chickweed Clover Dandelion Dock Ground Ivy Healall Henbit	Lambsquarters Lespedeza Mallow Morningglory Oxalis Peppergrass Pigweed Plantains Polson Ivy Polson Oak Purslane	Ragweed Sheep sorrel Shepherdspurs Speedwell Spurge Thistle Wild Carrot Wild Garlic Wild Lettuce Wild Onion Yarrow
--	---	--

### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfail, tornadoes, huricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.