

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

1/9

James L. Kunstman, Ph.D. Director of Regulatory Services PBI/Gordon Corporation P.O. Box 014090 Kansas City, MO 64101

JUN 26 2007

SUBJECT: Applications for Pesticide Notification – Guaranteed Fertilizer Analyses Gordon's 2,4-D Weed & Feed VEH1350 Weed and Feed Applications Dated June 8, 2007 EPA Reg. No. 2217-697 EPA Reg. No. 2217-817

Dear Dr. Kunstman:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

You may want to revise your Warranty and Disclaimer section in your next label submission.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on rev	erse before completing form.		Form Ap	proved, OMB No. 207	<b>79</b> 0-0060. Approval Expires 2-28-95
€ЕРА	United Sta Environmental Proto Washington, DC	ection Age		Registratio	on OPP Identifier Number
	Applicatio	on for Pesti	icide - Sect	tion I	···
1. Company/Product Numb	er 2217-817	2. E	PA Product Ma Joanne	inager 1. Miller	3. Proposed Classification
4. Company/Product (Name EH135		PM	ŧ	ager, Team 23	None Restricted
5. Name and Address of Ap PBI/Gordon Corporatio Post Office Box 01409	oplicant <i>(Include ZIP Code)</i> on	(b)(i	xpedited Revi	ew. In accordance similar or identical	with FIFRA Section 3(c)(3) in composition and labeling to:
Kansas City, Missouri			-		
		Section	- 11	· · · · · · · · · · · · · · · · · · ·	
Amendment - Explain b Resubmission in respor	elow. nse to Agency letter dated	[	Final printed Agency lette "Me Too" Ap		NOTIFICATION
Notification - Explain be	elow.	ſ	Other - Expl	ain below.	JUN 2 6 2007
We ask to add the follow This notification is consistent v labeling or Confidential Statem the EPA. I further understand	icide Registration Notice wing guaranteed analysis for with the provisions of <u>PR Notice 98-</u> nent of Formula of this product. I und that if this notification is not consist beenforcement action and penalties	fertilizer to the <u>10</u> and EPA regul derstand that it is ent with the terms under Section 12	e packaging o ations at 40 <u>CFR</u> a violation of 18 I of <u>PR Notice 98</u> and 14 of FIFRA.	152.46, and no other of J.S.C Sec. 1001 to will 10 and 40 <u>CFR</u> 152.46	changes have been made to the
1. Material This Product Will E		Section	<u>-    </u>		
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" No: per Unit Packaging wgt. container	Water Solub Yes No If "Yes" Package wg	le Packaging No. per t. container	2. Type of Cont Metal Plastic Glass Paper Other (3	
3. Location of Net Contents Inf		etail Container		5. Location of Label [ On Label	
6. Manner in Which Label is Af	fixed to Product Lithog	glued	Other		
		Section			
1. Contact Point (Complete iter Name	ms directly below for identification o	of individual to be a Title	contacted, if nece		application.) lephone No. (Include Area Code)
	unstman, Ph.D.		of Regulatory		816-460-6292
	Certific Its I have made on this form and all nowingly false or misleading statem	attachments there			6. Date Application Received (Stamped)
2. Signature	Juit_		Regulatory S	ervices	
4. Typed Name James L. Ki	unstman, Ph.D.	5. Date	June 8, 2007	• ••	
EPA Form 8570-1 (Rev. 3-94)	Previous editions are obsolete.	· · · · · · · · · · · · · · · · · · ·	Wh	ite - EPA File Copy (c	original) Yellow - Applicant Copy
· ,	. •				

JUN 2 6 2007

# Certification with Respect to Label Integrity

version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL			
EPA Registration #	Date Submitted to EPA	Electronic file name	
2217-817	6/8/07	002217-00817.20070608.notif	

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

エス

Signature

06/08/2007 Date

James L. Kunstman, Ph.D.

Name (typed)

Director, Regulatory Services

# EH1350 WEED AND FEED

# 29-3-4

## NOTIFICATION

4/9

JUN 2 6 2007

ACTIVE INGREDIENTS:	
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.67%
Dimethylamine salt of (+)-( R)-2-(2-methyl-4-chlorophenoxy)propionic acid	0.17%
Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.06%
INERT INGREDIENTS	<u>99.10%</u>
TOTAL	100.00%
THIS PRODUCT CONTAINS:	

11.2 lbs. or 0.56% 2, 4-dichlorophenoxyacetic acid equivalent per ton. 2.8 lbs. or 0.14% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.

1.0 lb. or 0.05% 3, 6-dichloro-o-anisic acid equivalent per ton. Isomer Specific by AOAC Methods.

Contains single isomer form of MCPP-p.

TRIMEC<sup>®</sup> is a registered trademark of PBI/Gordon Corporation.

## **KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See back panel for additional Precautionary Statements and First Aid.

### NET WEIGHT: (15, 16, 17, 18, or 20) POUNDS

AP060807 EPA Reg. No. 2217-817 EPA EST. NO. 2217-KS-1 MANUFACTURED BY: Concord Company 1217 West 12th Street Konse City, Misreet Konse City, Misreet

Telephone: 1-800-821-7925

002217-00817.20070608.notif EPA Reg. No. 2217-817 Page 1 of 7

## 5%



## READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if swallowed or if absorbed through skin: Causes (moderate) eye injury (irritation). Avoid contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Eirot Aid

	FITSLAID
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	ct container or label with you when calling a poison control center or doctor or going for may also contact 1-877-800-5556 for emergency medical treatment advice.

#### ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or area where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### **STORAGE & DISPOSAL**

**STORAGE:** Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

#### CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

**If partially filled:** Call your local solid waste agency or toll free number (1-800-XXX-XXX) for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### USE PRECAUTIONS:

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not apply to newly seeded lawins until after the third mowing.

#### WHERE TO USE:

EH1350 Weed and Feed controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a 29-3-4 fertilizer provides a supply of plant food. Supplemental nitrogen, phosphorous, and potash should be applied according to soil tests or State Extension Service recommendations.

6/4

EH1350 Weed and Feed controls broadleaf weeds commonly found in cool season and warm season turfgrass established in residential areas. Established turf of Kentucky bluegrass, fescues, and perennial ryegrass may be treated. Established turf of bermudagrass, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated. Residential areas include turfgrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households.

Do not apply this product to carpetgrass, dichondra, ornamentals, or lawns containing desirable clovers.

#### **APPLICATION INSTRUCTIONS:**

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Application Schedule	Cultural Practices		
1 - 2 days before application	Mow lawn to normal height 1 to 2 days before application.		
1 day before application	Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering.		
Day of application	Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.		
1 - 2 days after application	Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.		

#### APPLICATION INSTRUCTIONS: (Optional Tabular Format)

#### HOW MUCH TO APPLY:

For Kentucky bluegrass, fescues, and perennial ryegrass, bermudagrass, zoyslagrass, St. Augustinegrass and centipedegrass: Apply 3.0 to 4.0 pounds of product per 1,000 square feet of turfgrass. A second or follow-up application may be required for dense infestations of weeds or for adverse seasonal conditions. The second application of 3.0 to 4.0 pounds of product per 1,000 square feet should be used 30 days after the first application. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

A uniform distribution of product on the treated area is essential. Choose a calm day to insure uniform coverage and to avoid spreading granules onto flowers, vegetables, and ornamental shrubbery. Do not exceed the application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Drop spreaders and rotary spreaders should be calibrated for uniform applications of this product

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

Yg

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Page 5 of 7

8/9

#### I. Container Packaging and Size:

*Note to Supplemental Registrants:* Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels.

Bag Size, Pounds	Application Rate, Pounds/1,000 Sq.Ft.	Treated Area for This Bag Size, Square Feet
	3.0	5,000
15	3.2	4,700
	3.4	4,400
	3.6	4,200
	4.0	3,750
	3.0	5,300
16	3.2	5,000
	3.4	4,700
	3.6	4,400
	4.0	4,000
	3.0	5,600
17	3.2	5,300
	3.4	5,000
	3.6	4,700
	4.0	4,250
	3.0	6,000
18	3.2	5,600
	3.4	5,300
	3.6	5,000
	4.0	4,500
	3.0	6,600
20	3.2	6,300
	3.4	5,900
	3.6	5,600
	4.0	5,000

#### **SPREADER PATTERNS:**

- 1. Apply two header strips.
- 2. Operate spreader the longest way of the lawn.
- 3. For drop spreaders, overlap wheels to insure complete coverage.
- 4. Close spreader openings when turning.

#### II. Previously Approved Fertilizer Grades:

- Fertilizer grades with nutrient contents expressed as the percentages of N, P<sub>2</sub>O<sub>3</sub> and K<sub>2</sub>O-include the following: 10-6-4, 23-3-7, 25-3-3 and 29-3-4
- The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients.
   The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

23-3-7 GUARANTEED ANALYSIS	
Total Nitrogen (N)	23%
Water Insoluble Nitrogen	
Available Phosphate (P2O5)	
Soluble Potash (K <sub>2</sub> O)	. 7%

9/9

### III. Advertising claims appropriate for the bag size:

- (Fifteen, Sixteen, Seventeen, Eighteen, or Twenty) Pounds Covers Up To 5,000 Square Feet.
- Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and other broadleaf weeds.

002217-00817.20070608.notif EPA Reg. No. 2217-817 Page 7 of 7