

PM 23

2217-822

4-1-98

1 of 8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
2217-822

Date of Issuance:
APR 1 1998

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
EH1355 Weed And Feed

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PBI/Gordon Corporation
P.O. Box 014090
Kansas City, Missouri 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following change before you release the product for shipment:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 2217-822".
- b. Please submit (within 8 months) the results of the corrosion characteristics study, a product chemistry data requirement of GRN 830-6320.

Signature of Approving Official:

Date:

APR 1 1998

20/8

page 2
EPA Reg. No. 2217-822

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosures

3078

EH1355 WEED & FEED

- Feeds your lawn while controlling weeds.
- Controls dandelion, clover, ragweed, lambsquarters, and over 100 other weeds listed on the back panel.
- Weeds that come into contact with this product gradually die and disappear from the lawn.
- For use on bahiagrass, common bermudagrass, Kentucky bluegrass, centipedegrass, fescue spp., perennial ryegrass, St. Augustinegrass, and zoysiagrass.
- Do not use on dichondra, carpetgrass, or where desirable clovers are present.

ACTIVE INGREDIENTS:

2-methyl-4-chlorophenoxyacetic acid.....	0.82%
2-(2-methyl-4-chlorophenoxy)propionic acid.....	0.33%
Dicamba: 3,6-dichloro-o-anisic acid.....	0.08%

INERT INGREDIENTS:.....	98.17%
TOTAL	100.00%

GUARANTEED ANALYSIS	
Total Nitrogen (N).....	XX%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	X%
Soluble Potash (K ₂ O).....	X%
Primary Plant Foods Derived from: _____	
Chlorine (Cl) Maximum.....	X%

The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.

Note to Supplemental Registrants: Guarantees for plant nutrients other than nitrogen, phosphorous, and potassium may be permitted or required by regulation by the _____. The guarantees for such other nutrients shall be expressed in the form of the element. The source (oxides, salts, chelates, etc.) of such other nutrients may be required to be stated and may be included on the label.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements and Statement of Practical Treatment.

NET WEIGHT 16, 17, 18, 19, and 20 POUNDS

APXXXXXX
 EPA FILE SYMBOL NO. 2217-~~XXX~~ IEE
 EPA EST. NO. XXXX-XX-X

MANUFACTURED BY:



ACCEPTED

APR 1 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-822



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until dusts have settled.

EH1355 Weed & Feed is a stable mixture of three herbicides. It is for use on lawns, ornamental turf, golf courses (fairways, aprons, tees and roughs), parks, cemeteries, and other similar noncrop areas.

This product may be used on bahiagrass, common bermudagrass, Kentucky bluegrass, centipedegrass, fescue spp., perennial ryegrass, St. Augustinegrass, and zoysiagrass. Do not use on dichondra and carpetgrass. Do not use this product where desirable clovers are present or allow the product to drift onto flowers, vegetables, ornamentals, shrubs, trees, or other desirable plants.

Our easy to follow lawn care system: You can have a greener, thicker lawn with ChemLawn's™ new annual system of lawn care designed by America's Authority on Lawn Care™. Just follow the 4 easy steps using TruGreen® by ChemLawn™ fertilizer products for guaranteed results!

Start right away!

Don't wait for the first step of the system! Simply use the recommended product during the current season to begin your program toward a better lawn.

Easy to follow one step at a time, follow the easy to understand directions for use. Each product is especially formulated to provide your lawn with what it needs at just the right time of year.

Step 1: Apply late winter - early spring. TruGreen® Crabgrass Preventer + Lawn Fertilizer prevents crabgrass, foxtail, *poa annua*, spurge and other annual grasses while feeding your lawn with a long-lasting, deep-greening controlled-release fertilizer.

Step 2: Apply mid - late spring. EH1355 Weed & Feed kills over 100 varieties of weeds, rocts, and all. Feeds with Polyon® controlled-release nitrogen for longer lasting greening;

Step 3: Apply late spring - summer. TruGreen® Professional Lawn Fertilizer provides extended greening throughout the summer months with Polyon® controlled-release nitrogen for dependable, predictable results.

Step 4: Apply fall. TruGreen® Professional Fall/Winter Fertilizer feeds your lawn during the critical winter months to help it better survive harsh weather conditions. Encourages strong root development and earlier greening in the spring.

This product is designed to promote lush green growth in lawns and to control such broadleaf weeds as: Beggar-tick, Bindweed, Black medic, Buckhorn, Burcucumber, Burdock, Buttercup, Canada thistle, Carpetweed, Catsear, Chervil, Chicory, Chickweed, Cinquefoil, Clover, Cocklebur, Croton, Daisy, Dandelion, Dock, Dogfennel, Dragonhead mint, English daisy, Fat hen, Fennel, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Halberd-leaf saltbush, Hawkweed, Healall, Heartleaf drymary, Hempnettle, Henbit, Hoary cress, Honeysuckle, Jimsonweed, Knotweed, Kochia, Lambsquarters, Mallow, Marshelder, Mexican poppy, Momingglory, Mustard, Nettle, Oxalis, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Prickly lettuce, Puncturevine, Purslane, Ragweed, Red clover, Red root, Red sorrel, Redstem, Sheep sorrel, Shepherdspurse, Sicklepod, Smartweed, Sneezeweed, Sow thistle, Spanish needles, Speedwell, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Sunflower, Thistle, Thomapple, Toadflax, Veronica, Vetch, Whitebrush, White top, Wild aster, Wild carrot, Wild geranium, Wild gooseberry, Wild lettuce, Wild marigold, Wild onion, Wild petunia, Wild radish, Wild sage, Wild garlic, Wintercress, Witchweed, Woodsorrel, Yarrow, Yellow charlock, Yellow daisy, and Yellow rocket.

WHEN TO APPLY:

Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results: (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off the herbicide; (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

Note: When applying to southern grasses under conditions of inadequate moisture, high temperature, and high humidity, over-application may cause minor transitory discoloration on centipedegrass and St. Augustinegrass. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid turf injury.

HOW TO APPLY:

This 16 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 3.2 pounds of product per 1,000 square feet. Check your spreader on 250 square feet and adjust at the rate of 0.8 pounds of product per 250 square feet. Spreader settings will vary among various commercial fertilizer manufacturers. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SPREADER SETTINGS FOR ONE PASS APPLICATION	
Make	Setting
Central Calibrated	5
Cyclone Broadcast	3 3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Optional Spreader Instructions:

For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning. (Illustration)

For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly. (Illustration)

APPENDIX

I. Advertising claims that may be presented on the container (retail) labeling of supplemental registrants.

- ◆ Contains Trimec®.
- ◆ Trimec® is a registered trademark of PBI/Gordon Corporation.
- ◆ Environmental benefits described by the Professional Lawn Care Association of America (PLCAA): (Grasscycling Logo) Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

<p>Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will provide smaller grass clippings that will decompose more readily so nutrients go back into your lawns.</p>	<ul style="list-style-type: none"> ✓ Reduces glare and reduces noise ✓ Traps dust, smoke particles & other pollutants ✓ Improves soil condition & controls erosion
---	---

- ◆ Feeds your lawn while controlling weeds.
- ◆ Controls dandelion, clover, ragweed, lambsquarters, and over 100 other weeds listed on the ___ panel.
- ◆ Greens quick - stays green!

◆ OFFERS OF SATISFACTION PROVIDED BY SUPPLEMENTAL REGISTRANTS:

- ◇ Our people and expertise make for greener lawns.
- ◇ At TruGreen-ChemLawn™ it is our people that make us America's Authority on Lawn Care™. The strength and experience of more than 10,000 employees have helped us to see and touch more than a million acres of turfgrass all across America. In our two nationally recognized research centers, we continue to test and develop new products for your lawn. Our fertilizers are specially customized to meet the specific climate and growing conditions in your area.

The people of TruGreen-ChemLawn™ are proud to provide high quality products for your lawn care needs. Thank you for choosing us. If you are not totally satisfied with our product, we will gladly refund your money, just call us at 1-800-288-LAWN.

- ◇ Satisfaction guaranteed or your money back.
- If for any reason you are not satisfied with this product, please send the UPC bar code from the bag and a cash register receipt to: TruGreen-ChemLawn™ Attn.: (person's name) PO Box 17168 Memphis, TN 38120-9792.

We'll promptly refund your money.

Available exclusively through TruGreen-ChemLawn™ Memphis, TN 38120-9792.

◆ ADVERTISING CLAIMS OFFERED BY PURSELL INDUSTRIES, INC:

- ◇ Pursell's Polyon® Timed-Release Capsules
- ◇ The "Smart" Plant Food. Patented Polymer Technology. Once dubbed by a competitor as the "single greatest invention in the history of lawn care," Pursell's Polyon® timed-release coating technology was developed after decades of searching for the "perfect" plant food . . . a fertilizer that would slowly and precisely feed with virtually no waste.
- ◇ The "Smart" Plant Food. Each Polyon® "smart" green capsule is designed to release its contents by osmosis, nature's way of diffusing nutrients. With Polyon® capsules, the warmer the temperature, the faster the rate of fertilizer release . . . matching the plants natural growth cycle.

