211-825

C 12 4 21



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCE

James L. Kunstman, Ph.D. Director of Regulatory Services PBI/Gordon Corporation P.O. Box 014090 Kansas City, Missouri 64101

DEC 4 2009

Subject: Notification(s) for Label Revisions under PRN 2007-4

Dear Dr. Kunstman:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated October 13, 2009 for:

EPA Registration 2217-825√ EPA Registration 2217-847

Gordon's Multi-Purpose Insecticide EH-1387 Herbicide

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

C

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on rev	erse before completin	na form.		Form Appro	oved. OMB No. 2	2070-0060	Approval Expires 2-28-95
€РА	Environmer	( led States	tion Agend	[	Amendi X Other	tion	OPP Identifier Number
	A	pplication	for Pestic	ide - Sectio	on I		
1. Company/Product Numbe	er 2217-825	<b></b>	2. EP/	A Product Man Richard G	-	3. Pi	oposed Classification
4. Company/Product (Name Gordon's M	) ulti-Purpose In	secticide	PM#		er—Team 10		Non Restricted
5. Name and Address of Ap PBI/Gordon Corporatio Post Office Box 014090 Kansas City, Missouri 6	n D	? Code)	6. Exp (b)(i), EPA	<b>Dedited Reviev</b> my product is s Reg. No	<ul> <li>In accordan- similar or identic</li> </ul>	ce with Fl cal in com	FRA Section 3(c)(3) position and labeling to:
			Section -	11	· · · · · · · · · · · · · · · · · · ·		
Amendment - Explain be Resubmission in respon	se to Agency letter da	ated			ication.		FICATION - 4 2009
Labeling notification Final Rule "Pesticide Please refer to cover	Management a	and Disposa	l: Standard	s for Pestici nent.	de Containe	ers and	
1. Material This Product Will Be	e Packaged In:		oconom		· ,		
Child-Resistant Packaging Yes* No * Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt.	Packaging No. per container	2. Type of C Meta Plas Glas	al tic is er	
3. Location of Net Contents Information     4. Size(s) Retail (       Label     Container			1 gallon	Ilon         On Label           On Labeling accompanying product			าร
6. Manner in Which Label is Affi	xed to Product	Lithograph	ed	Other			
1. Contact Point /Complete item	e directly helow for in	Intification of in	Section -		any to process #	hie annling	(
1. Contact Point (Complete items directly below for identification of individual Name         Title           James L. Kunstman, Ph.D.         Dir			itle	f Regulatory S		Telephone	ion.) e No. (Inclúde Area Code) °&16-460-6292
I certify that the statements I acknowledge that any knowledge the law.		ading statement	chments thereto may be punishal			ιι ι	6. Date Application
2. Signature 3.				ector of Regulatory Services			
4. Typed Name 5. Dat James L. Kunstman, Ph.D.				ber 13, 2009			( ( ( ( ( ( ( ( (

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

•



1217 WEST 12TH STREET • P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 • 1-800-821-7925 FAX: 816-474-0462

October 13, 2009

Document Processing Desk (PRN) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: Mr. Richard Gebken, Product Manager (10)

Dear Mr. Gebken:

#### Subject: Response to Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment". Gordon's Multi-Purpose Insecticide (EPA Reg. No. 2217-825)

#### I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:

- We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN) 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment." One (1) copy of the annotated labeling is enclosed for your review.
- 2. Certification: This notification is consistent with the guidance PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this amended labeling is not consistent with the terms of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

#### II. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the draft labeling

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

an I Kunt

James L. Kunstman, Ph.D. Director of Regulatory Services



# **GORDON'S<sup>®</sup> MULTI-PURPOSE** INSECTICIDE

# NOTIFICATION

DEC - 4 2009

- ♦ For Use On Livestock.
- For Domestic Use Both Indoors and Outdoors.
- ♦ A Ready-To-Use Permanone<sup>®</sup> Stable Emulsion Insecticide.
- For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs.
- For Control of Ticks Which May Cause Lyme Disease on Premises.
- ♦ Controls Fleas and Ticks on Dogs for 14 Days.
- Provides 60-Day (Two Months) Control of Cockroaches.
- Provides 60-Day (Two Months) Control of Fleas.
- Provides 60-Day (Two Months) Control of Stored Product Pests.
- Insect control for goats, sheep and other farm animals

#### **ACTIVE INGREDIENT:**

Permethrin		0.50%
INERT INGREDIENTS:	·····	<u>99.</u> 50%
	TOTAL	$1\overline{00.00\%}$

(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans. PERMANONE<sup>®</sup> - Registered Trademark of Bayer AG.

## **KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See side panel for additional Precautionary Statements and First Aid.

NET CO	DNTENT	S: 1 PINT, 1 QUART, or	1 GALLON	
AP101309 EPA Reg. No. 2217-825 EPA Est. No. 2217-KS-1 MANUFACTURED BY: Conconstitution Ar Bipflyter-Constitution Telephone: 1-800-821-7925				
EPA Reg. No. 2217-825	N:	Page 1 of 6		••••



# READ THE ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PET USE APPLIES TO USE ONLY ON DOGS

#### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans & Domestic Animals

**CAUTION:** Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately or call this Animal Poison Control Hotline, 1-800-345-4735.

#### SPECIAL ANIMALS:

Consult a veterinarian or call this Animal Poison Control Hotline, 1-800-345-4735 before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

#### **ADVERSE REACTION INFORMATION:**

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call this Animal Poison Control Hotline, 1-800-345-4735.

	First Aid
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
lf on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
Have the production for treatment. For	ct container or label with you when calling a poison control center or doctor or going or additional information in case of emergency, call toll free 1-877-800-5556.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwater.

PHYSICAL OR CHEMICAL HAZA	ARDS: electrical equipment due to the possibility of	of shock hazerd	•••
	DIRECTIONS FOR USE se this product in a manner inconsistent wi	••••••	•
EPA Reg. No. 2217-825	Page 2 of 6		- •• ••

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store upright at room temperature. Avoid exposure to extreme temperatures.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

[For Plastic Containers – Nonrefillable with capacities equal to or less than 5 gallons:] CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

[OR

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

#### [For Plastic Containers – Nonrefillable with capacities greater than 5 gallons:]

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

#### [OR

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

#### [For Refillable Containers:]

**CONTAINER HANDLING:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Container cleaning: Cleaning the container before final disposal is the responsibility of the person

disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Affix trigger or pump sprayer to container for application. Do not transfer to another container.

#### SHAKE WELL BEFORE USING

#### INDOOR APPLICATION

Not for use in Commercial Food/Feed Handling Establishments, Restaurants or Other Commercial Facilities.

For spot application only. Spray until surface is damp, but not to the point of run-off. Avoid excess application. Do not use as a space spray indoors. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

#### SURFACE SPRAYING:

For 60-Day (Two Months) Control Of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites, and Cadelles: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

**To Control Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat application every two (2) weeks.

**To Control Bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat application every two (2) weeks.

**To Control Fleas (Adults and Larvae) and Ticks, Including Ticks Which May Carry Lyme Disease** (Adults and Larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat application every two (2) weeks. Allow to dry thoroughly before allowing pets to contact treated areas.

**To Control Clothes Moths:** Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

**To Kill Lice and Louse Eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### **ON LIVESTOCK**

To Protect Cattle (Beef and Dairy), Goats, Sheep, Hogs and Horses From Horn Flies, Face Flies, House Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair. For

face flies, spray face and head, but do not spray into eyes.

**To Control Stable Flies, Horse Flies and Deer Flies:** Apply 2 fluid ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily.

**To Control Blood-Sucking Lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks.

**To Control Poultry Lice:** Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

**To Control Bedbugs and Mites In Poultry Houses:** Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

#### ON DOGS

**To Control Fleas, Ticks, and Lice:** Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat application every two weeks if necessary. DO NOT USE ON CATS OR KITTENS.

#### **OUTDOOR APPLICATION**

Not for use on plants being grown for sale or other commercial use. Not for use in commercial greenhouses.

**To Help Control Ticks, Including Ticks Which May Carry Lyme Disease (Perimeter Treatment):** Use Gordon's Multi-Purpose Livestock Insecticide as a residual treatment to control Ticks including the Deer Tick (Ixodes dammini), Lone Star Tick (Amblyomma americanum), Brown Dog Tick (Rhipicephalus sanguineus), American Dog Tick (Dermacentor variabilis) and Western Black-legged Tick (Ixodes pacificus). For each area listed below, apply until surface is wet (approximately 1 gallon/750 - 1000 square feet.).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 - 10 feet wide around the outside of buildings to help control ticks occurring there.

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 - 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

#### FOR CONTROL OF GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray as well as *Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.* May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English Ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber glants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.* 

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment application every type (2) weeks.

••••••

EPA Reg. No. 2217-825

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

