

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. James L. Kunstman, Ph. D. PBI/Gordon Corporation 1217 West 12<sup>th</sup> Street P.O. Box 014090 Kansas City, MO 64101-0090

AUG - 8 2011

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Dr. Kunstman:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 28, 2011 for the following product(s):

Ground Work Ready-To-Use Home Pest Control

Alternate Brand Name

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Gordon's Pest Killer

EPA Reg. No. 2217-826

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager

Insecticide Branch

Registration Division (7504P)

Please read instructions on re	verse before completing	og form.	Form	Approve	d. OMB No. 2070-	-0060. Approval Expires 2-28-95	
<b>≎</b> EPA		United States ntal Protect shington, DC 20	ion Agency		≺egistration Amendmen Other	OPP Identifier Number	
	-	Application	for Pesticide - Se	ction	1		
1. Company/Product Number 2217-826					3. Proposed Classification		
4. Company/Product (Name)  Gordon's Home Pest Killer		ller	PM# Product Ma	PM# Product Manager—Team 10  Restricted			
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101		<sup>o</sup> Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.  Product Name  AUG - 8 2011				
Check if this is a new address							
			Section – II	MAN TO			
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.			Agency le	Final printed labels in response to Agency letter dated  "Me Too" Application.  Other - Explain below.			
NOTIFICATION: Labeling notification p Section II (A) Brand N We ask to add this altern	ames.	GroundWork R				Amendments.	
Material This Product Will B	Be Packaged In:		Section - III				
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No  If "Yes" No. per Unit Packaging wgt. container		Water Soluble Packaging  Yes  No  If "Yes"  No. per Package wgt. container		2. Type of Contai  Metal  Plastic  Glass  Paper	iner	
be submitted	One r dokaging right	Container	- denage rigi.		Other (Sp	pecify)	
3. Location of Net Contents Information 4. Size(s) Relation Container		4. Size(s) Retail	ail Container  1 gallon		ocation of Label Directions On Label On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product  Lithograph  Paper glue  Stenciled			Oth	er			
			Section - IV				
Contact Point (Complete ite     Name     James L. K	ms directly below for id unstman, Ph.D.	dentification of indi			Tele	phone No. (Include Area Code)	
I certify that the statement I acknowledge that any knowledge that acknowledge that	ts I have made on this nowingly false or misle	ading statement n		curate ar r imprisol	nd complete.	6. Date Application Received (Stamped)	
4. Typed Name James L. Kunstman, Ph.D.			Date July 28, 2011			ccccc	
EPA Form 8570-1 (Rev. 3-94)	Previous editions are	obsolete.	V	/hite - El	PA File Copy (orig	ginal) Yellow - Applicant Copy	



An Employee-Owned Company

1217 WEST 12<sup>th</sup> STREET P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 · 1-800-821-7925 FAX: 816-474-0462

July 28, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard (South Building)
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: M. Richard Gebken, PM-10

Dear Mr Gebken:

NOTIFICATION: Labeling notification per PRN 98-10: Notifications Non-notifications and Minor Formulation Amendments. Section II (A) Brand Names.

- I. Alternate brand name for Gordon's Home Pest Killer (EPA Reg. No. 2217-826):
- 1. We ask to add this alternate brand name: GroundWork Ready-To-Use Home Pest Control.
- 2. One (1) copy of the proposed labeling is enclosed for your review.

# II. Certification statement:

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR\_Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

## III. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy the draft labeling.

If you have any questions, please call me at 816-460-6292 or contact me at kunstman@pbigordon.com.

Sincerely,

James L. Kunstman, Ph.D. Director of Regulatory Services

# **GORDON'S PEST KILLER**

# Alternate Brand Names: GroundWork Ready-To-Use Home Pest Control

- ♦ For Domestic Use Both Indoors and Outdoors.
- ♦ A Ready-To-Use PERMANONE® Stable Emulsion Insecticide.
- ♦ For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs.
- ♦ Controls Fleas and Ticks on Dogs for 14 Days.
- ♦ For Control of Pests on Livestock.

NOTIFICATION

- ♦ With Country Fresh Fragrance.
- ◆ Provides 60-Day (Two Months) Control of Cockroaches. AUG 8 2011
- ♦ Provides 60-Day (Two Months) Control of Fleas.
- ◆ Provides 60-Day (Two Months) Control of Stored Product Pests.

# **ACTIVE INGREDIENT:**

Permethrin	••••••	0.25%
OTHER INGREDIENTS:		
	TOTAL	100.00%

(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

PERMANONE - Registered Trademark of Bayer Environmental Science.

# KEEP OUT OF REACH OF CHILDREN C A U T I O N

See side panel for additional Precautionary Statements and First Aid.

**NET CONTENTS: 1 Pint, 1 Quart, or 1 Gallon** 

788/AP 072811 EPA REG NO 2217-826 EPA EST NO 2217-KS-1 MANUFACTURED BY: pbi/condon An Employee Owned Company

Telephone: 1-800-821-7925



# READ THE ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PET USE APPLIES TO USE ONLY ON DOGS

#### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

First Aid				
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If swallowed:	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
Have the production treatment. For	ct container or label with you when calling a poison control center or doctor or going or additional information in case of emergency, call toll free 1-877-800-5556.			

#### **ENVIRONMENTAL HAZARDS:**

This product is extremely toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[This product is a ready-to-use formulation intended for premise treatments and direct animal treatments to pets and purchased by household consumers. These instructions are suitable for these brand names: Gordon's Pest Killer, GroundWork Ready to Spray Roach, Ant & Flea Killer]

# STORAGE AND DISPOSAL

Do not contaminate feed, food, or water by storage or disposal.

**PESTICIDE STORAGE:** Store upright at room temperature. Avoid exposure to extreme temperatures.

**CONTAINER HANDLING:** Nonrefillable container: Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

This product is a ready-to-use formulation intended for premise treatments and direct animal treatments to livestock or large farm animals. Currently, this product is not marketed for these specific use patterns.]

# STORAGE AND DISPOSAL

Do not contaminate feed, food, or water by storage or disposal.

**PESTICIDE STORAGE:** Store upright at room temperature. Avoid exposure to extreme temperatures.

**PESTICIDE DISPOSAL:** Pesticide or rinse water that cannot be used according to label instructions must be disposed of on site or at or by an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container: Do not reuse or refill this container. Clean the container promptly after emptying. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Affix trigger or pump sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING

## **INDOOR APPLICATION**

Not for use in Commercial Food/Feed Handling Establishments, Restaurants or Other Commercial Facilities. Not for use in Institutions. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

For spot application only. Do not use as a space spray indoors.

# **SURFACE SPRAYING:**

For 60-Day (Two Months) Control Of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites, and Cadelles: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

**To Control Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving.

**To Control Bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors.

To Control Fleas (Adults and Larvae) and Ticks (Adults and Larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

**To Control Clothes Moths:** Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To Kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a

distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### ON LIVESTOCK

To Protect Cattle (Beef and Dairy), Goats, Sheep, Hogs and Horses From Horn Flies, Face Flies, House Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To Control Stable Flies, Horse Flies and Deer Flies: Apply 2 fluid ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily.

**To Control Blood-Sucking Lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

**To Control Poultry Lice:** Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

**To Control Bedbugs and Mites In Poultry Houses:** Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

### **ON DOGS**

**To Control Fleas, Ticks, and Lice:** Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Repeat application every two weeks if necessary. DO NOT USE ON CATS OR KITTENS.

Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

# **SPECIAL ANIMALS:**

Consult a veterinarian or call this Animal Poison Control Hotline, 1-800-345-4735 before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

## **ADVERSE REACTION INFORMATION:**

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call this Animal Poison Control Hotline, 1-800-345-4735.

#### **OUTDOOR APPLICATION**

**To Help Control Ticks In Outdoor Activity Areas:** Treat a band of vegetation and leaf litter 6 - 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

# FOR CONTROL OF GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray as well as *Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers*. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias,

carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English Ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible.

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

# **APPENDIX:**

Advertising claims which may be presented on the container labeling:

- For indoor and outdoor use.
- Also provides control of spiders, silverfish and many other insects for up to two months.
- Country fresh fragrance.