

2217-827

8-21-2006

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval Expires 2-28-05



United States
Environmental Protection Agency
Washington, DC 20460

Registration

Amendment

Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217-827	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH1369 Weed and Feed	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

NOTIFICATION
AUG 21 2006

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION per Pesticide Registration Notice (PRN) 98:10:

- We need to update the information regarding content and levels of metals in fertilizer components (highlighted text on face page of enclosed label).
- We ask to add several advertising claims, and an alternate warranty statement which may be presented on the container label of our subregistrant(s). These additions are presented as highlighted text on page 9 (Appendix) of the enclosed label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name James L. Kunstman, Ph.D.		Title Director of Regulatory Services		Telephone No. (Include Area Code) 816-460-6292	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Director of Regulatory Services			
4. Typed Name James L. Kunstman, Ph.D.		5. Date July 26, 2006			

2/13

NOTIFICATION

AUG 21 2006

Please Read All Instructions Before Completing Form (Form must be typed) Form Approved. Ob No. 2070-0044. Approval Expires 1-31-95



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
401 M Street SW
Washington, DC 20460

Notice of Supplemental Distribution of a Registered Pesticide Product

Instructions

After a registrant has obtained final registration for the basic product, the registrant may then supplementally distribute his/her product. One form must be submitted for each distributor product and must be signed by the distributor involved. The basic registration number and the distributor company number must be shown.

If a registrant has a potential distributor who does not have a company number assigned, she/he should have the distributor apply, on letterhead stationery, to the Registration Division to have a number assigned prior to submitting this form to the agency.

This Notice of Supplemental Distribution must be submitted by the basic registrant. The completed form must have the concurrence and signature of both the registrant and the distributor.

EPA Registration Number of Product
2217-827

Distributor Company Number
538

Note: Do not submit distributor product labels

Name of Registered Product (basic product name accepted by EPA)
EH1369 Weed & Feed

Distributor Product Name
Pro Select Weed & Feed Lawn Fertilizer

Name and Address of Distributor (Type; include ZIP code)

The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Read All Conditions Before Signing

1. The distributor product must have the same composition as the basic product.
2. The distributor product must be manufactured and packaged by the same person who manufactures and packages the registered basic product.
3. The labeling for the distributor product must bear the same claims as the basic product, provided, however, that specific claims may be deleted if by doing so, no other changes to the label are necessary.
4. The product must remain in the manufacturer's unbroken container.
5. The label must bear the EPA registration number of the basic product, followed by a hyphen and the distributor's company number.
6. Distributor product labels must bear the name and address of the distributor qualified by such terms as "packed for...", "distributed by..."; or sold by..." to show that the name is not that of the manufacturer.
7. All conditions of the basic registration apply equally to distributor products. It is the responsibility of the basic registrant to see that all distributor labeling is kept in compliance with requirements placed on the basic product.

Distributor

We intend to market our product under the Distributor Product Name specified above, subject to the conditions specified on this Notice.

Signature and Title of Distributor

Sheila R. Kendrick
Manager, Federal Registrations

Date

July 11, 2006

Registrant

I agree that the distributor named above may distribute and sell the Distributor Product specified above, subject to the conditions specified on this Notice.

Signature and Title of Registrant

Dir. Reg. Serv.

Date

27-Jul-2006

3/13

NOTIFICATION

AUG 21 2006

EH1369 WEED & FEED

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.723%
Mecoprop-p, dimethylamine salt	0.148%
Dichlorprop-P, dimethylamine salt	0.088%

INERT INGREDIENTS:	99.041%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

2,4-dichlorophenoxyacetic acid equivalent, 0.601%.
 (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent, 0.122%
 (+)-(R)-2-(2,4-dichlorophenoxy) propionic acid equivalent, 0.074%.
 Isomer Specific by AOAC Methods
 TRIMEC® is a registered trademark of PBI/Gordon Corporation.

CAS Registry Numbers:

2,4-D, DMA salt CAS#2008-39-1
 MCP-p, DMA salt CAS#66423-09-4
 2,4-DP-p, DMA salt CAS#104786-87-0

FERTILIZER ANALYSIS	
Total Nitrogen (N).....	xx%
Water Insoluble Nitrogen.....	xx%
Available Phosphate (P ₂ O ₅).....	x%
Soluble Potash (K ₂ O).....	x%

NOTE: Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅ and K₂O may include the following: 23-3-7, 29-3-4, and X-X-X. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

Fertilizer Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum, must have the following labeling statement: "This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."
- Information regarding the contents and levels of metals in this product is available on the internet at <http://aapfco.org/metals.htm> [or <http://www.regulatory-info-sc.com>]

For state registrations in Kentucky, add the following:

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of Lbs.) pounds of nitrogen per 1,000 square feet (Optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements and First Aid.

NET WEIGHT: 15, 16, 17, 18, 20, 32 or 48 POUNDS

AP072606

EPA Reg. No. 2217-827

EPA EST. NO. 2217-KS-X

MANUFACTURED BY:



Telephone: 800-821-7925

EPA Reg. No. 2217-01



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if inhaled, or if absorbed through skin, or if swallowed. Avoid breathing dust. Avoid contact with eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [OPTIONAL: You may also contact 1-800-xxx-xxxx for emergency medical treatment information.]	

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WHERE TO USE:

EH1369 Weed & Feed controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, the fertilizer provides a supply of plant food. Supplemental nitrogen, phosphorous, and potash should be applied according to soil tests, or State Extension Service recommendations or professional advice.

EH1369 Weed & Feed controls broadleaf weeds commonly found in cool season and warm season turfgrass established in residential areas. Established turf of Kentucky bluegrass, fescues, and perennial ryegrass may be treated. Established turf of bermudagrass, bahiagrass, buffalograss, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated. Residential areas include turfgrass established around residences, apartment complexes, condominiums, vacant lots, or areas associated with households.

6/13

Controls (Number) weeds! (Listing of weeds may include the following.)

- BROADLEAF WEEDS -			
Annual yellow sweetclover	Cockle	Musk thistle	Spiny cocklebur
Aster	Cocklebur	Mustard	Spiny sowthistle
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spotted catsear
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted spurge
Beggarticks	Cudweed	Nettle	Spurweed
Betony, Florida	Curly dock	Orange hawkweed	Stinging nettle
Bindweed, field	Daisy, English	Oriental cocklebur	Strawberry, India mock
Bird vetch	Daisy fleabane	Oxalis	Tall nettle
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall vervain
Bittercress, hairy	Dandelion	Parsnip	Tansy ragwort
Bitterweed	Dichondra	Pearlwort	Tansy mustard
Black-eyed Susan	Dogbane	Pennycress	Tanweed
Black medic	Dogfennel	Pennywort	Thistle
Black mustard	Dollarweed	Pepperweed	Trailing crownvetch
Blackseed plantain	Elderberry	Pigweed	Tumble mustard
Blessed thistle	False dandelion	Pineywoods bedstraw	Tumble pigweed
Bloodflower milkweed	Falseflax	Plains coreopsis (tickseed)	Velvetleaf
Blue lettuce	False sunflower	Plantain	Venice mallow
Blue vervain	Fiddleneck	Poison ivy	Virginia buttonweed
Bracted plantain	Florida pusley	Poison oak	Virginia creeper
Brassbuttons	Frenchweed	Pokeweed	Virginia pepperweed
Bristly oxtongue	Galinsoga	Poorjoe	Wavyleaf bullthistle
Broadleaf dock	Goathead	Prairie sunflower	Western clematis
Broadleaf plantain	Goldenrod	Prickly lettuce	Western salsify
Broomweed	Ground ivy	Prickly sida	White mustard
Buckhorn	Gumweed	Prostrate knotweed	Wild aster
Buckhorn plantain	Hairy fleabane	Prostrate pigweed	Wild buckwheat
Bulbous buttercup	Hawkweed	Prostrate spurge	Wild carrot
Bull thistle	Healall	Prostrate vervain	Wild four-o'clock
Bullnettle	Heartleaf drymary	Puncturevine	Wild garlic
Burclover	Heath aster	Purslane, common	Wild geranium
Burdock	Hedge bindweed	Ragweed	Wild lettuce
Burning nettle	Hedge mustard	Red sorrel	Wild marigold
Burweed	Hemp	Redroot pigweed	Wild mustard
Buttercup	Henbit	Redstem filaree	Wild onion
Buttonweed	Hoary cress	Rough cinquefoil	Wild parsnip
Canada thistle	Hoary plantain	Rough fleabane	Wild radish
Carolina geranium	Hoary vervain	Russian pigweed	Wild rape
Carpetweed	Horsenettle	Russian thistle	Wild strawberry
Catchweed bedstraw	Jimsonweed	Scarlet pimpernel	Wild sweet potato
Catnip	Knawel	Scotch thistle	Wild vetch
Catsear	Knotweed	Sheep sorrel	Woodsorrel
Chickweed, common	Kochia	Shepherdspurse	Woolly croton
Chickweed, mouseear	Lambsquarters	Slender plantain	Woolly morningglory
Chicory	Lespedeza	Smallflower galinsoga	Woolly plantain
Cinquefoil	Mallow	Smooth dock	Wormseed
Clover, crimson	Matchweed	Smooth pigweed	Yarrow
Clover, hop	Mexicanweed	Sorrel	Yellow rocket
Clover, red	Milk vetch	Sowthistle	Yellowflower pepperweed
Clover, strawberry	Morningglory	Spanishneedles	and other
Clover, sweet	Mouseear hawkweed	Speedwell	broadleaf weeds
Clover, white	Mugwort	Spiny amaranth	

USE PRECAUTIONS:

- ◆ Do not apply this product to carpetgrass, dichondra, ornamentals, or lawns containing desirable clovers
- ◆ Choose a calm day to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.
- ◆ Do not exceed the application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.
- ◆ If overseeding wait 4 weeks after grass seeds sprout before applying this product.

APPLICATION INSTRUCTIONS:

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not irrigate or sprinkle for 1 to 2 days after application. Irrigate, sprinkle, or water the lawn thoroughly at 2 to 3 days after application.

An advisory for fertilizers containing iron:

5. This product will stain sidewalks and driveways. Sweep off any product which may have drifted onto these areas.

(Tabular Format)

Application Schedule	Cultural Practices
1 - 2 days before application	Mow lawn to normal height 1 to 2 days before application.
1 day before application	Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering.
Day of application	Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
1 - 2 days after application	Do not irrigate or sprinkle for 1 to 2 days after application. Irrigate, sprinkle, or water the lawn thoroughly at 2 to 3 days after application.

HOW MUCH TO APPLY:

For Kentucky bluegrass, fescues, perennial ryegrass, bermudagrass, bahiagrass, buffalograss, zoysiagrass, St. Augustinegrass and centipedegrass: Apply 3.2 to 4.0 pounds of product per 1,000 square feet of turfgrass. A second or follow-up application may be required for dense infestations of weeds or for adverse seasonal conditions. The second application of 3.2 to 4.0 pounds of product per 1,000 square feet should be used 30 days after the first application. Cultivars vary in tolerance to this product. Do not apply this product to 'Floritam' St. Augustinegrass.

The maximum application rate to turf is 1.1 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

DISTRIBUTION AND COVERAGE:

A uniform distribution of product on the treated area is essential. Choose a calm day to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery. Do not exceed the application rate for any area and use care in the application of this product within the dripline of trees, shrubs, and other ornamentals.

Coverage: To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, garden, etc.).

NOTE TO SUPPLEMENTAL REGISTRANTS: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels.

<p>_____ length</p> <p>X _____ width</p> <p>= _____ Total Sq.Ft.</p> <p>- _____ Non-Lawn Areas</p> <p>= _____ Total Sq. Ft. To Be Treated</p>	<p>ILLUSTRATION</p>
---	---------------------

Bag Size, Pounds	Application Rate, Pounds/1000 Sq.Ft.	Treated Area for This Bag Size, Square Feet
15	3.2	4,700
	3.4	4,400
	3.6	4,200
	4.0	3,700
16	3.2	5,000
	3.4	4,700
	3.6	4,400
	4.0	4,000
17	3.2	5,300
	3.4	5,000
	3.6	4,700
	4.0	4,200
18	3.2	5,600
	3.4	5,300
	3.6	5,000
	4.0	4,500
20	3.2	6,400
	3.4	5,900
	3.6	5,600
	4.0	5,000

SPREADERS AND CALIBRATION:

Drop spreaders and rotary spreaders should be calibrated for uniform application of this product.

Choose one of these application or distribution patterns:

1. **Single Pass** - Operate the equipment at intervals corresponding to the width or swath of the spreader. For drop spreaders, overlap the wheel tracks to ensure complete coverage. Close the spreader openings when turning to change directions or when stopping.
2. **Double Pass** - Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. Close the spreader openings when turning to change directions or when stopping.
3. **Cross Hatching** - Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. For the second trip, operate the spreader perpendicular to the wheel tracks or the spreader pattern of the first trip. Close the spreader opening when turning to change directions or when stopping.

CALIBRATION INSTRUCTIONS:

Calibrate (check) your spreader before beginning your application and adjust the settings if necessary.

- For 3.2 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.
- For 3.4 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 295 square feet and adjust to apply at the rate of 1 pound of product per 295 square feet.
- For 3.6 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet.
- For 4.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.

Spreader Settings	
Scott.....	XX
Sears.....	XX
Lawn Beauty.....	XX
Jackson.....	XX

IMPORTANT: It is important to follow directions as indicated because over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

10/13

APPENDIX

I. Advertising claims appropriate for the bag size:

- ◆ (Fifteen, Sixteen, Seventeen, Eighteen, Twenty, Thirty Two, or Forty Eight) Pounds Covers Up To X,000 Square Feet.
- ◆ Controls (Kills) (desired weed species from attached listing may be inserted here e.g. dandelion, chickweed, knotweed, plantain, henbit, spurge) and over (number) other (more) broadleaf weeds.
- ◆ Helps build a stronger, deeper root system.
- ◆ Feeds your lawn with time-released nitrogen for extended greening.
- ◆ Encourages early Spring green-up.
- ◆ Timed-release fertilizer for professional results
- ◆ Use when broadleaf weeds are actively growing.
- ◆ Feeds for up to (time period as designated by subregistrant). (At 72°)
- ◆ Quick greening & extended feeding for up to 8 weeks.
- ◆ Nitrogen (N) contains timed-release for growing a thick green lawn.
- ◆ Phosphorous (P) improves root growth & plant storage capacity.
- ◆ Potassium (K) improves plant hardiness & drought resistance.
- ◆ For a thick, green weed-free lawn.1
- ◆ Greens fast & lasts.

- ◆ Apply in Fall!
- ◆ Apply in Fall When Weeds are Growing!
- ◆ Kills Fall Weeds and Greens the Lawn!
- ◆ Apply Anytime Weeds are Growing!
- ◆ Kills Weeds & Greens the Lawn!
- ◆ (Before Photo) and (After Photo) for the Expert Gardener Weed & Feed
- ◆ (Before Photo) and (After Photo) for the Expert Gardener Winterizer Weed & Feed
- ◆ Kills 200+ Weeds While Providing Winter Lawn Protection and Early Spring Green-Up!
- ◆ Kills 200+ Weeds including Dandelions, Clover and Other Common Lawn Weeds
- ◆ Formulated with Scotts® Poly-S® Technology for Longer Lasting Greening and Feeding
- ◆ Do not use on Dichondra, Carpetgrass or Floratam, a type of St. Augustinegrass.
- ◆ Treats & Feeds 5,000 sq ft (1/8 acre = 5,445 sq ft)
- ◆ Expert Gardener® Fertilizer Program (chart)
- ◆ For Best Results! Use the Expert Gardener® Fertilizer Program!
- ◆ Controls 200+ Weeds! Including:
- ◆ When to Apply: Apply when broadleaf weeds are actively growing in the early fall.
- ◆ When to Apply: Apply when broadleaf weeds are actively growing in spring or early fall
- ◆ Spreading Tips: Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader. For additional spreader settings, please call 1-800-543-TURF (8873). Calibrate your spreader before beginning your application and adjust settings if necessary.
- ◆ What to Expect: Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control. This product will not prevent weed seeds from producing new plants.
- ◆ Expert Gardener Guarantee
- ◆ When you choose Expert Gardener® products, you can be assured of high quality and performance in your lawn and garden. If for any reason you are not completely satisfied with this product, we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.

11/13

- ◆ Contact Us: Consumer Helpline 1-866-369-2533
- ◆ Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-sc.com>
- ◆ Nitrogen (N) For Deep Green Color
- ◆ Phosphorus (P) For Strong Roots
- ◆ Potassium (K) For Overall Plant Health
- ◆ **Application:** Anytime Weeds Are Growing
- ◆ Contains Poly-S[®] Slow-Release Technology for Longer-Lasting Greening
- ◆ Kills and [&] Controls over 200 Broadleaf Weeds, Including Dandelions, Clovers, Plantains (full list of broadleaf weeds on back panel).
- ◆ Non-Burning Formulation (when used as directed)
- ◆ Contains:
 - ◆ 0.723% 2,4-D, DMA Salt
 - ◆ 0.148% MCPP-p, DMA Salt
 - ◆ 0.088 2,4-DP-p, DMA Salt
- ◆ *Optional Warranty Statements:*
 - ◆ **NOTICE:** Buyer assumes all risks of use, storage or handling of this product.
 - ◆ **GUARANTEE:** If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

39 1/4" total web

USA 10111

100%
1.46g/LP
UNIFORMITY

100%
1.46g/LP
UNIFORMITY

Scotts **PRO SELECT**

WEED & FEED
LAWN FERTILIZER

18-0-9

Contains 0.72% 2,4-D DHA SALT; 0.14% MCPA-P DHA SALT; AND 0.00% 2,4-DP-P DHA SALT RESIDUE

12,000 SQ FT

READ THE ENTIRE LABEL CAREFULLY.

CONTAINS ALL PRESCRIPTION AND BULKY WEEDKILLER INGREDIENTS.

Use only on lawns. Do not use on driveways, sidewalks, patios, or other paved areas. Do not use on lawns that are heavily shaded or that have been recently treated with herbicides. Do not use on lawns that are heavily fertilized or that have been recently treated with fertilizers. Do not use on lawns that are heavily mowed or that have been recently treated with mowers. Do not use on lawns that are heavily watered or that have been recently treated with water. Do not use on lawns that are heavily walked on or that have been recently treated with shoes. Do not use on lawns that are heavily petted on or that have been recently treated with pets. Do not use on lawns that are heavily used or that have been recently treated with people. Do not use on lawns that are heavily enjoyed or that have been recently treated with fun. Do not use on lawns that are heavily loved or that have been recently treated with affection. Do not use on lawns that are heavily missed or that have been recently treated with longing. Do not use on lawns that are heavily missed or that have been recently treated with longing.

LEA LA ENTENEN BENTEN TENGAS PROCAEDURAS

Y UNA AN INSTRUCCIONES CUIDADAMENTE.

Use only on lawns. Do not use on driveways, sidewalks, patios, or other paved areas. Do not use on lawns that are heavily shaded or that have been recently treated with herbicides. Do not use on lawns that are heavily fertilized or that have been recently treated with fertilizers. Do not use on lawns that are heavily mowed or that have been recently treated with mowers. Do not use on lawns that are heavily watered or that have been recently treated with water. Do not use on lawns that are heavily walked on or that have been recently treated with shoes. Do not use on lawns that are heavily petted on or that have been recently treated with pets. Do not use on lawns that are heavily used or that have been recently treated with people. Do not use on lawns that are heavily enjoyed or that have been recently treated with fun. Do not use on lawns that are heavily loved or that have been recently treated with affection. Do not use on lawns that are heavily missed or that have been recently treated with longing. Do not use on lawns that are heavily missed or that have been recently treated with longing.

Table with 2 columns: Ingredient, Amount. Includes 2,4-D, MCPA-P, and other chemical components.

Table with 2 columns: Ingredient, Amount. Includes 2,4-D, MCPA-P, and other chemical components.

Spreader Settings

Selecter de Operador

Scotts **PRO SELECT**
WEED & FEED
LAWN FERTILIZER

Scotts
PRO SELECT
WEED & FEED
LAWN FERTILIZER

18-0-9
LAWN FERTILIZER

31" Length

2/13

LAWN FERTILIZER

18-0-9

La hierba y alimenta césped abono

CONTAINS 0.723% 2,4-D DMA SALT; 0.148% MCP-P DMA SALT; AND 0.088% 2,4-DP-P DMA SALT HERBICIDE
Contiene 0.723% de Sal de DMA 2,4-D; 0.148% de Sal de DMA MCP-P; y 0.088% de DMA 2,4-DP-p Herbicida Salado

- Contains **Poly-S®** Slow-Release Nitrogen For Longer Lasting Coverage. Contains More Than 100% of Nitrogen, and More Than 100% of Phosphorus.
- Meets All Plant and Soil Nutritional Needs, Including Calcium, Magnesium, Potassium, Iron, Zinc, Manganese, Boron, Copper, and Sulfur.
- Meets All Plant and Soil Nutritional Needs, Including Calcium, Magnesium, Potassium, Iron, Zinc, Manganese, Boron, Copper, and Sulfur.

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
 EL CUIDADO**

APPLICATION: **ANYTIME WEEDS ARE GROWING**
 COVER: **12,000 SQ FT**

18-0-9

NET WT. 48 lb (21.77 kg)

Scotts PRO SELECT WEED & FEED LAWN FERTILIZER 18-0-9

Warnings:

Caution: Contains 0.723% 2,4-D DMA SALT; 0.148% MCP-P DMA SALT; AND 0.088% 2,4-DP-P DMA SALT HERBICIDE. Contains 0.723% de Sal de DMA 2,4-D; 0.148% de Sal de DMA MCP-P; y 0.088% de DMA 2,4-DP-p Herbicida Salado.

Precautionary Statements:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

PRECAUCION PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUTIONS:

PRECAUCIONES:

ENVIRONMENTAL STATEMENTS:

ESTADISMENTOS AMBIENTALES:

First Aid:


Primeros Auxilios:

Additional Information:

Información Adicional:

FILE NUMBER: 31607-PK

DESCRIPTION: Scotts Pro Select Weed & Feed Lawn Fertilizer 18-0-9



ARTWORK @ 100%
 PDF @ 25%
 11 X 17 PRINT @ FIT TO PAGE