
Please read instructions on reve	erce hefore completing fo	m7707	IFICATION	Form An	21/2	2 <i>001</i> OMB N	o. 2070-0	060. Approval	1/4 Expires 02-28-95		
_	Un	ited States				Regist	tration		ntifier Number		
⊕ EPA	Environmenta Washin	I Protect gton, DC 2		/		Amend Other	iment				
	Apr	lication	for Pesticio	ie - Sect			·	ł			
Company/Product Number			2. EPA Product Manager			a	3. Proposed Classification				
2217-833				Joanne I. Miller							
4. Company/Product (Name) EH1381 Herbicide			PM#	PM# (PM 23)					None Restricted		
5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)								
PBI/Gordon Corporation, Acme Division			(b)(i), my product is similar of the teat the position and labeling to:								
PO Box 014090			EPA Reg. No.								
Kansas City, Missouri 64101 Check if this is a new address			Product Name								
Check it this it	s a new address		Section - II								
Amandment Evaloin hal				Final printed	l labels i	in respon	se to	****	<u> </u>		
Amendment - Explain below.			 1	Agency letter dated 9/27/01							
Resubmission in response to Agency letter dated				"Me Too" Application.							
Notification - Explain belo)W.			Other - Expla	ain belo	w.					
Explanation: Use additional p					•						
1) NOTIFICATION OF I Herbicide for Turf" with the					questin	ig the b	brand nai	me "Speed 2	one Broadleaf		
2) SUBMISSION OF FINA	AL PRINTED LABI	ELING TO	O ASSURE FIF	RA COM							
SEPTEMBER 27, 2001. E registration purposes. A self							one cop	py and return	to us for state		
This notification is consister							R 152.46,	, and no other	r changes have		
been made to the labeling or	the confidential states	ment of for	rmula of this pro	duct. I und	derstand	d that it	is a viol	ation of 18 U	.S.C.Sec. 1001		
to willfully make any false st											
98-10 and 40CFR 152.46, t Section 12 and 14 of FIFRA.		n violatior	1 OF FIFKA and	1 may be s	subject	to ente	orcement	action and p	enaities under		
		······································	Section - III								
Material This Product Will Be						\ T	. Cartain				
Child-Resistant Packaging U	nit Packaging		Water Soluble Packaging 2. Type of Conta					ner			
Yes*	Yes		l =====	Plastic							
L No	No		No No			G	ass		:		
1.,	"Yes" No.	per tainer	If "Yes" Package wgt.	No. per container		Pa	aper				
be submitted	The rackaging wgt.		l ackage wgt.			1112	her (Spec				
3. Location of Net Contents Inform	nation 4. S	íze(s) Retail	Container			ition of Li Label	abel Direc	tions			
Label Conta	iner				=		accomp	anying product			
6. Manner in Which Label is Affix	ed to Product	Lithograph		Other_							
Paper glued			ed								
	,	Stenciled	0		·			1 7511			
Contact Point (Complete items	directly below for identif	ication of Inc	Section - IV		ssarv to	o proces	s this anni				
Name			itle	,	,,,,,,			one No. (Includ	e Area Code)		
Craig M		<u> </u>	Manager of I	Regulatory	/ Servi	ces		816/460-			
I certify that the statements in acknowledge that any known both under applicable law.	I have made on this form		chments thereto ar				e. ; · · ;	6 Date App Received (Sta			
2. Signature ()	Title	•••••									
Turk Little				anager of Regulatory Services							
			Date October 23, 2001					→ A B → A → A			

NOTIFICATION NOV 2 1 2001



EDA (0)25/





654/10-2001 AP092701 EPA REG. NO. 2217-833



ACTIVE INGREDIENTS:

Carlentrazone-ethyl	0.62%
2,4-D, 2-ethylhexyl ester	
Mecoprop-p acid	
Dicamba acid	
INERT INGREDIENTS:	
TOTAL	100.00%

THIS PRODUCT CONTAINS:

0.05 ib. Ethyl α,2-dichloro-5-[4(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanote or 0.62%.

1.53 lbs. 2.4-dichlorophenoxyacetic acid equivalent per gallon or 18.95%.

0.48 lb. (+)-R-2-(2-methyl-4-chlorophenoxy)proplonic acid equivalent per gallon or 5.88%.

0.14 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.71%.

Isomer Specific by AOAC Methods.

CAUTION

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

See below for First Aid and additional Precautionary Statements.



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category E on a EPA chemical resistance category selection chart.

NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) – in general, only agricultural-plant uses are covered by the WPS – must wear the following:

 When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, and chemical-resistant gloves.

Personal Hygiene Statement For Non-WPS Uses: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS:

Carlentrazone is very toxic to algae and moderately toxic to fish. This product is toxic to aquatic invertebrates. Difft or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-0 and MCPP-p have been associated with mixing, loading and disposal sites. Caution should be exercised when handling 2,4-0 and MCPP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent oroundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- · coveralls over long-sleeved shirt and long pants.
- chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber or Viton gloves.
- shoes plus socks.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Reentry Statement: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

PRODUCT DESCRIPTION:

SpeedZone Broadleaf Herbicide for Turf contains four active Ingredients including carfentrazone-ethyl that broaden the spectrum of weed control. Carfentrazone-ethyl is in the aryl triazolinone family and inhibits protoporphyrinogen oxidase (Protox), a pivotal enzyme in chlorophyli production.

SpeedZone offers these advantages:

- Excellent posternergent activity with proven performance for broadleaf weed control
 in turbriess
- Superior cool weather performance.
- High selectivity (turfgrass safety) in established cool-season turfgrass and warmseason turfgrass.
- Good toxicological, environmental, and ecological properties compared to the standards.
- Cartentrazone-ethyl combinations provide rapid and effective weed control for common and troublesome weed species in turtgrass, e.g. spurge, pennywort (dollarweed), dandelion, and white clover.
- · Fast acting with evidence of injury within hours. The speed of action (rate of phyto-

NOTIFICATION NOV 2 1 2001

Remove saturated clothing as soon as possible and shower.

Engineering Control Statements For Non-WPS Uses:

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour from this container. A mechanical system (such as probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

WPS LISES:

Applicators and other handlers who handle this pesticide for any uses covered by the Worker Protection Standard (40 CFR Part 170) – in general agricultural-plant uses are covered – must wear the following:

- · long-sleeved shirt and long pants.
- chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber or Viton gloves.
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

Engineering Control Statements For WPS Uses:

Containers over 1 gallon and less than 5 gallons: Mixers and loaders who do not use a mechanical system (probe and pump) to transfer the contents of this container must wear coveralls or a chemical-resistant apron in addition to the other required PPE.

Containers of 5 or more gallons: Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)], the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

aspiration pneumonia.

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

FIN31 AID			
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.		
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.		
lf on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.		
	ct container or label with you when calling a poison control center ng for treatment.		

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause

toxicity) and the early injury symptoms are unique features of carfentrazone-ethyl combinations. Generally, the injury symptoms can be noticed within hours of the application and plant death can occur within 7-14 days.

SPRAY PREPARATION AND TANK MIXTURES:

SpeedZone is an emulsifiable concentrate intended for dilution with water. In certain applications, liquid fertilizer may replace part of the water as a diluent.

Water as dikuent

Add one-half the required amount of water to the spray tank, then add SpeedZone slowly with agitation, and complete filling the tank with water. To prevent separation of the emulsion, mix thoroughly and continue agitation while spraying.

This product forms an emulsion and can separate upon extended or prolonged standing. Re-agitate to assure uniformity of the spray mixture. Storage of the spray mixture beyond 72 hours is not recommended.

Do not use tank additives that after the pH of the spray solution below pH 5 or above pH 8. Buffer the spray solution to after the pH range as appropriate.

Liquid fertilizers as diluents:

Use suitable sources and rates of fertilizer based upon local recommendations. Refer to the mixing directions on the labels of the liquid fertilizers (eg. UAN or urea solutions). Always perform a jar compatibility test before large scale mixing.

GROUND EQUIPMENT

Power sprayers fitted with a boom or spray wand/gun may be used for broadcast applications and spot treatments. For best spray distribution and coverage, select a spray volume and delivery system that will ensure accurate and uniform coverage. Boom sprayers equipped with appropriate flat fan nozzles, tips, and screens are suitable for broadcast applications. Do not use flood nozzles, Raindrop[®], or nozzle tips larger than 8008. Spray droplets larger than 400 microns may reduce coverage and subsequent loss in weed control.

Spray volumes of 3-175 gallons per acre with spray pressures adjusted to 20-40 psi are appropriate. Use higher spray volumes for dense weed populations.

Hand operated sprayers including backpack sprayers, compression sprayers, and knapsack sprayers are appropriate for small turfgrass areas when power equipment is unavailable, uneconomical, or impractical.

This product may cause injury to susceptible/nontarget plants at the use site by contacting the foliage, stems, or roots. To prevent injury to susceptible crops and other desirable broadleaf plants including but not limited to cotton, legumes, tobacco, tomatoes, garden/vegetable crops, and ornamentals (flowers, trees, and shrubs) avoid contact with the spray solution, spray droplets, and spray mist (fine droplets). Applications are recommended only when there is no potential hazard from spray drift during dormant and active growth periods. Do not apply when conditions are conductive to spray drift from the use site to untreated areas.

After using this product, clean sprayer with soap or detergent and water, or an approved spray tank cleaner and rinse thoroughly before applying other pesticides.

WHERE TO USE:

SpeedZone provides selective broadleaf control in warm-season and cool-season turforass in five (5) use sites.

- Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations including, but not limited to hospitals, nursing homes, schools, museums, libraries, sport facilities, golf courses (fairways, aprons, and roughs), and office buildings.
- Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings, recreation areas, fairgrounds, and areas adjacent to athletic fields.
- Residential/domestic sites are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.
- Agricultural site: Commercial sod production
- Noncropland Sites: Highway rights-of-way (principal, interstate, county, private, and unpaved roads): Roadsides, roadside ditches, road shoulders, road embankments, dividers, and medians. Municipal, state, and federal lands: Airports and military installations.

Prohibitions of Sites:

- Do not apply to any body of water such as lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). Do not apply to any shorelines (noncropland sites adjacent to the edges of a body of water) for lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays).
- Do not apply to wetlands (swamps, bogs, potholes, or marshes).
- Do not apply to agricultural irrigation water or on agricultural irrigation ditchbanks and canals.
- Do not apply to agricultural drainage water or on agricultural ditchbanks.