

2217-841

12/4/2009

1 of 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCE

James L. Kunstman, Ph.D.  
Director of Regulatory Services  
PBI/Gordon Corporation  
P.O. Box 014090  
Kansas City, Missouri 64101

DEC 4 2009

Subject: Notification(s) for Label Revisions under PRN 2007-4

Dear Dr. Kunstman:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated October 14, 2009 for:

- EPA Registration 2217-816**
- EPA Registration 2217-841** ✓
- EH 1346 Herbicide**
- EH-1384 Herbicide**

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

20114



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number <b>2217-841</b>	2. EPA Product Manager James A. Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> Non <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>EH-1384 Herbicide</b>	PM# Product Manager—Team 25	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

Amendment - Explain below.  Final printed labels in response to **NOTIFICATION** Agency letter dated \_\_\_\_\_

Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application. **DEC - 4 2009**

Notification - Explain below.  Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

**NOTIFICATION:**

**Labeling notification per Pesticide Registration Notice (PRN) 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment"**

Please refer to cover letter for details and certification statement.

e-mail to [jkunstman@pbigordon.com](mailto:jkunstman@pbigordon.com) FAX: 816-421-2731

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* <b>Certification must be submitted</b>		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 pint, 1 quart, 2 quarts and 1 gallon 275 gallons returnable for plant transfers		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name James L. Kunstman, Ph.D.	Title Director of Regulatory Services	Telephone No. (Include Area Code) 816-460-6292	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Director of Regulatory Services		
4. Typed Name James L. Kunstman, Ph.D.	5. Date October 14, 2009		





50914

# EH-1384 HERBICIDE

**NOTIFICATION**

**DEC - 4 2009**

**ACTIVE INGREDIENT:**

Isopropylamine salt of glyphosate* .....	6.7%
INERT INGREDIENTS: .....	93.3%
<b>TOTAL</b>	<b>100.0%</b>

\*N-(phosphonomethyl) glycine

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See [back/side/inside panel or booklet] for additional  
Precautionary Statements and First Aid


**NET CONTENTS: (24 fl. oz., Quart, 1/2 Gallon, Gallon)**

AP101409

EPA Reg. No. 2217-841

EPA Est. No. 2217-KS-1

MANUFACTURED BY:





**READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

**First Aid**

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

**ENVIRONMENTAL HAZARDS:**


Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.



[24 fl. oz., Quart, 1/2 Gallon, 1 Gallon containers]

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area inaccessible to children and domestic animals.

~~PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.~~

~~CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.~~

**PESTICIDE STORAGE AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

### CONSUMER INFORMATION

EH-1384 Herbicide eliminates nearly all common weeds and grasses. This product can be used in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, vegetable gardens, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Edging around lawns] [For lawn replacement/renovation] [For garden plot preparation] [Do not use on or around edible feed or food crops.]

**Important:** This product is a nonselective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any glyphosate not absorbed by the plant is broken down into natural materials. This product has no soil residual activity and thus will not affect nearby untreated plants.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

### WEEDS AND GRASSES CONTROLLED

#### Annual weeds and grasses:

Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sow thistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis [and many other annual grasses and weeds] [controls many unwanted plants] [kills most types of weeds and grasses].

#### Perennial weeds, grasses and brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lantana, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed.

guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lantana, maiden cane, milkweed, mouseear, multiflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia [and many other perennial grasses, weeds, brush and sedges] [controls many unwanted plants] [kills many types of weeds and grasses and brush].

\*Annual or Perennial

**[When to use] [When to apply]:**


Apply to actively growing weeds when the vegetation is green. Use when the wind is calm to avoid drift. Make applications on warm sunny days when the daytime temperature is above 60°F. Weed control is accelerated by warm sunny weather. Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks. Rain or watering 2 hours after application will not wash away effectiveness. Hard-to-control weeds and thick lawn grasses (like bermudagrass) may require a second application.

**[How to use] [How to apply]:**

This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tank type sprayer. **Do not use or store in galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.** Use a tank type sprayer with a coarse spray nozzle for spot treatments. Use the Ortho Dial 'n Spray® or other hose end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens. One quart will treat over 1,300 square feet. Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. EH-1384 Herbicide does not move or build up in the soil to effect untreated plants growing nearby. Ornamental plantings can be made 3 days after treatment. Vegetable gardens can be seeded or planted 3 days after treatment. For lawn replacement, lawns may be replanted 1 week after spraying.

Determine the correct amount of EH-1384 Herbicide and water to add to sprayer from the directions below.

APPLICATOR	MIXING INSTRUCTIONS	TREATMENT AREA
Standard Tank Sprayer	• Add one cup (8 fl oz) of EH-1384 Herbicide to 1 gallon of water	250 sq. ft.
Ortho Spray-Ette® Hose End Sprayer	• Add 16 fl. oz. of EH-1384 Herbicide to sprayer jar. • Do not add water to sprayer jar.	500 sq. ft.
Ortho Dial 'n Spray® Hose End Sprayer	• Add 16 fl. oz. of EH-1384 Herbicide to sprayer jar. • Set sprayer dial on 8 oz. Do not add water to sprayer jar.	500 sq. ft.





909/14

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Ortho Big Shot® or Standard Tank Sprayer	• Add 6 fl.oz. of EH-1384 Herbicide to 1 gallon of water.	• Add 8 fl.oz. of EH-1384 Herbicide to 1 gallon of water.	250 sq. ft. (25 ft x 10 ft)
Ortho Dial 'N Spray® Hose End Sprayer	• Add 10 fl.oz. of EH-1384 Herbicide to sprayer jar. • DO NOT ADD WATER. • Set dial to 5 oz. and apply.	• Add 16 fl.oz. of EH-1384 Herbicide to sprayer jar. • DO NOT ADD WATER. • Set dial to 8 oz. and apply.	500 sq. ft. (25 ft x 20 ft)
Ortho Spray-Ette® Hose end Sprayer	• Add 12 fl.oz. of EH-1384 Herbicide to sprayer jar.	• Add 16 fl.oz. of EH-1384 Herbicide to sprayer jar.	500 sq. ft. (25 ft x 20 ft)

Spray until weed foliage is thoroughly wet. Thoroughly rinse all application equipment when finished spraying. Spray washwater on bare soil or gravel. People and pets can reenter treated areas when spray has dried.

**[Where to apply] [Application sites]**

**General weed control:** Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Can be used to trim and edge landscape areas. Do NOT use for spot weed control in lawns as this product kills all green plants contacted, including desirable lawn grass. If replacing a lawn or parts of a lawn, see Lawn Renovation [Replacement] recommendations on this label.

**Spot treatments:** Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Do not spray vegetables, fruit and nut trees or grapevines directly.

**Landscape use:** Use as a site preparation before planting ornamentals, trees, shrubs, desert-scapes, rock gardens, flower beds or similar plantings.


**Ornamental plantings:** Use around ornamental plantings, trees and shrubs to get rid of unwanted weeds. Avoid spray contact with bark or exposed roots of desirable plants as injury may result. Ornamentals and flowers may be reseeded or replanted the next day.

**[Lawn renovation/replacement:** Use to change grass species, or eliminate a weed infested lawn before replanting or putting down sod. For best results, apply in the spring or fall when grass and weeds are actively growing. Skip at least one mowing before treatment. Wait 7 days after spraying to till, level and reseed or install new sod.]

(OR)

**Lawn Renovation/replacement:**

- Use EH-1384 Herbicide to remove the existing lawn and kill weeds and grasses.
- For best results, apply in spring or fall, when daytime temperatures are at least 60° F.
- If the lawn is dry, water lawn before applying EH-1384 Herbicide and 2 to 3 days after application.
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.



- Keep area moist for 2 weeks, to establish new lawn, then water as needed.

**Vegetables, small fruits and berries:** For use in eliminating unwanted weeds or to prepare the site for planting. Do not spray vegetables, small fruits and berries directly. The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying:

- Vegetables: Jerusalem artichoke, asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango, melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, Persian melon, potato (Irish, sweet), pumpkin, radish, rhubarb, rutabaga, spinach, squash (summer, winter), tomatillo, tomato\*, turnip, watercress, watermelon, and yams. For unlisted vegetables wait 30 days after spraying to plant.

\*Tomatoes planted from seed only. Wait 30 days for rooted transplants.

- Small fruits and berries: blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, raspberry (black & red), and strawberry. For all other small fruits and berries not on the list, wait 30 days before planting.

(OR)

- Vegetables: Wait 3 days after spraying and before seeding for Jerusalem artichoke, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango, melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, Persian melon, potato (Irish, sweet), pumpkin, radish, rhubarb, rutabaga, spinach, squash (summer, winter), sweet potato, tomatillo, tomato\*, turnip, watercress, watermelon, winter squash and yams.

\* Tomatoes planted from seed only. Wait 30 days for rooted transplants. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

- Small fruits and berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying EH-1384 Herbicide: blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry. For all other small fruits and berries not listed, wait 30 days before planting.

**LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty.


and Disclaimer in any manner.

Ortho®, Dial 'n Spray® and Spray-Ette® are registered trademarks of Monsanto Company  
[name] is a trademark of PBI/GORDON Corporation

**APPENDIX**

**I. Advertising claims that may be presented on container labeling of supplemental registrants:**

- ◆ kills common broadleaf weeds and grasses
- ◆ for general weed control
- ◆ water-based formula
- ◆ no odor
- ◆ for nonselective post emergent control of unwanted vegetation
- ◆ contains glyphosate
- ◆ treats approximately # \_\_\_\_\_ sq. ft./treats over # \_\_\_\_\_ sq. ft. (dependent upon container size)
- ◆ systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- ◆ eliminates undesirable vegetation in 2-4 weeks
- ◆ kills roots and all in 2-4 weeks
- ◆ kills to the root/down to the root/roots and all
- ◆ no residual activity in soil
- ◆ for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- ◆ for use around flower beds, trees, shrubs, fences and walks
- ◆ kills weeds near/under fences, in driveways, on patios, in paths, sidewalks, cracks, walkways, gardens, trees, shrubs, flower beds, mulch beds, graveled areas and curbs
- ◆ controls weeds and unwanted vegetation around trees, shrubs, and in flower beds
- ◆ use to prepare sites for planting fruit trees, shrubs and ornamentals
- ◆ multipurpose grass and broadleaf weed control
- ◆ for outdoor use only
- ◆ use for lawn renovation
- ◆ can reseed lawns 7 days after treatment
- ◆ can be applied with a tank sprayer or hose-end sprayer
- ◆ visible results in 3 days
- ◆ complete kill down to the root in 3 to 4 weeks
- ◆ [More Concentrated][Makes \_\_\_\_\_ gallons of spray][Value pack]
- ◆ [Rain-Proof in hours][Rain-Proof in less than \_\_\_\_\_ hours.
- ◆ Won't wash off



12 of 14

# EH-1384 HERBICIDE

ACTIVE INGREDIENT:	
Isopropylamine salt of glyphosate* .....	6.7%
INERT INGREDIENTS: .....	93.3%
TOTAL	100.0%

\*N-(phosphonomethyl) glycine


**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See [back/side/inside panel or booklet] for additional  
Precautionary Statements and First Aid

**NET CONTENTS: (55.0 275 Gallons)**

AP101409  
 EPA Reg. No. 2217-841  
 EPA Est. No. 2217-KS-1  
 MANUFACTURED BY:  
  
 An Employee-Owned Company  
 1217 West 12th Street  
 Kansas City, Missouri 64101



130 of 14



**READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

**First Aid**

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

**ENVIRONMENTAL HAZARDS:**


Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Detailed Directions for Use may be omitted from the labeling of pesticide products which are intended for use only by formulators in preparing pesticides for sale to the public per 40 CFR 156.10 with these three conditions:

1. Detailed directions for formulation are presented on the technical data sheets provided by PBI/Gordon Corporation.
2. This container size of this herbicide is intended for use only in the manufacturing and formulating of the pesticides listed below. Also, this herbicide is being transferred to another EPA Establishment under contract.
3. This product is intended for use only in the formulation of three (3) end use products registered under FIFRA Section 3 by PBI/Gordon Corporation. Specifically, EH-1385 Herbicide, EPA Reg. No. 2217-842; EH-1390 Herbicide, EPA Reg. No. 2217-843; and EH-1391 Herbicide, EPA Reg. No. 2217-844 may be formulated, produced or packaged with appropriate labeling. In addition, FIFRA Section 3(e) provides that PBI/Gordon Corporation may authorize other companies to market supplemental registrations with additional brand (distributor) names.



[REFILLABLE CONTAINERS. (returnable containers of 275 gallons dedicated to the same pesticide)]

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area inaccessible to children and domestic animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

**CONTAINER HANDLING:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Container cleaning: Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

**LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

