

2217-842

9-13-2006

4/15

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060. Approval Expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217-842	2. EPA Product Manager James A. Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH-1385 Herbicide	PM# Product Manager--Team 25	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

- | | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

NOTIFICATION

SEP 13 2006

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Labeling notification per Pesticide Registration Notice (PRN) 98-10.

Please refer to the accompanying cover letter for the five (5) areas of revision.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James L. Kunstman, Ph.D.	Title Director of Regulatory Services	Telephone No. (Include Area Code) 816-460-6292
<p align="center">Certification</p> <p><i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i></p>		6. Date Application Received (Stamped)
2. Signature 	3. Title Director of Regulatory Services	
4. Typed Name James L. Kunstman, Ph.D.	5. Date August 28, 2006	

EH-1385 HERBICIDE

Sublabel 1	Directions for Use previously-approved on May 7, 2001 and revised per Pesticide Registration Notice (PRN) 2001-6. Revised August 28, 2006 adding limitations for the State of California imposed July 1, 2003.
-------------------	--

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate*.....	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL	100.0%

*N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back/side/inside panel or booklet] for additional
Precautionary Statements and First Aid

NET CONTENTS: (6 fl. oz, 24 fl. oz., Quart, 1/2 Gallon, Gallon)

AP082806
EPA REG. NO. 2217-842
EPA EST. NO. 2217-KS-1
MANUFACTURED BY:



Telephone: 800-821-7925
www.pbjgordon.com

3/15



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

4/15

FACTS:

- EH-1385 Herbicide is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. EH-1385 Herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

WHERE TO USE:

- along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas
- along ornamental lawns and turfgrass
- around or near ornamental/shade trees, shrubs, groundcovers, flower beds, mulched landscape beds.
- along fences, hedgerows, under fencelines
- around rocks, signposts, light posts, or on fringe areas
- around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life
- In large areas for lawn replacement or garden plot preparation
- urban areas where total vegetation control is desired
- farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelter belts and other areas where nonselective weed control is desired.

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahiagrass bentgrass, colonial, creeping and redtop bermudagrass, common and hybrid bluegrass, annual, rough, and Kentucky bromegrass, downy and smooth buffalograss ¹	canarygrass, reed carpetgrass ¹ centipedegrass fescues, chewings, hard, red, tall, sheep foxtails, green, yellow, creeping, meadow, giant Johnsongrass	kikuyugrass orchardgrass Paspalum spp. ryegrass, annual, Italian, perennial, and hardy St. Augustinegrass zoysiagrass or Japanese lawngrass
--	--	--

¹ Not for use in California

5/15

EH-1385 Herbicide will provide full or partial control (suppression) of these woody species:

alder blackberry barberry Caenothus spp. cherry coyote brush dewberry elderberry honeysuckle hickory	kudzu lantana maple multiflora rose mock orange* manzanita pine poison ivy poison oak poison hemlock	oak quaking aspen raspberry sumac trumpet creeper wild blackberry western red cedar* willow
<i>*Not for use in California</i>		

EH-1385 Herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Fennel	Oleander*	Tansy ragwort
Barnyardgrass	Fiddleneck	Oxalis	Tansy mustard
Beggarweed	Field bindweed	Pampasgrass	Texas panicum
Bittercress	Field pennycress	Pennsylvania smartweed	Thistle
Black medic	Field sandbur	Pennywort	Timothy
Broadleaf plantain	Filaree	Pigweed	Toadflax
Buckhorn plantain	Florida pusley	Plantain	Torpedograss
Bull thistle	Garden spurge	Prickly lettuce	Trailing lantana
Burclover	Goosegrass	Primrose	Tumble mustard
Buttercup	Green foxtail	Prostrate spurge	Vaseygrass
Canada thistle	Guineagrass	Puncturevine	Velvetleaf
Chickweed	Hemp sesbania	Purple cudweed	Virginia-creeper
Clover	Henbit	Purple nutsedge	White clover
Cocklebur	Horsenettle	Purslane	Whitetop
	Horseradish	Quackgrass	Wild barley
Common groundsel	Horseweed/marestail	Ragweed	Wild carrot
Common mullien		Red clover	Wild geranium
Common ragweed	Ironweed	Red sorrel*	Wild morningglory
Coral-bead	Knapweed	Redroot pigweed	Wild mustard
Crabgrass	Knawel	Sheepspurge	Wild oats
Creeping beggarweed	Knotweed	Smartweed	Wild sweet potato
Creeping Charlie	Lambsquarters	Smooth catsear	Witchgrass
Curly dock	London rocket	Smooth pigweed	Yarrow
Dallisgrass	Lovegrass	Sowthistle	Yellow nutsedge
Dandelion	Mallow	Spotted spurge	Yellow oxalis
Dogfennel	Mayweed		Yellow starthistle
Evening primrose	Milkweed	Spurge	and many other weeds
Fall panicum	Mouseear chickweed	Sunflower	
False dandelion	Nimblewill		
<i>*Not for use in California</i>			

6/15

HOW AND WHEN TO APPLY:

- EH 1385 Herbicide is formulated for "spot treatment" of individual weeds and grasses. This product is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target weeds—the ones you want to kill—to provide uniform and thorough coverage. Apply on a spray-to-wet basis.
- *[Supplemental registrants may include or omit the edger instructions presented in this paragraph:]* EH 1385 Herbicide is an easy edger for around desirable plants and vegetation. To use, remove cap and fasten the built-in sprinkler applicator. For edging, turn container upside down. Walk slowly holding nozzle 2 to 6 inches above [weeds and grasses][area to be treated]. Thoroughly wet the foliage of the unwanted vegetation. A one-gallon container covers a 2 inch band 1200 feet long. For larger area coverage, adjust the width of the spray pattern by varying the height of the container.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray [Use] when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- One (1) application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks
- Rain or watering 2 hours after application will not wash away effectiveness
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season long control.
- Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application.
- Ornamental trees, shrubs and flowers may be replanted one (1) day after application.
- This 32 fl. oz. (quart) retail container size treats approximately 250 weeds or 187sq. ft.
- This 64 fl. oz. (½ gallon) retail container size treats approximately 500 weeds or 375 sq. ft.
- This 128 fl. oz. (gallon) retail container size treats approximately 1,000 weeds or 750 sq. ft.
- Do not spray plants or grasses you like – they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.

LIMITED WARRANTY AND DISCLAIMER.

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

7/15

APPENDIX

I. Advertising claims that may be presented on container labeling of supplemental registrants:

- ◆ Ready-To-Use -- no mixing
- ◆ for nonselective post emergent control of unwanted vegetation
- ◆ for nonselective weed control on noncrop/residential areas
- ◆ contains glyphosate
- ◆ quick and easy to use
- ◆ no leaks or mess
- ◆ easy to store
- ◆ no mixing required
- ◆ covers approximately 750 sq. ft. for one gallon container size
- ◆ systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- ◆ kills weeds and grasses listed on this label
- ◆ kills to the root
- ◆ no residual activity in soil
- ◆ for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- ◆ Kills roots and all in 2-4 weeks
- ◆ controls undesirable vegetation in 2-4 weeks
- ◆ For use around flower beds, trees, shrubs, fences and walks
- ◆ [Rain-Proof in hours][Rain-Proof in less than ____* hours. *Values less than or equal to 2 ' ***Not for Use in California***'
- ◆ Results in as little as 24 hours * ***Not for Use in California***
- ◆ Convenient Tip & Treat Bottle
- ◆ Covers approximately 750 sq. ft.
- ◆ Ideal for weeds in tight spots
- ◆ Kills to the root
- ◆ Ready-To-Use [RTU]

8/15

EH-1385 HERBICIDE

Sublabel 2	Directions for Use proposed for the alternate brand name of <i>Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer</i>
-------------------	---

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate*.....	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL	100.0%

*N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back/side/inside panel or booklet] for additional
Precautionary Statements and First Aid

NET CONTENTS: One Gallon

AP082806
EPA REG. NO. 2217-842
EPA EST. NO. 2217-KS-1
MANUFACTURED BY:



Telephone: 800-821-7925
www.pbiagordon.com

9/15



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

10/15

FACTS:

- EH-1385 Herbicide is a ready-to-use herbicide to control a broad spectrum of emerged annual and perennial weed species. EH-1385 Herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product is nonselective and will kill or injure all vegetation contacted by the spray.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

WHERE TO USE:

- along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas
- along ornamental lawns and turfgrass
- around or near ornamental/shade trees, shrubs, groundcovers, flower beds, mulched landscape beds.
- along fences, hedgerows, under fencelines
- around rocks, signposts, light posts, or on fringe areas
- around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahiagrass bentgrass, colonial, creeping and redtop bermudagrass, common and hybrid bluegrass, annual, rough, and Kentucky bromegrass, downy and smooth	canarygrass, reed centipedegrass fescues, chewings, hard, red, tall, sheep foxtail, green, yellow, creeping, meadow, giant Johnsongrass	kikuyugrass orchardgrass Paspalum spp. ryegrass, annual, Italian, perennial, and hardy St. Augustinegrass zoysiagrass or Japanese lawngrass
---	---	--

11/15

EH-1385 Herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Fennel		Tansy ragwort
Barnyardgrass	Fiddleneck	Oxalis	Tansy mustard
Beggarweed	Field bindweed	Pampasgrass	Texas panicum
Bittercress	Field pennycress	Pennsylvania smartweed	Thistle
Black medic	Field sandbur	Pennywort	Timothy
Broadleaf plantain	Filaree	Pigweed	Toadflax
Buckhorn plantain	Florida pusley	Plantain	Torpedograss
Bull thistle	Garden spurge	Prickly lettuce	Trailing lantana
Burclover	Goosegrass	Primrose	Tumble mustard
Buttercup	Green foxtail	Prostrate spurge	Vaseygrass
Canada thistle	Guineagrass	Puncturevine	Velvetleaf
Chickweed		Purple cudweed	Virginia-creeper
Clover	Henbit	Purple nutsedge	White clover
Cocklebur	Horsenettle	Purslane	Whitetop
	Horseradish	Quackgrass	Wild barley
Common groundsel	Horseweed/marestail	Ragweed	Wild carrot
Common mullien		Red clover	Wild geranium
Common ragweed	Ironweed	Red sorrel	Wild morningglory
Coral-bead	Knapweed	Redroot pigweed	Wild mustard
Crabgrass	Knawel	Shepherspurse	Wild oats
Creeping beggarweed	Knotweed	Smartweed	Wild sweet potato
Creeping Charlie	Lambsquarters	Smooth catsear	Witchgrass
Curly dock	London rocket	Smooth pigweed	Yarrow
Dallisgrass	Lovegrass	Sowthistle	Yellow nutsedge
Dandelion	Mallow	Spotted spurge	Yellow oxalis
Dogfennel	Mayweed		Yellow starthistle
Evening primrose	Milkweed	Spurge	and many other weeds
Fall panicum	Mouseear chickweed	Sunflower	
False dandelion	Nimblewill		

12/15

HOW AND WHEN TO APPLY:

- EH-1385 Herbicide is an easy edger for use around desirable plants and vegetation. To use, remove cap and fasten the built-in sprinkler applicator. For edging, turn container upside down. Walk slowly holding nozzle 2 to 6 inches above [weeds and grasses][area to be treated]. Thoroughly wet the foliage of the unwanted vegetation. For larger area coverage, adjust the width of the spray pattern by varying the height of the container.
- This 128 fl. oz. (gallon) retail container size treats approximately 1,000 weeds or 750 sq. ft., or a 6-inch band 1500 feet in length.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Use when air is calm to prevent drift to desirable plants.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks
- One (1) application will kill most of the weeds listed.
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season long control.
- Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application.
- Not recommended for spot weed control in lawns since this product kills lawn grasses.

LIMITED WARRANTY AND DISCLAIMER.

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

[brand name] is a trademark of PBI/GORDON Corporation

13/15

APPENDIX

II. Advertising claims that may be presented on container labeling of supplemental registrants:

- ◆ Ready-To-Use -- no mixing
- ◆ for nonselective post emergent control of unwanted vegetation
- ◆ for nonselective weed control on noncrop/residential areas
- ◆ contains glyphosate
- ◆ quick and easy to use
- ◆ no leaks or mess
- ◆ easy to store
- ◆ no mixing required
- ◆ covers approximately 750 sq. ft. for one gallon container size
- ◆ systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- ◆ kills weeds and grasses listed on this label
- ◆ kills to the root
- ◆ no residual activity in soil
- ◆ for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- ◆ Kills roots and all in 2-4 weeks
- ◆ controls undesirable vegetation in 2-4 weeks
- ◆ For use around flower beds, trees, shrubs, fences and walks
- ◆ Convenient Tip & Treat Bottle
- ◆ Covers approximately 750 sq. ft.
- ◆ Ideal for weeds in tight spots
- ◆ Kills to the root
- ◆ Ready-To-Use [RTU]

August 28, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency,
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Mr. James A. Tompkins, (PM-25)

Dear Mr. Tompkins:

Subject: EH-1385 Herbicide (EPA Reg. No. 2217-842)

I. Labeling Notification per Pesticide Registration Notice (PRN) 98-10:

- 1. Alternate Brand Name:** We are requesting an alternate brand name of *Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer*. Please refer to page 7 of the draft labeling.
- 2. Sublabels:** We ask to present the master label of EH-1385 Herbicide (EPA Reg. No. 2217-842) in two sublabels. All Precautionary Statements and Directions for Use were previously-approved on May 7, 2001. Also, we ask to add the use limitations described by the California Department of Pesticide Regulation on July 1, 2003.

The format of the two sublabels is shown below:

Sublabel 1	Front panel, Precautionary Statements and Directions for Use previously-approved on May 7, 2001 and revised per Pesticide Registration Notice (PRN) 2001-6.
Sublabel 2	Front panel, Precautionary Statements and Directions for Use proposed for the alternate brand name of <i>Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer</i>

- 3. Container disposal instructions:** We ask to revise container disposal instructions according to Pesticide Registration Notice (PRN) 2001-6, "Disposal Instructions on Non-antimicrobial Residential /Household Use Pesticide Product Labels." Please refer to pages 2 and 8 of the draft labeling.

4. Warranty: We ask to revise warranty statements by abbreviating the text. Please refer to pages 5 and 11 of the draft labeling.

5. Advertising claims: We ask to add advertising claims and product descriptions/features that are consistent with the Directions for Use. Please refer to the appendix presented on pages 6 and 12 of the draft labeling.

One (1) copy of the draft labeling is enclosed for your review.

II. Certification per Pesticide Registration Notice (PRN) 98-10:


This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

III. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the revised labeling.

Please contact me at 816/460-6292 or via e-mail at jkunstman@pbigordon.com if you have questions concerning this submission.

Sincerely,



James L. Kunstman, Ph.D.
Director of Regulatory Services