2217-842			-2006		1/15
Please read instructions on re	Unite Environmental F Washingto	d States Protection A on, DC 20460	gency	Registratio Amendmen Other	
	Appli	cation for Pe	esticide - Sec	tion I	
1. Company/Product Numb			2. EPA Product Ma	•	3. Proposed Classification
4. Company/Product (Nom	2217-842		James A. PM#	. Tompkins	
4. Company/Product (Nam EH	-1385 Herbicide			agerTeam 25	None Restricted
5. Name and Address of A	pplicant (Include ZIP Code,		6. Expedited Revi	iew. In accordance v	with FIFRA Section 3(c)(3)
PBI/Gordon Corporati Post Office Box 01409		ľ	(b)(i), my product is EPA Reg. No		n composition and labeling to:
Kansas City, Missouri			-		
	s is a new address		Product Name		
	<u>, 10 1 10 1 10 1 10 1 10 1 10 1 10 10 10 </u>	Secti	on – II		
Amendment - Explain t	pelow.			l labels in response to er dated	NOTIFICATION
Resubmission in respo	nse to Agency letter dated		Me Too" Ap	plication.	NOV 1 6 2006
Notification - Explain be	elow.		Other - Expl	ain below.	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Labeling notification per Pesticide Registration Notice (PRN) 98-10. Please refer to the accompanying cover letter for the five (5) areas of revision. This notification is consistent with the provisions of <u>PR Notice 98-10</u> and EPA regulations at 40 <u>CFR</u> 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of <u>PR Notice 98-10</u> and 40 <u>CFR</u> 152.46, this product may be in violation of					
FIFRA and I may be subject to	enforcement action and pena		· · ·		
1. Material This Product Will E	Be Packaged In:	Sectio	on – III		
Child-Resistant Packaging	Unit Packaging	Water S	oluble Packaging	2. Type of Conta	ainer
Yes*	Yes	Ye	5	Metal	
No	No	No			
* Certification must	If "Yes" No. pe	r If "Yes"	No. per	Glass	
be submitted	Unit Packaging wgt. contain	er Package	wgt. container	Other (S	pecify)
3. Location of Net Contents Info	ormation 4. Size	(s) Retail Containe	r	5. Location of Label D	
Label Conta	iner			On Label	
	<u></u>			On Labeling acco	mpanying product
6. Manner in Which Label is Af		ithograph	Other_		
	Paper glued Stenciled				
	<u> </u>	Sectio	on – IV		
1. Contact Point (Complete iter	ns directly below for identificat			ssary, to process this a	oplication.)
Name James L. Ki	unstman, Ph.D.		tor of Regulatory		ephone No. (Include Area Code) 816-460-6292
Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Beceived I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application					
\sim \sim	2. Signature				
I. Typed Name 5. Date James L. Kunstman, Ph.D. 5. Date EPA Form 8570-1 (Bey, 3-94) Previous editions are obsolete White - EPA File Copy (or igin 3). Yellow - Applicant Copy					



NOTIFICATION

NOV 1 3 2006

EH-1385 HERBICIDE

Sublabel 1	Directions for Use previously-approved on May 7, 2001 and revised
	per Pesticide Registration Notice (PRN) 2001-6. Revised August 28,
	2006 adding limitations for the State of California imposed July 1,
1	2003.

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate*	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL	100.0%

*N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back/side/inside panel or booklet] for additional Precautionary Statements and First Aid

NET CONTENTS: (6 fl. oz, 24 fl. oz., Quart, ¹/₂ Gallon, Gallon)

AP092906 EPA REG. NO. 2217-842 EPA EST. NO. 2217-KS-1 MANUFACTURED BY:

An Employee-Owned Company 1217 West 12th Street Kanasa City, Mission (64101

Telephone: 800-821-7925 www.pbigordon.com



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

lf in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product for treatment.	ct container or label with you when calling a poison control center or doctor or going

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commecial seed production, or for research purposes.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

FACTS:

- EH-1385 Herbicide is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. EH-1385 Herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

WHERE TO USE:

- along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas
- along ornamental lawns and turfgrass
- around or near ornamental/shade trees, shrubs, groundcovers, flower beds, mulched landscape beds.
- along fences, hedgerows, under fencelines
- around rocks, signposts, light posts, or on fringe areas
- around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life
- In large areas for lawn replacement or garden plot preparation
- urban areas where total vegetation control is desired
- farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelter belts and other areas where nonselective weed control is desired.

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahiagrass	canarygrass, reed	kikuyugrass
bentgrass, colonial, creeping and	carpetgrass ¹	orchardgrass
redtop	centipedegrass	Paspalum spp.
bermudagrass, common and hybrid	fescues, chewings, hard, red, tall, sheep	ryegrass, annual, Italian, perennial, and hardy
bluegrass, annual, rough, and Kentucky	foxtails, green, yellow, creeping, meadow, giant	St. Augustinegrass zoysiagrass or Japanese
bromegrass, downy and smooth buffalograss ¹	Johnsongrass	lawngrass

¹ Not for use in California

EH-1385 Herbicide will provide full or partial control (suppression) of these woody species:

alder	Kudzu	oak
blackberry	Lantana	quaking aspen
barberry	Maple	raspberry
Caenothus spp.	multiflora rose	sumac
cherry	mock orange*	trumpetcreeper
coyote brush	Manzanita	wild blackberry
dewberry	Pine	western red cedar*
elderberry	poison ivy	willow
honeysuckle	poison oak	
hickory	poison hemlock	
*Not for use in California	· ·	

5/15

EH-1385 Herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Fennel	Oleander*	Tansy ragwort
Barnyardgrass	Fiddleneck	Oxalis	Tansy mustard
Beggarweed	Field bindweed	Pampasgrass	Texas panicum
Bittercress	Field pennycress	Pennsylvania smartweed	Thistle
Black medic	Field sandbur	Pennywort	Timothy
Broadleaf plantain	Filaree	Pigweed	Toadflax
Buckhorn plantain	Florida pusley	Plantain	Torpedograss
Bull thistle	Garden spurge	Prickly lettuce	Trailing lantana
Burclover	Goosegrass	Primrose	Tumble mustard
Buttercup	Green foxtail	Prostrate spurge	Vaseygrass
Canada thistle	Guineagrass	Puncturevine	Velvetleaf
Chickweed	Hemp sesbania	Purple cudweed	Virginia-creeper
Clover	Henbit	Purple nutsedge	White clover
Cocklebur	Horsenettle	Purslane	Whitetop
Common groundsel	Horseradish	Quackgrass	Wild barley
Common mullien	Horseweed/marestail	Ragweed	Wild carrot
Common ragweed	Ironweed	Red clover	Wild geranium
Coral-bead	Knapweed	Red sorrel*	Wild morningglory
Crabgrass	Knawel	Redroot pigweed	Wild mustard
Creeping beggarweed	Knotweed	Shepherspurse	Wild oats
Creeping Charlie	Lambsquarters	Smartweed	Wild sweet potato
Curly dock	London rocket	Smooth catsear	Witchgrass
Dallisgrass	Lovegrass	Smooth pigweed	Yarrow
Dandelion	Mallow	Sowthistle	Yellow nutsedge
Dogfennel	Mayweed	Spotted spurge	Yellow oxalis
Evening primrose	Milkweed	Spurge	Yellow starthistle
Fall panicum	Mouseear chickweed	Sunflower	and many other weeds
False dandelion	Nimblewill		

*Not for use in California

HOW AND WHEN TO APPLY:

- EH 1385 Herbicide is formulated for "spot treatment" of individual weeds and grasses. This product is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target weeds—the ones you want to kill—to provide uniform and thorough coverage. Apply on a spray-to-wet basis.
- [Supplemental registrants may include or omit the edger instructions presented in this paragraph:] EH 1385 Herbicide is an easy edger for around desirable plants and vegetation. To use, remove cap and fasten the built-in sprinkler applicator. For edging, turn container upside down. Walk slowly holding nozzle 2 to 6 inches above [weeds and grasses][area to be treated]. Thoroughly wet the foliage of the unwanted vegetation. A one-gallon container covers a 2 inch band 1200 feet long. For larger area coverage, adjust the width of the spray pattern by varying the height of the container.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray [Use] when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- One (1) application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks
- Rain or watering 2 hours after application will not wash away effectiveness
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season long control.
- Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application.
- Ornamental trees, shrubs and flowers may be replanted one (1) day after application.
- This 32 fl. oz. (quart) retail container size treats approximately 250 weeds or 187sq. ft.
- This 64 fl. oz. (½ gallon) retail container size treats approximately 500 weeds or 375 sq. ft.
- This 128 fl. oz. (gallon) retail container size treats approximately 1,000 weeds or 750 sq. ft.
- Do not spray plants or grasses you like they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.

LIMITED WARRANTY AND DISCLAIMER.

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

- I. Advertising claims that may be presented on container labeling of supplemental registrants:
- Ready-To-Use -- no mixing
- for nonselective post emergent control of unwanted vegetation
- for nonselective weed control on noncrop/residential areas
- contains glyphosate
- quick and easy to use
- no leaks or mess
- · easy to store
- no mixing required
- covers approximately 750 sq. ft. for one gallon container size
- · systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- kills weeds and grasses listed on this label
- kills to the root
- no residual activity in soil
- for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- Kills roots and all in 2-4 weeks
- controls undesirable vegetation in 2-4 weeks
- For use around flower beds, trees, shrubs, fences and walks
- [Rain-Proof in hours][Rain-Proof in less than <u>*</u> hours. *Values less than or equal to 2 ' Not for Use in California'
- Results in as little as 24 hours * Not for Use in California
- Convenient Tip & Treat Bottle
- Covers approximately 750 sq. ft.
- Ideal for weeds in tight spots
- Kills to the root
- Ready-To-Use [RTU]

EH-1385 HERBICIDE

Sublabel 2Directions for Use proposed for the alternate brand name of
Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate*	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL	100.0%
*N-(phosphonomethyl) glycine	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back/side/inside panel or booklet] for additional Precautionary Statements and First Aid

NET CONTENTS: One Gallon

AP092906 EPA REG. NO. 2217-842 EPA EST. NO. 2217-KS-1 MANUFACTURED BY:



Telephone: 800-821-7925 www.pbigordon.com



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsin eye. Call a poison control center or doctor for treatment advice.
if on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
if swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product for treatment.	Do not give anything by mouth to an unconscious person. tr container or label with you when calling a poison control center or doctor or goin

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commecial seed production, or for research purposes.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain

10/15

FACTS:

EH-1385 Herbicide will control unwanted species of grass and broadleaf weeds around trees, shrubs and fences. This product has no soil residual activity and will not affect nearby untreated plants. Plants that have not emerged at the time of application will not be controlled. Best results will be obtained when the targeted grass or weed species are actively growing.

WHERE TO USE:

EH-1385 Herbicide can be used along and on sidewalks, walkways, paths, curbs, paved areas private roads, driveways, parking lots and recreational areas. It can be used around or near shade trees, shrubs, groundcovers, flower beds and mulched landscape beds. EH-1385 Herbicide can be also be used along fences, under fencelines, around or along buildings or structures, foundations, patios and other areas associated with home life.

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of lawn and weed species: bahiagrass, bermudagrass, Kentucky bluegrass, fescue, ryegrass St. Augustinegrass, zoysiagrass, crabgrass, creeping Charlie, oxalis, plantain, spurge and white clover.

HOW AND WHEN TO APPLY:

Turn container upside down and walk slowly holding the nozzle 2 to 6 inches above the area to be treated. Thoroughly wet the foliage of the unwanted vegetation. This 128 fl. oz. (gallon) container treats approximately 750 sq. ft. or a 6-inch band 1,500 feed in length. Apply when the air temperatures are above 60°F and when air is calm to prevent drift to desirable plants. Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application.

Difficult to control weeds, dense infestations, or dense growth may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season-long control.

EH-1385 Herbicide is not recommended for spot weed control in lawns since this product kills lawn grasses.


LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILIY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRENTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

[brand name] is a trademark of PBI/GORDON Corporation

APPENDIX

- II. Advertising claims that may be presented on container labeling of supplemental registrants:
- Ready-To-Use -- no mixing
- for nonselective post emergent control of unwanted vegetation
- for nonselective weed control on noncrop/residential areas
- contains glyphosate
- quick and easy to use
- no leaks or mess
- easy to store
- no mixing required
- covers approximately 750 sq. ft. for one gallon container size
- · systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- kills weeds and grasses listed on this label
- kills to the root
- no residual activity in soil
- · for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- Kills roots and all in 2-4 weeks
- controls undesirable vegetation in 2-4 weeks
- · For use around flower beds, trees, shrubs, fences and walks
- Convenient Tip & Treat Bottle
- Covers approximately 750 sq. ft.
- Ideal for weeds in tight spots
- Kills to the root
- Ready-To-Use [RTU]





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION Dauses moderate eye initiation intermfull it apportent through swin. Avoid contact with skin, eyes or clothing intermital if swallowed, Washimoroughly with soap and water.

FIRST AID

lf in eyes:	Hold eye open and runse slowly and gently with water for 15-20 minutes. Remove con- tact lenses. I present, after the first 5 minutes, then continue runsing eye Gall a poison control center or doctor for treatment advice.
lt on skin er cielhing:	Take off contaminated clothing Rinse skin immediately with cienty of water for 15-20 m nutes Call a poison control center or doctor for treatment advice
tf swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of wate: if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any hing by mouth to an unconscious person.
Harre the produ treatment	el container or label with you when calling a poison control centar or doctor or going for

ENVIRONMENTAL HAZARDS:

Op not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CREMICAL HAZARDS:

Combust ble. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is priviplation of Federal law to use this product in a manage inconsistent with its rapering

Reed of licken and pets out of treated areas until sprays have dried.

Not for use on turb being grown for sale or other commercial use as soid, or for commercial seed production, or for research purposes

STORAGE & DISPOSAL

PESTICICE STORAGE: Store is original container in a locked storage area inaccessible to obvid en and vor vestio uning s

LONTAINER DISPOSAL:

If empty: Durinot reuse this container. Place in trash or offer for recycling if available

If partially filled: Call your local sold waste agency or toil free number [1-800-CLEANUP] for disposal instructions. Never place unused product down any invition or outdoor drain.

FACTS

Confulns Liquid Edger, we controll in varied species of grass and broadleaf weeds accord frees struce and fences. This broaded is nonselective and will kill or injure all wegetation contacted by the spray. This product has no soil residual activity and will not affect hearby untreated plants. Plants that have not enverged at the time of application with not be controlled. Best residue will ne obtained when the targeted proces or weed species are actively growing.

WHERE TO USE

Gordun's uliquid Edger- can be used arong and on sidewalks, walkwalks, boths, juncs, it aver, a was, brialte roads, driveways, parking lots and recreational ateas. It can be used around or near shade treiks, shr ins, groundcowers flower beds and mulched landscope heds. Gordon's Liquid Edger, can also be used arong tences, under tence lines around or along buildings or structures, tolindations, patios and other areas associated with home life.

WEEDS CONTROLLED:

Goldon's Liquid Edger? will provide fuil or bathal control (succession) of these or yr and reed species bahagrass bermudagrass Kentucky brucgrass fescue, ryegrass. St. August regrass, by sistess craograss, preprig Chathe oxaris planten, sourge and write clover.

HOW AND WHEN TO APPLY:


Furn container upside down and walk slowly holding the tozzle 2 to 5 inches adove the treated be treated. Floroughly wet the foliage of the unwanted vegetation. This 126 fill ozilligation (cultakine lives) approximately 760 sollific to a 6-inch band 1.500 teet in length. Apply when the air temperatures are shove 60% and when an is calm to prevent drift to desirable plants. Avoid outling, mowing or disturbing the treated vegetation for seven (7) days following application. Difficult to control wees, dense interstations or darks growing including the required for cease librations. Papel patients Two (2) or more than on an it four (4) week intervals may be required for cease libra growing.

Gordonis Liquid Edgen, is not recommended for spot ween control in a viris since this much the Laws grasses.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDING OF THIS PRODUCT. If these terms are not acceptable return this product in the point of purphese and the purphese and

985/9-2006	AP092806
TPARIG NO	2217-842
EPA ESTINO	2217-XS-2





1217 West 12th Street Kanses City, Missouri 64101 www.pbicordon.com





1217 WEST 12TH STREET • P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 • 1-800-821-7925 FAX: 816-474-0462

September 29, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: Mr. James A. Tompkins, (PM-25)

Dear Mr. Tompkins:

Subject: EH-1385 Herbicide (EPA Reg. No. 2217-842)

- I. Labeling Notification per Pesticide Registration Notice (PRN) 98-10:
 - 1. Alternate Brand Name: We are requesting an alternate brand name of Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer. Please refer to page 6 of the draft labeling.
 - Sublabels: We ask to present the master label of EH-1385 Herbicide (EPA Reg. No. 2217-842) in two sublabels. All Precautionary Statements and Directions for Use were previously-approved on May 7, 2001. Also, we ask to add the use limitations described by the California Department of Pesticide Regulation on July 1, 2003.

The format of the two sublabels is shown below:

Sublabel 1	Front panel, Precautionary Statements and Directions for Use previously-approved on May 7, 2001 and revised per Pesticide Registration Notice (PRN) 2001-6.
Sublabel 2	Front panel, Precautionary Statements and Directions for Use proposed for the alternate brand name of Gordon's Liquid Edger ² Ready-to-Use Lawn Weed & Grass Killer

3. Container disposal instructions: We ask to revise container disposal instructions according to Pesticide Registration Notice (PRN) 2001-6, "Disposal Instructions on Non-antimicrobial Residential /Household Use Pesticide Product Labels." Please refer to pages 2 and 7 of the draft labeling.

- 4. Warranty: We ask to revise warranty statements by abbreviating the text. Please refer to pages 5 and 10 of the draft labeling.
- **5.** Advertising claims: We ask to add advertising claims and product descriptions/features that are consistent with the Directions for Use. Please refer to the appendix presented on page 11 of the draft labeling.

One (1) copy of the draft labeling and one (1) copy of the pdf intended for container labels are enclosed for your review.

II. Certification per Pesticide Registration Notice (PRN) 98-10:

This notification is consistent with the provisions of <u>PR Notice 98-10</u> and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C.Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of <u>PR Notice 98-10</u> and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

III. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the draft labeling
- 3. One (1) copy of the pdf intended for container labels

Please contact me at 816-460-6292 or via e-mail at jkunstman@pbigordon.com if you have questions concerning this submission.

Sincerely,

J-I Kut

James L. Kunstman, Ph.D. Director of Regulatory Services