



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCE

James L. Kunstman, Ph.D. Director of Regulatory Services PBI/Gordon Corporation P.O. Box 014090 Kansas City, Missouri 64101

JAN 15 2010

Subject: Notification(s) for Label Revisions under PRN 2007-4

Dear Dr. Kunstman:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated October 15, 2009 for:

EPA Registration 2217-865

EH 1404 Herbicide

EPA Registration 2217-842

EH-1385 Herbicide

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

SEPA	Environmer Was	United States Tal Protectio Shington, DC 2046	0		Aegis Amen	o. 2070-0060 tration idment	OPP Identifier Number
1. Company/Product Numb	er		2. EPA Pr	oduct Mana	ager	3. P	roposed Classification
	2217-842			ames A. Te	ompkins		
4. Company/Product (Name EH	_{e)} I 1385 Herbicide)	PM# Produ	ıct Manage	er—Team :	25	Non Restricted
5. Name and Address of Ap							IFRA Section 3(c)(3)
PBI/Gordon Corporation Post Office Box 01409	90		1		imilar or ide		nposition and labeling to:
Kansas City, Missouri	s is a new address		Product N	lame			
Cneck if this	s is a new address	<u></u>	ection - II			 	
				nal printed lat	bels in respor	nse to	
Amendment - Explain b				gency letter d			FICATION
Resubmission in respo	• •	ated	===	le Too" Applic		JAN	1 5 2010
Notification - Explain be Explanation: Use additional				her - Explain	Delow.		
NOTIFICATION: Labeling notification Final Rule "Pesticide Please refer to cove	Management a	and Disposal: S	standards fo	r Pesticio t.	de Contai	ners and	Containment"
		Se	ction - III	e-r	mail to įkunsti	man@pbigor	don.com FAX: 816-421-2731
1. Material This Product Will E	Be Packaged In:						
Child-Resistant Packaging	Unit Packaging	l _m	ater Soluble Pack	kaging	1	of Container letal	
L Yes*	Yes	-	_] Yes ☑			lastic	
I No	No No	. ك	√ No		_	ilass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.			lo. per ontainer		aper Other <i>(Specif</i> y)
3. Location of Net Contents Inf Label Conta	i	4. Size(s) Retail Co 1 gall		I	. Location of I On Label On Labeli	_abel Direction	
6. Manner in Which Label is Af	fixed to Product	Lithograph Paper glued Stenciled		Other			((((((((((((((((((((
			ection - IV				, ((()
1. Contact Point (Complete itel	ms directly below for id	lentification of individ	ual to be contact	ed, if necessa	ary, to proces		()
Name James L. K	unstman, Ph.D.		Director of Re	gulatory S	Services	gelephon	e No. (Include Area Code) 816ୁଁ 460-5287
I certify that the statemen I acknowledge that any kr both under applicable law	nowingly false or misle	ading statement may	be punishable b			te.	6. Date Application Received ((Stamped)
2. Signature		3. Titl		_		—— <u>,</u> -,-,-,-	(
Clan I 3		Di	rector of Regi	ulatory Ser	rvices		((
4. Typed Name James L. Ku	unstman, Ph.D.	5. Dat	e October	15, 2009			





An Employee-Owned Company

1217 WEST 12TH STREET • P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 • 1-800-821-7925 FAX: 816-474-0462

October 15, 2009

Document Processing Desk (PRN)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Mr. James A. Tompkins, (PM-25)

Dear Mr. Tompkins:

Subject: Response to Pesticide Registration Notice (PRN 2007-4), Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment".

EH 1385 Herbicide (EPA Reg. No. 2217-842)

I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:

- We ask to revise the disposal instructions and to adopt the exact language of Pesticide Registration Notice (PRN) 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment." One (1) copy of the annotated labeling is enclosed for your review.
- 2. Certification: This notification is consistent with the guidance PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this amended labeling is not consistent with the terms of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

II. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy of the draft labeling

lan I Zun

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

James L. Kunstman, Ph.D.

Director of Regulatory Services

Certification with Respect to Label Integrity

version: 9/11/02


I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL				
EPA Registration #	Date Submitted to EPA	Electronic file name		
2217-842	10/15/2009	002217-00842.20091015. notif-proposed-highlighted 002217-00842.20091015. notif-proposed-clean		

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

Jan I Zant	10/15/2009
Signature	Date
James L. Kunstman, Ph.D.	
Name (typed)	
Director, Regulatory Services	
Title	

EH-1385 HERBICIDE




NOTIFICATION

JAN 1 5 2010

ACTIVE INGREDIENT:	•		
Isopropylamine salt of glyphosate*			1.0%
INERT INGREDIENTS:			<u>99.0%</u>
		TOTAL	100.0%
*N-(phosphonomethyl) glycine			

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back/side/inside panel or booklet] for additional Precautionary Statements and First Aid





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the production for treatment.	ct container or label with you when calling a poison control center or doctor or going

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:


Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commecial seed production, or for research purposes.



7/14

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

FACTS:

- EH-1385 Herbicide is a general purpose herbicide designed as a ready-to-use spray to control a
 broad spectrum of emerged annual and perennial weed species. EH-1385 Herbicide will control
 unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees,
 shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

WHERE TO USE:

- along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas
- · along ornamental lawns and turfgrass
- around or near ornamental/shade trees, shrubs, groundcovers, flower beds, mulched landscape beds.
- · along fences, hedgerows, under fencelines
- · around rocks, signposts, light posts, or on fringe areas
- around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life
- In large areas for lawn replacement or garden plot preparation
- urban areas where total vegetation control is desired
- farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelter belts and other areas where nonselective weed control is desired.

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahiagrass	canarygrass, reed	kikuyugrass	
bentgrass, colonial, creeping and	carpetgrass ¹	orchardgrass	
redtop	centipedegrass	Paspalum <i>spp</i> .	::
bermudagrass, common and hybrid	fescues, chewings, hard, red, tall, sheep	ryegrass, annual, Italian, perennial, and hardy	•••••
bluegrass, annual, rough, and	foxtails, green, yellow, creeping,	St. Augustinegrass	••••
Kentucky	meadow, giant	zoysiagrass or Japanese	•
bromegrass, downy and smooth buffalograss ¹	Johnsongrass	lawngrass	•••••
		• •	••••
¹ Not for use in California		••••	•• •
		••••	•
		•	

EH-1385 Herbicide will provide full or partial control (suppression) of these woody species:

alder	Kudzu	oak
blackberry	Lantana	quaking aspen
barberry	Maple	raspberry
Caenothus spp.	multiflora rose	sumac
cherry	mock orange*	trumpetcreeper
coyote brush	Manzanita	wild blackberry
dewberry	Pine	western red cedar*
elderberry	poison ivy	willow
honeysuckle	poison oak	
hickory	poison hemlock	
*Not for use in California		

EH-1385 Herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

			<u> </u>
Artichoke, Jerusalem	Fennel	Oleander*	Tansy ragwort
Barnyardgrass	Fiddleneck	Oxalis	Tansy mustard
Beggarweed	Field bindweed	Pampasgrass	Texas panicum
Bittercress	Field pennycress	Pennsylvania smartweed	Thistle
Black medic	Field sandbur	Pennywort	Timothy
Broadleaf plantain	Filaree	Pigweed	Toadflax
Buckhorn plantain	Florida pusley	Plantain	Torpedograss
Bull thistle	Garden spurge	Prickly lettuce	Trailing lantana
Burclover	Goosegrass	Primrose	Tumble mustard
Buttercup	Green foxtail	Prostrate spurge	Vaseygrass
Canada thistle	Guineagrass	Puncturevine	Velvetleaf
Chickweed	Hemp sesbania	Purple cudweed	Virginia-creeper
Clover	Henbit	Purple nutsedge	White clover
Cocklebur	Horsenettle	Purslane	Whitetop
Common groundsel	Horseradish	Quackgrass	Wild barley
Common mullien	Horseweed/marestail	Ragweed	Wild carrot
Common ragweed	Ironweed	Red clover	Wild geranium
Coral-bead	Knapweed	Red sorrel*	Wild morningglory
Crabgrass	Knawel	Redroot pigweed	Wild mustard
Creeping beggarweed	Knotweed	Shepherspurse	Wild oats
Creeping Charlie	Lambsquarters	Smartweed	Wild sweet potato
Curly dock	London rocket	Smooth catsear	Witchgrass
Dallisgrass	Lovegrass	Smooth pigweed	Yarrow
Dandelion	Mallow	Sowthistle	Yellow nutsedge : ****
Dogfennel	Mayweed	Spotted spurge	Yellow oxalis ••••
Evening primrose	Milkweed	Spurge	Yellow starthistle
Fall panicum	Mouseear chickweed	Sunflower	and many other weeds
False dandelion	Nimblewill		•••••
			•
			••••
*Not for use in California			

HOW AND WHEN TO APPLY:

- EH 1385 Herbicide is formulated for "spot treatment" of individual weeds and grasses. This product
 is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust
 the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target
 weeds—the ones you want to kill—to provide uniform and thorough coverage. Apply on a spray-towet basis.
- [Supplemental registrants may include or omit the edger instructions presented in this paragraph:] EH 1385 Herbicide is an easy edger for around desirable plants and vegetation. To use, remove cap and fasten the built-in sprinkler applicator. For edging, turn container upside down. Walk slowly holding nozzle 2 to 6 inches above [weeds and grasses][area to be treated]. Thoroughly wet the foliage of the unwanted vegetation. A one-gallon container covers a 2 inch band 1200 feet long. For larger area coverage, adjust the width of the spray pattern by varying the height of the container.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray [Use] when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- One (1) application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks
- Rain or watering 2 hours after application will not wash away effectiveness
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool
 temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or
 heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or
 more applications at four (4) weeks intervals may be required for season long control.
- Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application:
- Ornamental trees, shrubs and flowers may be replanted one (1) day after application.

>= 17th 22th oz farethiotelleonalter etzotrodo-apportmetaly 200 weeds or 427/se. tr

This CAIL or Albert More than it is a consideration of the construction of the constru


- This 128 fl. oz. (gallon) retail container size treats approximately 1,000 weeds or 750 sq. ft.
- Do not spray plants or grasses you like they may die too. Not recommended for spot weed control
 in lawns since this product kills lawn grasses.

LIMITED WARRANTY AND DISCLAIMER.

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

- I. Advertising claims that may be presented on container labeling of supplemental registrants:
- ♦ Ready-To-Use -- no mixing
- for nonselective post emergent control of unwanted vegetation
- for nonselective weed control on noncrop/residential areas
- · contains glyphosate
- quick and easy to use
- no leaks or mess
- easy to store
- no mixing required
- covers approximately 750 sq. ft. for one gallon container size
- systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- kills weeds and grasses listed on this label
- kills to the root
- no residual activity in soil
- for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- Kills roots and all in 2-4 weeks
- controls undesirable vegetation in 2-4 weeks
- For use around flower beds, trees, shrubs, fences and walks
- ◆ [Rain-Proof in hours][Rain-Proof in less than __* hours. *Values less than or equal to 2 ' Not for Use in California'
- ♦ Results in as little as 24 hours * Not for Use in California
- Convenient Tip & Treat Bottle
- ◆ Covers approximately 750 sq. ft.
- Ideal for weeds in tight spots
- Kills to the root
- ♦ Ready-To-Use [RTU]



EH-1385 HERBICIDE

Sublabel 2

Directions for Use proposed for the alternate brand name of Gordon's Liquid Edger² Ready-to-Use Lawn Weed & Grass Killer

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate*	1.0%
INERT INGREDIENTS:	<u>99.0%</u>
TOTAL	100:0%

^{*}N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN CAUTION


See [back/side/inside panel or booklet] for additional Precautionary Statements and First Aid

NET CONTENTS: One Gallon

AP101509 EPA REG. NO. 2217-842 EPA EST. NO. 2217-KS-1 MANUFACTURED BY:



Telephone: 800-821-7925 www.pbigordon.com





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS ...

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the production for treatment.	ct container or label with you when calling a poison control center or doctor or going

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commecial seed production, or for research purposes.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DE POSALE L'empty e Domai reuse dide container el see un trash et et étérase y el neute vallable. If partially filled. Callyour lead colle was eagency or toll free number (4-300-GLEANUR) for disposal to swall and the college of the college

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

FACTS:

EH-1385 Herbicide will control unwanted species of grass and broadleaf weeds around trees, shrubs and fences. This product has no soil residual activity and will not affect nearby untreated plants. Plants that have not emerged at the time of application will not be controlled. Best results will be obtained when the targeted grass or weed species are actively growing.

WHERE TO USE:

EH-1385 Herbicide can be used along and on sidewalks, walkways, paths, curbs, paved areas private roads, driveways, parking lots and recreational areas. It can be used around or near shade trees, shrubs, groundcovers, flower beds and mulched landscape beds. EH-1385 Herbicide can be also be used along fences, under fencelines, around or along buildings or structures, foundations, patios and other areas associated with home life.

WEEDS CONTROLLED:

EH-1385 Herbicide will provide full or partial control (suppression) of lawn and weed species: bahiagrass, bermudagrass, Kentucky bluegrass, fescue, ryegrass St. Augustinegrass, zoysiagrass, crabgrass, creeping Charlie, oxalis, plantain, spurge and white clover.

HOW AND WHEN TO APPLY:

Turn container upside down and walk slowly holding the nozzle 2 to 6 inches above the area to be treated. Thoroughly wet the foliage of the unwanted vegetation. This 128 fl. oz. (gallon) container treats approximately 750 sq. ft. or a 6-inch band 1,500 feed in length. Apply when the air temperatures are above 60°F and when air is calm to prevent drift to desirable plants. Avoid cutting, mowing or disturbing the treated vegetation for seven (7) days following application.

Difficult to control weeds, dense infestations, or dense growth may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season-long control.

EH-1385 Herbicide is not recommended for spot weed control in lawns since this product kills lawn grasses.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILIY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRENTY AND DISCLAIMER . *** cannot be varied by any written or verbal statements or agreements at the point of sale or also where. ***

[brand name] is a trademark of PBI/GORDON Corporation

APPENDIX

II. Advertising claims that may be presented on container labeling of supplemental registrants:

- ♦ Ready-To-Use -- no mixing
- for nonselective post emergent control of unwanted vegetation
- for nonselective weed control on noncrop/residential areas
- contains glyphosate
- quick and easy to use
- no leaks or mess
- easy to store
- · no mixing required
- covers approximately 750 sq. ft. for one gallon container size
- systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- · kills weeds and grasses listed on this label
- kills to the root
- no residual activity in soil
- for use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- ♦ Kills roots and all in 2-4 weeks
- controls undesirable vegetation in 2-4 weeks
- ♦ For use around flower beds, trees, shrubs, fences and walks
- ◆ Convenient Tip & Treat Bottle
- Covers approximately 750 sq. ft.
- · Ideal for weeds in tight spots
- ♦ Kills to the root
- ♦ Ready-To-Use [RTU]

