2217-8 Please read instructions on re	44 everse before complet	/V07,	TFICATIO	Ng g	proved.	OMB I	 No. 2070-(Dage 0060. Approval	1 2 6 Expires 02-28-95	
≎ EPA	Environme	United Sta	tection Agend	÷y		•	stration dment	OPP Ide	entifier Number	
		Applicati	on for Pestic	de - Sect	tion I					
Company/Product Number 2217-844			2. EP/	EPA Product Manager James A. Tompkins				3. Proposed Classification		
Company/Product (Name) EH1391 Herbicide			PM#	PM# (PM 25)				None Restricted		
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation, Acme Division PO Box 014090 Kansas City, Missouri 64101 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labelin EPA Reg. No						. , , ,	
			Section -	l						
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in response to Agency letter dated "Me Too" Application.			nse to	NOTIFICATION		
Notification - Explain below.				Other - Explain below.				_		
Explanation: Use additional page(s) if necessary. (For section			n Land Section (L.)	etion (1)				SEP 0 9 2002		
NOTIFICATION PER P container label is enclosed. This notification is consistent with the talk subject to enforcement and the	ed for your review sistent with the prade to the labeling ec. 1001 to willfully terms of PR Notice	/. rovisions o g or the co / make any :e 98-10 ar	f PR Notice 98-1 onfidential statem r false statement nd 40CFR 152.46	0 and EPA lent of form to the EPA 5, this produ	A regulanula of . I furti	ations this pher up	s at 40C product. nderstar	FR 152.46, I understand that if this	and no other nd that it is a notification is	
			Section - I	il						
1. Material This Product Will	Be Packaged In:				1.					
Child-Resistant Packaging Yes* No	Unit Packaging Yes No	Water Soluble F	Packaging	ging 2. Type of Cont Metal Plastic Glass			iner			
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container		\equiv	aper Other <i>(Spe</i>	cify)		
3. Location of Net Contents Information 4. Size(s) Re Label Container		etail Container 5. Location of Label On Labeling				el Directions accompanying product				
6. Manner in Which Label is Affixed to Product Lithogr. Paper of Stencilo		glued				* * * * * * * * * * * * * * * * * * * *				
(2)			Section - I					* * * * *		
 Contact Point (Complete itell) Name 	ms airectly below for it	dentification o	Title	actea, it nece:	ssary, to	proces	7	one No: (Includ	ie Area Code)	
Craig Martens			Manager of Regulatory Services						816/460-6287	
l acknowledge that any ki both under applicable law	ent may be punishab	ments thereto are true, accurate and complete.				Received	6. Data Application Received (Stamped)			
2. Signature (Lave: NM)			Title Manager of Regulatory Services							
			5. Date August 29, 2002							
EDA E 0570 4 (D 0.04)	Dec 1			3341		. =:::	<u> </u>			



Weed & Grass

Contains Glyphosate

te KILLER

Rain Fast In Hours

EVEN KILLS THE ROOTS!

ACTIVE INGREDIENT:
isopropylamine sait of glyphosate
INERT INGREDIENTS:

20%

*N-(Phosphonomethyl)glycine

NET CONTENTS: ONE U.S. GALLON

952/10-2001

KEEP OUT OF REACH OF CHILDREN

See attached beginnt for additional Precautionary Statements and First Aid.

NOTIFICATION

SEP 0 9 2002

CONFICATION

SF. 0 9.2092

GORDON'S®

PRONTO

FAST ACTING

Weed & Grass
KILLER

Contains Glyphosate

Cleanup: Walkways > Driveways > Flower Beds

952/10-2001 AP082801 EPA REG. NO. 2217-844 EPA EST. NO. 2217-KS-2

G pbi/Goadon

An Employee-Owned Company 1217 West 12th Street Kansas City, Missouri 64101 Peel open for additional
Precautionary Statements



NET CONTENTS ONE ES GALLON



Cleanup: Walkways Driveways
 Flower Beds

EVEN KILLS THE ROOTS!

ACTIVE INGREDIENT: Isopropylamine salt of glyphosate* . . 2.0% INERT INGREDIENTS: 98.0% TOTAL 100.0% *N-(Phosphonomethyl)glycine

> KEEP OUT OF REACH QF-GHILDREN

See next column for additional Precautionary Statements and First Aid.



READ THE ENTIRE LABEL FIRST. **OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals CAUTION: Causes moderate eve irritation. Harmful if absorbed through skin. Avoid contact with skin, eves or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eves:

- . Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses. if present, after the first 5 minutes, then continue rinsing eve.
- · Call a poison control center or doctor for treatment advice.

lf on skin or clothina:

- Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or doctor for treatment advice.

- If swallowed: . Call a poison control center or doctor immediately for treatment advice.
 - · Have person sip a glass of water if able to swallow.
 - . Do not induce vomiting unless told to do so by a poison control center or doctor.
 - . Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and dis-

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

HOW IT WORKS:

Facts and Tips

- . PRONTO FAST ACTING WEED & GRASS KILLER is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. PRONTO FAST ACTING WEED & GRASS KILLER will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences,
- . This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.

- · This product is nonselective and will kill or injure all vegetation contacted by the spray. Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- . This product has no soil residual activity and thus will not affect nearby untreated plants.
- · Plants that have not emerged at the time of application will not be controlled
- . Best results will be obtained when the weed species are actively growing.

TOUGH WEED CONTROL (Annuals, Perennials and Brush)

CONTROLS WEEDS AND GRASSES INCLUDING:

Lawn and Turigrass Species
PRONTO FAST ACTING WEED & GRASS KILLER will provide full or partial control (suppression) of these laws and terforass species:

bahiagrass bentgrass, coonat creeping and sector bermudagrass, common and hybrid bluegrass, annual. rough, and Kentucky bromegrass, downy and smooth buffalograss canarygrass, reed carpetorass centipedegrass fescue, chewings, hard, red, tall and sheep textail, green, yellow, creeping, meadow and giant Johnsonwass kikuyugrass orchardgrass Paspalum spp. rveolass, annual (Italian), perennial. and bardy St. Augustinegrass zovsiagrass or Japanese lawngrass

Woody Species

PRONTO FAST ACTING WEED & GRASS KILLER will provide full or partial control (suppression) of these woody species:

alder blackberry barberry Ceanothus spp. cherry coyotebrush dewberry elm elderberry honeysuckle hickory kudzu lantana maple

mock orange manzanita pine poison ivy poison oak poison hemlock 0ak quaking aspen raspberry sumac trumpetcreeper wild blackberry western red cedar

multiflora rose

Annual and Peremital Weed Species PRONTO FAST ACTING WEED & GRASS KILLER will provide full or partial control (suppression) of these annual and perennial weed species:

willow

corai-bead

craborasso = =

creeping Charlie

creesing beggarweed

artichoke, Jerusalem barnyardorass beggarweed . • • bittercress black medic broadleaf plantain buckhorn plantain 1 bull thistle burclover buttercup

common groundsel

common mullein

common ragweed

curly dock dallisgrass dandeildh? doofermel* * * fall panicum Canada thistle false dandelion chickweed fennel fiddleneck clover cocklebur field bindweed cogongrass

evening primrose field pennycress field sandbur filaree Florida pusley

garden spurge goosegrass green foxtail quineagrass hemp sesbania henbit horsenettle horseradish horseweed/marestail iceplant ironweed knapweed knawel knotweed lambsquarters London rocket lovegrass mallow mayweed milkweed mouseear chickweed nimblewill oleander oxalis pampasorass Pennsylvania smartweed pennywort piaweed plantain prickly lettuce primrose prostrate spurge puncturevine purple cudweed purple nutsedge purslane quackgrass ragweed

red clover

red sorrel

redroot pigweed

shepherdspurse smartweed smooth catsear smooth pigweed sowthistle spotted spurge sprangletop spurge sunflower tansy ragwort tansymustard Texas panicum thistle timothy toadflax torpedograss trailing lantana tumble mustard vaseyorass velvetleaf Virginia creeper white clover whitetop wild barley wild carrot wild geranium wild morningglory wild mustard wild oats wild sweet potato witchgrass varrow yellow nutsedge vellow oxalis yellow starthistle and many other weeds

WHERE TO USE:

For General Weed Control and Spot Spraying

- · Along and on sidewalks, gravel/brick walkways paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas.
- · Along ornamental lawns and turfgrass.
- Around or near ornamental/shade trees, fruit and nut trees, grapevines, shrubs, groundcovers, flower beds, mulched landscape beds.
- Along fences, hedgerows, under fencelines.
- . Around rocks, signposts, light posts, or on fringe
- · Around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home
- · In areas for lawn replacement or garden plot preparation.
- Urban areas where total vegetation control is desired.
- · Farmsteads where total vegetation control is desired: around farmstead building foundations. along fences, hedgerows, fencerows, under fencelines, around shelterbelts and other areas where nonselective weed control is desired.

For Landscaping

- Prepare areas for planting of ornamentals, trees. shrubs, desert landscapes, rock gardens, flower beds or similar plantings.
- Delay mowing, tilling, or disturbing the treated vegetation for at least seven (7) days after application of this product for the best results. However, if the treated vegetation is not disturbed, planting or transplanting of trees, flowers, shrubs, bedding plants may be done at one (1) day after application.

For Wildlife Areas

- · Prepare areas for planting wildlife food.
- . Control undesirable and exotic plants to allow for recovery or planting of native species.
- Make treatments to remove unwanted plants. Take care to keep spray off desirable plants.

For Brush Control - Foliar Sprays for Brush

- Cut back brush that is taller than 5 feet and then spray regrowth.
- · For maximum activity, weeds should be growing vigorously at the time of the postemergent applications. The most favorable period for treatment occurs after full leaf stage in the spring and continues into early summer. Brush treated in the late fall may not be fully controlled.
- Spray uniformly the foliage of the vegetation to be controlled. Apply for full coverage and thorough brush/weed contact.
- Follow-up applications of this product or with a different herbicide may be needed under less favorable growing conditions and for hard-to-control species including blackberry, poison oak, and kudzu. Another choice for effective brush control is Gordon's Cleanout® Brush and Stump Spray.
 Gordon's Gleanout® Brush and Stump Spray is
 recommended to control undesirable woody plants including buckbrush? pulson ivy, multiflora rose, and sumac. Foliar applications of Gordon's Cleanout® Brush and Shimo Spray are appropri-

may be applied any time of year.

Cut-Surface Stump Treatment

• Cut stump treatments are effective on stumps with diameters larger than 3-4 inches in diameter.

ate during the period of active growth of the

brusti. Cut stump, basal bark, and frill treatments

of Gordon's Cleanout® Brush and Stump Spray

· Cut trees and brush close to the soil surface. Apply this to the freshly cut surface of the stump immediately after cutting. Delays in application may reduce the effectiveness.

- Apply for full and thorough coverage of the cut surface. Treat the entire circumference of the stump by drenching the cambium (the outermost wood between the pith and the bark).
- Treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, sattcedar, sweetgum and tan oak.
- The most favorable period for cut stump treatment occurs after full leaf stage in the spring and continues into early summer. Brush and trees treated in the late fall may not be fully controlled.
- Follow-up applications of this product or with a different herbicide may be needed under less favorable growing conditions and for hard-tocontrol species. Another choice for effective control with a cut-surface stump treatment is Gordon's Cleanout® Brush and Stump Spray.

For Lawn Renovation and Lawn Replacement

- Spot treatments of broadcast applications can be used to establish or renovate warm season and cool season turfgrass from seed or planting stock. This product may be applied before planting, seeding, sprigging, plugging, or sodding.
- Use PRONTO PAST ACTING WEED & GRASS KILLER to remove the existing laws and kill weeds and grasses. Uniform and complete spray coverage of all existing vegetation is required.
- Bermudagrass, nutsedge, torpesograss and deep rooted perennials may require a second treatment in 5 to 7 days?
- For best results, apply in spring or fall when daytime temperatures are at least 60° F.
- Best results are obtained when one mowing is skipped before and after the application of this product.
- If the lawn is dry, water lawn before applying PRONTO FAST ACTING WEED & GRASS KILLER.
 Water again 2 to 3 days after application.

- Seeding, sprigging, plugging or sodding may be done at seven (7) days after application of this product. Prepare the soil for planting by raking, rototilling, vertical cutting, or other tillage method.
- . Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments if needed. Establish the lawn according to local cultural practices.

For Vine Control

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a piece of cardboard or plastic.

HOW AND WHEN TO APPLY:

- PRONTO FAST ACTING WEED & GRASS KILLER
 is formulated for "spot" treatment of individual
 weeds and grasses. This product is ready-to-use
 (RTU) and is applied directly from the container
 fitted with a trigger sprayer. Adjust the sprayer
 tip to deliver coarse spray droplets to the
 individual weeds. Direct the spray to the target
 weeds the ones you want to kill to provide
 uniform and thorough coverage. Apply on a
 spray-to-wet basis.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- One (1) application will kill most of the weeds listed.

- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks.
- Rain or watering 2 hours after application will not wash away effectiveness
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season-long control.
- Ornamental flowers, trees and shrubs may be planted 1 day after application.
- This 128 fl, oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 3,500 sq. ft.

GARDENS (vegetables, herbs, small fruits and berries):

This product may be applied before planting or transplanting of vegetables (garden crops), herbs and small fruits and berries. This product may be used as a broad spectrum postemergent herbicide prior to planting to control annual and perennial weeds including field bindweed, johnsongrass, or dallisgrass.

Spray the undesirable vegetation on a spray-to-wet basis. Uniform and complete spray coverage of all existing vegetation is required.

Planting intervals:

Artichoke (Jerusalem), beans (all), beet greens, broccoli, Brussels sprout, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, endive, horseradish, kale, kohlrabi, leek, lentil, lettuce, mustard greens, okra, onion,

Corn, cucumber, eggplant, garlic, gourds, melons (all), pea (all), pepper (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress 3 days Tomatoes from transplants and all berries,

Harvest Intervals:

Allow a minimum of 14 days between the last application of this product and harvest of berries: Blackberry, blueberry, boysenberry, currant, dewberry, elder berry, gooseberry, huckleberry, Loganberry, olallieberry, red raspberry and black raspberry.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the products is reasonably suited for the labeled use when applied according to the Directions for Use.

Directions for Use.

THE MANUFACTURER NEITHER-MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MECHANIZABILITY OR FITNESS FOR A PARTICULAR FURZ-CSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the Use of the product inconsistent with label instructions, warrangs or cautions for to use of the product under abnormal conditions such as drought, excessive rainfall, to that obe, burricanes, etc. These factors are beyond the conditions of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential cancars such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Diaclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

CLEANOUT® and PRONTO® are registered trademarks of PBI/Gordon Corporation.



READ THE ENTIRE LABEL FIRST. **OBSERVE ALL PRECAUTIONS AND** FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eves or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

If in eyes:

- · Hold eye open and rinse slowly and cently with water for 15-20 minutes. Remove contact lenses. if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

clothing:

- If on skin or Take off contaminated clothing.
 - · Rinse skin immediately with plenty of water for 15-20 minutes.
 - · Call a poison control center or doctor for treatment advice.

- If swallowed: . Call a poison control center or doctor immediately for treatment advice.
 - · Have person sip a glass of water if able to swallow.
 - . Do not induce vomiting unless told to do so by a poison control center or doctor.
 - . Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

STORAGE & DISPOSAL


STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securety wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

952/10-2004 AP082801 • EPA REG.NO. 2217-844. EPA EST, NO. 2217-KS-2

Manufactured By



An Employee-Owned Company 1217 West 12th Street Kansas City, Missouri 64101