

2217-846

3-14-2002

1/18

MAR 14 2002

Mr. Craig Martens
Manager of Regulatory Services
PBI/GORDON CORPORATION Acme Division
P.O. Box 014090
Kansas City, MO 64101

Dear Mr. Martens:

This is in response to your request dated January 14, 2002 to change the primary brand name for **EPA Registration 2217-846** from EH 1388 Herbicide to:

**GORDON'S PRONTO FAST ACTING WEED & GRASS KILLER
CONCENTRATE**

Your request for the name change **is accepted** and the change will be made to the Agency's records. All future correspondence on this product should reference the new name.

Sincerely yours,

/s/

Sherada D. Hobgood
Notifications Review Coordinator
Registration Division (7505C)



United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217-846	2. EPA Product Manager James A. Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH1388 Herbicide	PM# (PM 25)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation, Acme Division PO Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name MAR 14 2002	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated 9/24/01

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

1) **NOTIFICATION OF BRAND NAME PER PR NOTICE 98-10:** We are requesting the brand name "Gordon's Pronto Fast Acting Weed & Grass Killer Concentrate."

2) **SUBMISSION OF FINAL PRINTED LABELING TO ASSURE FIFRA COMPLIANCE WITH AGENCY LETTER DATED SEPTEMBER 24, 2001.** Enclosed are four (4) copies of the container labeling for EPA Reg. No. 2217-846, accompanied by pdf copies of the label. Please pin-punch one container label and pdf copy and return to us for state registration purposes. (The pdf format is easier to copy for state registration purposes.) A self-addressed, stamped envelope is enclosed for your convenience. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Craig Martens	Title Manager of Regulatory Services	Telephone No. (Include Area Code) 816/460-6287
-----------------------	---	---

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Manager of Regulatory Services	6. Date Application Received (Stamped)
4. Typed Name Craig Martens	5. Date January 14, 2002	

3/18

NOTIFICATION
MAR 14 2002

GORDON'S[®] Contains Glyphosate

PRONTO[®]
FAST ACTING

**Weed & Grass
KILLER CONCENTRATE**

Makes Up To
12 Gallons

Fenceline Cleanup
and more!

Rain Fast In Hours

KILLS THE ROOTS!

<p>ACTIVE INGREDIENT: Isopropylamine salt of glyphosate*..... 25.0%</p>	<p>NET CONTENTS: ONE U.S. PINT (16 Fl. Oz.)</p>	<p>KEEP OUT OF REACH OF CHILDREN CAUTION</p> <p>See back panel for additional Precautionary Statements and First Aid.</p>
<p>OTHER INGREDIENTS: 75.0%</p> <p style="text-align: right;">TOTAL 100.0%</p> <p><small>*N-(phosphonomethyl)glycine</small></p>	<p>954/12-2001</p>	

GORDON'S[®]

PRONTO[®]
FAST ACTING

**Weed & Grass
KILLER CONCENTRATE**

Contains Glyphosate


Makes Up To 12 Gallons

Even Kills The Roots!

Pool open for additional
Precautionary Statements
and First Aid.

954/12-2001 AF080-023
EPA REG. NO. 2217-046
EPA EST. NO. 2217-02-0

Manufactured by
Gordon's Corporation
An Employee-Owned Company
1817 West 12th Street
Kansas City, Missouri 64104



16 OUNCES

GORDON'S®

4/18
Contains
Glyphosate

NOTICE 2002
PRONTO®

FAST ACTING

Weed & Grass

KILLER CONCENTRATE

**Makes Up To
12 Gallons**

*Lawn reseeding
in 3 to 7 days.*

- Lawn Renovation
- Garden Preparation
- Fenceline Cleanup
and more!

Rain Fast In Hours

EVEN KILLS THE ROOTS!

ACTIVE INGREDIENT:
Isopropylamine salt of
glyphosate* 25.0%
OTHER INGREDIENTS: 75.0%
TOTAL 100.0%

NET CONTENTS:
ONE U.S. PINT
(16 Fl. Oz.)

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See back panel for additional
Precautionary Statements
and First Aid.

*N-(phosphonmethyl)glycine

954/12-2001

5/18

GORDON'S®

NOTIFICATION
MAR 14 2001



PRONTO®

FAST ACTING

Weed & Grass KILLER CONCENTRATE

Contains Glyphosate
Makes Up To 12 Gallons
Lawn Reseeding In 30-7 Days
Even Kills The Roots!


**Peel open for additional
Precautionary Statements
and First Aid.**

954/12-2001 AP092401
EPA REG. NO. 2217-846
EPA EST. NO. 2217-KS-2

Manufactured By



An Employee-Owned Company
1217 West 12th Street
Kansas City, Missouri 64101



16 OUNCES

GORDON'S®

6/18

PRONTO®

FAST ACTING

**Weed & Grass
KILLER CONCENTRATE**

- ***Lawn Renovation***
- ***Garden Preparation***
- ***Fenceline Cleanup and more!***

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate* 25.0%

OTHER INGREDIENTS: 75.0%

TOTAL 100.0%

*N-(phosphonomethyl)glycine

**KEEP OUT OF
REACH OF CHILDREN**

CAUTION

**See next page for additional
Precautionary Statements and First Aid.**



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

7/18

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water.

First Aid

If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give

8/18

First Aid (Continued)

	<p>artificial respiration, preferably mouth-to mouth if possible.</p> <ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p>	

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater and rinsate.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until sprays have dried.

9/18

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Protect container from freezing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

HOW IT WORKS:

Facts and Tips

- Pronto® Fast Acting Weed & Grass Killer Concentrate is a multipurpose herbicide designed to control a broad spectrum of emerged annual and perennial weed species. Pronto® Weed & Grass Killer Concentrate will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray. Do not spray plants or grasses you like — they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.
- No soil residual activity — any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.

10/18

- Plants that have not emerged at the time of application will not be controlled.
- Time to symptoms — Best results will be obtained when the weed species are actively growing. Visible effects are gradual — wilting and yellowing, advancing to complete browning and root destruction. Weeds usually yellow and wilt within 2 to 4 days and plant death occurs in 1 to 2 weeks.

Product Description and Spray Coverage: This product is a nonselective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any glyphosate not absorbed by the plant is broken down into natural materials. This product has no soil residual activity and thus will not affect nearby untreated plants.

WHERE TO USE:

For General Weed Control and Spot Spraying

- Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns.
- Along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas.

11/18

- Along ornamental lawns and turfgrass. Edging along/around lawns/yards and landscape plantings.
- In areas for lawn replacement or lawn renovation/replacement.
- Around or near ornamental/shade trees, fruit and nut trees, grapevines, shrubs, groundcovers, flower beds, mulched landscape beds.
- For garden plot preparation, vegetable plot preparation, and small fruits and berries plot preparation.
- For flower garden preparation.
- Along fences, hedgerows, under fencelines.
- Around rocks, signposts, light posts, or on fringe areas.
- Around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life.
- Urban areas where total vegetation control is desired.
- Farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fence-lines, around shelter belts and other areas where nonselective weed control is desired.
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.

**TOUGH WEED CONTROL
(ANNUALS, PERENNIALS, BRUSH)**

**CONTROLS WEEDS AND GRASSES INCLUDING
LAWN AND TURFGRASS SPECIES: Pronto® Weed &**

12/18

Grass Killer Concentrate will provide full or partial control (suppression) of these lawn and turfgrass species:

- Bahiagrass
- Bentgrass, colonial, creeping and redtop
- Bermudagrass, common and hybrid
- Bluegrass, annual, rough, and Kentucky
- Bromegrass, downy and smooth
- Buffalograss
- Canarygrass, reed
- Carpetgrass
- Centipedegrass
- Fescues, chewings, hard, red, tall, sheep
- Foxtail, green, yellow, creeping, meadow, giant
- Johnsongrass
- Kikuyugrass
- Orchardgrass
- Paspalum *spp.*
- Ryegrass, annual, Italian, perennial, and hardy
- St. Augustinegrass
- Zoysiagrass or Japanese lawngrass

WOODY SPECIES:

Pronto® Weed & Grass Killer Concentrate will provide full or partial control (suppression) of these woody species:

- | | |
|-----------------------|-------------|
| Alder | Dewberry |
| Blackberry | Elm |
| Barberry | Elderberry |
| Caenothus <i>spp.</i> | Honeysuckle |
| Cherry | Hickory |
| Coyote brush | Kudzu |

Lantana
 Maple
 Multiflora rose
 Mock orange
 Manzanita
 Pine
 Poison ivy
 Poison oak
 Poison hemlock

Oak
 Quaking aspen
 Raspberry
 Sumac
 Trumpet creeper
 Wild blackberry
 Western red cedar
 Willow

ANNUAL AND PERENNIAL WEED SPECIES:

Pronto® Weed & Grass Killer Concentrate will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Creeping beggarweed
Barnyardgrass	Creeping Charlie
Beggarweed	Curly dock
Bittercress	Dallisgrass
Black medic	Dandelion
Broadleaf plantain	Evening primrose
Buckhorn plantain	Fall panicum
Bull thistle	False dandelion
Burclover	Fennel
Canada thistle	Fiddleneck
Chickweed	Field bindweed
Clover	Field pennycress
Cocklebur	Field sandbur
Common groundsel	Filaree
Common mullien	Florida pusley
Common ragweed	Garden spurge
Coral-bead	Goosegrass
Crabgrass	Green foxtail

Guineagrass
 Hemp sesbania
 Henbit
 Horsenettle
 Horseradish
 Horseweed/marestail
 Iceplant
 Ironweed
 Knapweed
 Knawel
 Knotweed
 Lambsquarters
 London rocket
 Lovegrass
 Mallow
 Mayweed
 Milkweed
 Mouseear chickweed
 Nimblewill
 Oleander
 Oxalis
 Pampas grass
 Pennsylvania smartweed
 Pigweed
 Plantain
 Prickly lettuce
 Primrose
 Prostrate spurge
 Puncturevine
 Purple cudweed
 Purple nutsedge
 Purslane

Quackgrass
 Ragweed
 Red clover
 Red sorrel
 Redroot pigweed
 Shepherdspurse
 Smartweed
 Smooth catsear
 Smooth pigweed
 Sowthistle
 Spotted spurge
 Spurge
 Sunflower
 Tansy ragwort
 Tansy mustard
 Texas panicum
 Thistle
 Timothy
 Toadflax
 Torpedograss
 Trailing lantana
 Tumble mustard
 Vaseygrass
 Velvetleaf
 Virginia-creeper
 White clover
 Whitetop
 Wild barley
 Wild carrot
 Wild geranium
 Wild morningglory
 Wild mustard

Wild oats
Wild sweet potato
Witchgrass
Yarrow

Yellow nutsedge
Yellow oxalis
Yellow starthistle
and many other weeds

15/18

WHEN TO USE [WHEN TO APPLY]:

Apply to actively growing weeds when the vegetation is green. Use when the wind is calm to avoid drift. Make applications on warm sunny days when the day-time temperature is above 60°F. Weed control is accelerated by warm sunny weather. Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks. Rain or watering 2 hours after application will not wash away effectiveness. Hard-to-control weeds and thick lawn grasses (like bermudagrass) may require a second application.

HOW TO USE [HOW TO APPLY]:

This product is formulated for spot treatment of individual weeds and grasses or for treatment of large areas as instructed on this label.

To apply this product use any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer
- Ortho Dial 'N Spray®
- Ortho Spray-Ette®
- A hose end sprayer recommended for herbicides.
- Hand-trigger pump sprayer.
- **Do not use or store in galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.**

16/18

- Apply to evenly and thoroughly wet weeds and grasses.
- Use a tank type sprayer with a coarse spray nozzle for spot treatments.
- Use the Ortho Dial 'N Spray® or other hose end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens.
- Treated weeds begin to wilt in about 2 to 4 days with complete kill of the weed including the root in 2 to 4 weeks.
- Pronto® Weed & Grass Killer Concentrate does not move or build up in the soil to effect untreated plants growing nearby.
- Ornamental plantings can be made 3 days after treatment. Vegetable gardens can be seeded or planted 3 days after treatment.
- For lawn replacement, lawns may be replanted 1 week after spraying.
- Measure the correct amount of Pronto® Weed & Grass Killer Concentrate and water to add to sprayer from the directions on next page.

TABLE 1. SPRAY PREPARATION WITH HOSE END SPRAYERS AND TANK SPRAYERS

SPRAYER TYPE	MIXING INSTRUCTIONS		TREAT
	Annuals or General Weed Control	Tough Weed Control Perennial Weeds	
Standard Tank Sprayer	<ul style="list-style-type: none"> • Use 2.25 fl. oz. of Pronto® Weed & Grass Killer Concentrate in 1 gallon of water. 	<ul style="list-style-type: none"> • Use 4.5 fl. oz. of Pronto® Weed & Grass Killer Concentrate in 1 gallon of water. 	300 sq. ft. (30 ft x 10 ft)
Ortho Dial 'N Spray® Hose End Sprayer	<ul style="list-style-type: none"> • Add 2.25 fl. oz. of Pronto® Weed & Grass Killer Concentrate to sprayer jar. • DO NOT ADD WATER. • Set dial to 3 oz. and apply. 	<ul style="list-style-type: none"> • Add 4.5 fl. oz. of Pronto® Weed & Grass Killer Concentrate to sprayer jar. • DO NOT ADD WATER. • Set dial to 5 oz. and apply. 	300 sq. ft.

(Continued on next page)

TABLE 1. SPRAY PREPARATION WITH HOSE END SPRAYERS AND TANK SPRAYERS (Cont.)

SPRAYER TYPE	MIXING INSTRUCTIONS		TREAT
	Annuals or General Weed Control	Tough Weed Control Perennial Weeds	
Ortho Spray-Ette® Hose end Sprayer	<ul style="list-style-type: none"> • Add 8 fl. oz. of Pronto® Weed & Grass Killer Concentrate to sprayer jar. • Fill to 4 gallon mark. 	<ul style="list-style-type: none"> • Add 16 fl. oz. of Pronto® Weed & Grass Killer Concentrate to sprayer jar. • Fill to 4 gallon mark. 	1200 sq. ft. (30 ft x 40 ft)
Hand Trigger Sprayers	<ul style="list-style-type: none"> • Use 1 tbs. (0.5 fl. oz.) of Pronto® Weed & Grass Killer Concentrate in 24 fl.oz. of water. 	<ul style="list-style-type: none"> • Use 2 tbs. (1.0 fl. oz.) of Pronto® Weed & Grass Killer Concentrate in 24 fl.oz. of water. 	Use for spot treatments or single weeds

18/18