9/4/2014

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 4, 2014

James L. Kunstman, Ph.D. Director of Regulatory Services PBI / Gordon Corporation 1217 W. 12th Street Post Office Box 014090 Kansas City, Missouri 64101-0090

Subject:

Label Notification per PRN 98-10 – Add Minor Labeling Revisions

Product Name: Gordon's® Permethrin 10 Livestock and Premise Spray

EPA Registration Number: 2217-853 Application Date: August 12, 2014

Decision Number: 494730

Dear Mr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Driss Benmhend at (703) 308-9525 or via email at Benmhend.driss@epa.gov.

Sincerely,

Richard Gebken, Product Manager 10

Insecticide Branch

Registration Division (7505P) Office of Pesticide Programs

Please read instructions on re	verse before completing form.		Form Ap	proved. OMB No. 2070	-0060. Approval Expires 2-28-95
	United Sta	otoc	,	Registration	OPP Identifier Number
Ş EPA	Environmental Prof		Agency	=	
VEIA	Washington, D		.go.loy	Amendmen	IT
	A 12 40			Other	
		on for P	esticide - Sec		T
Company/Product Numb	per 2217-853		EPA Product Ma Richard	anager I Gebken	3. Proposed Classification
4. Company/Product (Nam			PM#		X Non Restricted
•	on's Permethrin-10		Product Mana	ager—Team 10	
	ck and Premise Spray				
	pplicant (Include ZIP Code)		<u> </u>		rith FIFRA Section 3(c)(3)
PBI/Gordon Corporati Post Office Box 01409			(b)(i), my product is EPA Reg. No.		n composition and labeling to:
Kansas City, Missouri					
	s is a new address		Product Name		
Oncok ii aii.	3 10 a riew address	Secti	ion – II		
		. 0000		I labels in response to	
Amendment - Explain I	below.		Agency lette	•	
Resubmission in respo	onse to Agency letter dated		"Me Too" Ap	oplication.	
Notification - Explain b	elow.	•	Other - Exp	lain below.	
	al page(s) if necessary. (For section				gordon.com FAX: 816-421-2731
	PRN 98-10: Notifications, N				
	ernate brand name: Permethring page 8 of the enclosed label.	1 10 Livest	ock and Premise S	pray and We also asl	to add an additional
This notification is consister	nt with the provisions of PR Notice				
	ial statement of formula of this pro				
	er understand that if this notificati A and I may be subject to enforcem				
			on – III		
Material This Product Will I	Be Packaged In:				
Child-Resistant Packaging	Unit Packaging	Water 9	Soluble Packaging	2. Type of Conta	iner
Yes*	Yes	Ye	es	Plastic	
No	☑ No	No.)	Glass	
* Certification must	If "Yes" No. per	If "Yes"	No. per	Paper	
be submitted	Unit Packaging wgt. container	Packag	e wgt. container	Other (Sp	pecify)
3. Location of Net Contents Inf	formation 4. Size(s) R	etail Contain	er	5. Location of Label Dir	
Label Conta	iner 1 pint,	•	0.5 gallon and	On Label	
		1 gall	on	On Labeling accor	mpanying product
6. Manner in Which Label is At	ffixed to Product Lithog	raph	· Other _		
	∑ Paper	•			
	Stenci		- 137		(((
1. Contact Point (Complete ite	ms directly below for identification o		on – IV	ssan, to process this an	<u> </u>
Name	ms directly below for identification o	Title	be contacted, if fiece.		phone No. (Incitide Area Code)
	unstman, Ph.D.	Dire	ctor of Regulatory		816-460-6292
	Certific ts I have made on this form and all	attachments			6. Date Application (பட்ட Received
I acknowledge that any ki both under applicable law	nowingly false or misleading statem ,	ent may be p	unishable by fine or im	prisonment or	(Stamped)
Signature	,	3. Title			(((((((((((((((((((((((((((((((((((((((
Cl. IT	7 -	Direct	or of Regulatory S	Services	((((
					((((
4. Typed Name	unetman Ph D	5. Date	August 12, 2014]
James L. Ki	unstman, Ph.D.		August 12, 2014		•
EPA Form 8570-1 (Rev. 3-94)	Previous editions are obsolete.	<u> </u>	Whit	te - EPA File Copy (orig	ginal) Yellow - Applicant Copy



1217 W. 12th STREET · P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 · 1-800-821-7925 FAX: 816-474-0462

August 12, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard (South Building)
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Richard J. Gebken, Product Manager (10)

Dear Mr. Gebken:

NOTIFICATION: Labeling notification per PRN 98-10: Notifications, Non-notifications and Minor Formulation Amendments Sections II (A) and (N): Gordon's Permethrin-10 Livestock and Premise Spray (EPA Reg. No. 2217-853).

- Section II (A): Brand Names
 We ask to add this alternate brand name: Permethrin 10 Livestock and Premise Spray
- 2. Section II (N): Other Revisions
 We also ask to add an additional advertising claim listing company contact information
 and website information needed for product registration in New York. This ad claim can
 be seen on page 8 of the enclosed proposed labeling.

Enclosures:

Application for Pesticide Amendment (EPA Form 8570-1)

- One (1) copy of the draft labeling with annotations
- One (1) copy of the draft labeling without annotations
- One (1) cd with electronic copies of the draft labeling

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com

Sincerely,

James L. Kunstman, Ph.D.

Director of Regulatory Services

GORDON'S® PERMETHRIN 10 LIVESTOCK AND PREMISE SPRAY

NOTIFICATION

SEP - 4 2014

EPA Reg. No. 2217-853

DO NOT USE ON CATS

ACTIVE INGREDIENT:

 Permethrin
 10.0%

 INERT INGREDIENTS:
 90.0%

 OTAL
 100.00%

Cis/trans ratio: Max. 65% (+/-) trans and min. 35% (+/-) cis. Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN

WARNING

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes skin irritation. Do not get on skin or on clothing. Harmful if inhaled. Avoid breathing vapors or spray mists. Causes moderate eye irritation. Avoid contact with eyes. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, and Viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators using ULV cold foggers or fog/mist generators in indoor spaces must wear:

- Coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton,
- Chemical resistant footwear plus socks, and
- · Chemical-resistant headgear, if overhead exposure.

All other mixers, loaders, applicators and other handlers must wear:

- Coveralls worn over short-sleeved shirt and short pants,
- Chemical-resistant footwear plus socks,
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton,
- Chemical-resistant apron for mixers/loaders, persons cleaning equipment, and persons exposed to the concentrate and for handlers performing animal dip applications,



User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched (except as required by directions for use) or heavily contaminated with this product's concentrate. Do not reuse them.



DO NOT USE ON CATS. **May be toxic or potentially fatal if applied to or ingested by cats**. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

First Aid	
If on skin or on clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Note to Physician and Veterinarians: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical Or Chemical Hazards

Combustible. Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake or stir product thoroughly before using or reusing diluted emulsion. To prepare dilutions, the concentrate should first be stirred or agitated well. Add the required amount of concentrate to water and blend thoroughly. Do not hold dilutions for more than 24 hours.

Do not allow spray treatment to contaminate pasture land, crop land, or water supplies. Do not use on crops used for food, forage or pasture.

1. Precautions And Restrictions

For surface spray:

• Except when applying to livestock and dogs, do not enter or allow others to enter treated area until sprays have dried.

For space spray:

• Except when applying to livestock and dogs, do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Application restrictions:

- Except when applying to livestock and dogs, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock and dogs, only protected handlers may be in the area during application.
- Do not breathe dust, vapors, or spray mist.
- Do not apply when food is present.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

When used in dairy barns or facilities:

- Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Not for broadcast use on indoor surfaces.
- Not for use in outdoor residential misting systems.
- Not for use in commercial animal premise automatic misting systems.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatments to soil or vegetation around structures;
- · Applications to lawns, turf, and other vegetation;
- Applications to building foundations, up to maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot crack-and-crevice applications, only.

- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use in outdoor residential misting systems.

2. Animal Premises -- Surface Spray

Application sites: Farm Premises (Barns, Dairies, Loafing Sheds, Milking Parlors, Feed Lots, Stables, Paddocks, Poultry and Livestock Housing).

Application interval: 2 weeks as needed.

Table 1. Directions	Table 1. Directions for Animal Premises Surface Spray			
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation	
Horse Flies, Stable Flies, Lesser House Flies and Other Manure Breeding Flies; Fleas; Lice; Mites; Ticks	Initial clean up of severe insect infestation: Use 1 gallon of spray solution per 750 to 1,000 sq.ft.	1:19	Amount Product per Water Volume 6.7 fl.oz. * 1.0 gal 8.0 fl.oz. 1.2 gal 16 fl.oz. (1pt) 2.4 gal 32 fl.oz. (1qt) 4.8 gal 1 gallon 19.0 gal	
(including Deer Tick). Aids In Control of Cockroaches, Mosquitoes, Spiders.	Normal infestations: Use 1 gallon of spray solution per 750 to 1,000 sq.ft.	1:100	Amount Product per Water Volume 1.33 fl.oz. 1.0 gal 8.0 fl.oz. 6.25 gal 16 fl.oz. (1pt) 12.5 gal 32 fl.oz. (1qt) 25.0 gal 1 gallon 100.0 gal	

3. Animal Premises -- Space Spray

Application sites: Cattle Barns, Horse Barns, Swine Houses, Kennels, Milking Parlors, Milk Rooms, Dairies, Poultry Houses, Feed Lots, Stables, and Paddocks.

Application interval: Daily as needed.

Table 2. Directions for Animal Premises Space Spray				
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation	
Flies, Mosquitoes, Gnats.	Fog or Fine Mist: Direct the spray toward the ceiling and upper corners until the area is filled with mist. Use about 2 fl.oz. per 1,000 sq.ft. of space. Close doors and windows before spraying and keep closed for 10 to 15 minutes. Vacate the treated area and ventilate before reoccupying	1:19	Amount Product per Water Volume 6.7 fl.oz. 1.0 gal 8.0 fl.oz. 1.2 gal 16 fl.oz. (1pt) 2.4 gal 32 fl.oz. (1qt) 4.8 gal 1 gallon 19.0 gal	r c

4. Dairy or Beef Cattle, Horses, Sheep, and Goats

Table 3. Directions	for Dairy or Beef Cattle, Hors	es, Sheep, and Goats	
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	C

Table 3. Directions	Table 3. Directions for Dairy or Beef Cattle, Horses, Sheep, and Goats				
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation		
Horn Flies, House Flies, and Mosquitoes	Spray to cover entire animal. Spray lactating dairy cows only after milking is completed. Repeat treatment at 5 to 12 days for small populations or as needed for large populations.	1:100	Amount Product per Water Volume 1.33 fl.oz. 1.0 gal 8.0 fl.oz. 6.25 gal 16 fl.oz. (1pt) 12.5 gal 32 fl.oz. (1qt) 25.0 gal 1 gallon 100.0 gal		
Stable Flies, Horse Flies and Deer Flies.	Apply a quart of spray solution per adult animal as a whole body treatment. Repeat treatment daily as needed.	1:100	Amount Product per Water Volume 1.33 fl.oz. 1.0 gal 8.0 fl.oz. 6.25 gal 16 fl.oz. (1pt.) 12.5 gal 32 fl.oz. (1qt.) 25.0 gal 1 gallon 100.0 gal		
Horn Flies, Face Flies, Stable Flies and Ear Ticks.	For spot treatments with hand-operated sprayers that deliver large droplets. Apply to the face of animal in the morning before release to pasture. Mix in organic oil, mineral oil or vegetable oil or dilute in water. Apply 1/2 fl.oz. of spray solution per ear or 2 to 4 fl.oz. of spray solution on face or 12 to 16 fl.oz. of spray solution along backline. Repeat treatment daily as needed.	1:64	Amount Product per Oil or Water 2.0 fl.oz. 1.0 gal 4.0 fl.oz. 2.0 gal 6.0 fl.oz. 3.0 gal 8.0 fl.oz. 4.0 gal		
Horn Flies, Face Flies, Stable Flies and Ear Ticks.	Back rubber or self oiler using organic oil, mineral oil or fuel oil. Recharge backrubber as needed.	1:80	Amount Product per Oil Volume 8.0 fl.oz. 5 gal 16 fl.oz. (1pt) 10 gal 32 fl.oz. (1qt) 20 gal		
Sheep keds	Wet all portions of the body by dipping or spraying. Adjust the spray pressure to allow the spray solution to penetrate the wool. Treat at a rate sufficient to wet the animal.	1:100	Amount Product per Water Volume 1.33 fl.oz. 1.0 gal 8.0 fl.oz. 6.25 gal 16 fl.oz. (1pt) 12.5 gal 32 fl.oz. (1qt) 25.0 gal 1 gallon 100.0 gal		

5. Swine

Table 4. Directions for Swine				
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation .	
Mange Mites	Spray or dip animals. Retreat after 14 days, spraying walls and floor and space bedding to kill late hatching, developing stages. Do not ship swine for slaughter within 5 days of last treatment.	1:400	Amount Product per Water Volume® 1.0 fl.oz. 3.1 gal 8.0 fl.oz. 25 gal 16 fl.oz. (1pt) 50 gal 32 fl.oz. (1qt) 100 gal 1 gallon 400 gal	
Blow Flies, Flies, Mosquitoes, Hog Lice, Fleas, Ticks, Including Deer Tick.	Spray or dip animals. Apply 1 pint of spray solution per pig, especially around ears. Do not ship swine for slaughter within 5 days of last treatment.	1;400	Amount Product per Water Volume 1.0 fl.oz. 3.1 gal 8.0 fl.oz. 25 gal 16 fl.oz. (1pt) 50 gal 32 fl.oz. (1qt) 100 gal 1 gallon 400 gal	

6. Poultry

Table 5. Directions for Poultry					
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation		
Poultry Mites, Northern Fowl Mites, Lice	Use a fine mist to deliver 0.5 fl.oz. of spray solution per bird, or 1 gallon of spray solution per 100 birds. Spray roosts, walls and nests or cages.	1:200	Amount Product per Water Volume 8.0 fl.oz. 12.5 gal 16 fl.oz. (1pt) 25 gal 32 fl.oz. (1qt) 50 gal 1 gallon 200 gal		

7. Dog Premises -- Surface Spray

Application sites: Dog premises: Dog Houses

Table 6. Directions for Dog Premises Surface Spray			
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation
Fleas, Flies, Ticks, Lice Mange (adult and larvae).	Surface spray: Timing and frequency of applications should be based on pest populations reaching nuisance levels, but accompanying manure removal and sanitation practices should precede sprays. Do not spray feed, food or water. Repeat at 2 week intervals as needed.	1:100	Amount Product per Water Volume 1.33 fl.oz. 1.0 gal 8.0 fl.oz. 6.25 gal 16 fl.oz. (1pt) 12.5 gal 32 fl.oz. (1qt) 25.0 gal 1 gallon 100.0 gal

8. Dogs -- Direct Application

Table 7. Directions for Dogs Direct Application			
Pests Controlled	Use Directions	Dilutions Rate (parts product to parts water)	Spray Preparation
Fleas; Ticks, Including Deer Ticks; Lice; Mange	Thoroughly wet the animal by dipping, sponging or spraying. Allow animal to dry without rinsing or toweling. Do not repeat treatment for 7 days. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.	1:200	Amount Product per Water Volume 0.65 fl. oz. 1.0 gal 1.0 fl. oz. 1.5 gal 8.0 fl.oz. 12.5 gal 16 fl.oz. (1pt) 25 gal 32 fl.oz. (1qt) 50 gal 1 gallon 200 gal

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or

at an approved waste disposal facility.

[For Plastic Containers – Nonrefillable with capacities equal to or less than 5 gallons:] CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[For Plastic Containers – Nonrefillable with capacities greater than 5 gallons:] CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[For Refillable Containers:]

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Container cleaning: Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate, vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES' NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. Any damages arising from a breach of the manufacturer's warranty

shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- 1. Statements which may appear on different label components depending on packaging configuration.
 - See next panel for additional Precautionary Statements and First Aid
 - Net Contents: 1 pint, 1 quart, 0.5 gallon and 1 gallon
 - EPA Est. No. 2217-KS-2
- 2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:
 - For Use On Livestock: Cattle (Beef and Dairy), Goats, Sheep, Swine, Horses and Poultry.
 - A Broad Spectrum Multi-Use Insecticide
 - For questions or comments call toll-free 800.884.3179 Mon. Fri. 8:00 a.m. 4:30 p.m. CST or visit GordonsUSA.com

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00853.20140812.notif-proposed-clean

2. Reason for Issue: ad claims