2913-8165 OMB No. 2070-0060. Approval Expires 2-28-9 Please read instructions on reverse before completing form. OPP Identifier Number Registration **United States** &FPA **Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification Joanne I. Miller 2217-865 PM# X None 4. Company/Product (Name) Restricted Product Manager—Team 23 EH-1404 Herbicide 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _ Post Office Box 014090 Kansas City, Missouri 64101 Product Name Check if this is a new address Section - II NOTIFICATION Final printed labels in response to Amendment - Explain below. Agency letter dated NOV 1 0 2005 Resubmission in response to Agency letter dated_ "Me Too" Application. Other - Explain below. Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION per Pesticide Registration Notice (PRN) 98-10. We ask to add additional advertising claims. These ad claims may be presented on the container labeling and promotional literature on one or more of our subregistants. Please refer to the Appendix on page 6 of the enclosed label. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: 2. Type of Container Child-Resistant Packaging Unit Packaging Water Soluble Packaging Metal Yes Yes. Yes **Plastic** No No No Glass If "Yes" No. per If "Yes" No. per * Certification must Paper Unit Packaging wgt. container Package wgt. container be submitted Other (Specify) 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container On Label Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Other Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. (Include Area Code) James L. Kunstman, Ph.D. Director of Regulatory Services 816-460-6292 Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law 2. Signature Director of Regulatory Services

5. Date

October 12, 2005

James L. Kunstman, Ph.D.

4. Typed Name

EH 1404 HERBICIDE

For Home Lawns Only

NOTIFICATION NOV 1 0 2005

ACTI	VF	INGE	FD	IFN	rs.
ΔCII	Y L	$\Pi \Lambda \Omega \Gamma$	w		ıo.

MCPA, 2-ethylhexyl ester	0.337%
Mecoprop-p acid	0.066%
Dicamba acid	0.018%
Carfentrazone-ethyl	0.002%
INERT INGREDIENTS:	99.577%
TOTAL.	100.000%

THIS PRODUCT CONTAINS:

2-methyl-4-chlorophenoxyacetic acid equivalent, 0.216%

(+)-R-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent. 0.066%

3,6-dichloro-o-anisic acid equivalent, 0.018%

Ethyl a,2-dichloro-5-[4(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4 fluorobenzenepropanoate, 0.002%

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

First Aid

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsin eye.
	Call a poison control center or doctor for treatment advice.
If on skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
•	

See side panels for additional Precautionary Statements

NET CONTENTS: 24, 32, 64 fl. oz. and 1 Gallon

AP101205 EPA Reg. No. 2217-865 EPA Est. No. 2217-KS-2 MANUFACTURED BY:



Telephone: 1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS:

Carfentrazone-ethyl is very toxic to algae and moderately toxic to fish. This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated area until sprays have dried.

Not for use on turf being grown for sale or other commercial use on sod, or for commercial seed production, or for research purposes.

PRODUCT FACTS:

EH 1404 Herbicide contains four active ingredients including carfentrazone-ethyl that broaden the spectrum of weed control.

EH 1404 Herbicide offers these advantages:

- Excellent postemergent activity with proven performance for broadleaf weed control in turfgrass.
- Superior cool weather performance.
- Rapid and effective weed control for common and troublesome weed species in turfgrass, e.g. spurge, pennywort (dollarweed), dandelion, and white clover.
- Injury to weeds can be noticed within hours of the application and plant death can occur within 7 14 days.

4/7

WHERE TO USE:

On Lawns: Use to spot treat broadleaf weeds commonly found in cool season and warm season grasses such as:

Kentucky bluegrass Perennial ryegrass

Tall fescue

Red or fine leaf fescues

Mixtures of cool season species

Common bermudagrass

Hybrid bermudagrass

St. Augustinegrass (excluding 'Floratam')

Zoysiagrass

Prohibitions:

- Do not apply this product to bentgrass, carpetgrass, dichondra, legumes, and lawns where desirable clovers are present.
- Do not apply to 'Floratam' St. Augustingrass grown in Florida.
- Do not allow spray to contact vegetables, flowers or ornamentals as injury may result.

APPLICATION SCHEDULES (WHEN TO APPLY):

For best results, treat weeds in the spring and the fall when weeds are actively growing. However, this product is effective any time during the growing season.

- Do not apply when air temperatures are above 85°F as lawn injury can occur.
- Hard-to-kill weeds may require a repeat application in 2 to 3 weeks.
- Do not water lawn within 12 hours of application. If rainfall occurs within 12 hours after application, retreatment may be necessary.
- Do not apply to newly seeded lawns until after the second mowing.
- Delay application to newly sodded, plugged, or sprigged lawns until new grass has been mowed four times.
- Treated areas may be reseeded 2 weeks after application.
- Applications to dormant bermudagrass, zoysiagrass, and St. Augustinegrass may be used to control actively growing broadleaf weeds.

HOW TO USE:

For Containers with Trigger Sprayers: EH 1404 Herbicide is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Shake the container well. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Apply to the point of runoff only. Excessive spraying can injure lawns.

For Refill Containers: EH 1404 Herbicide is ready-to-use and is applied directly from the container. Remove the cap and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Apply to the point of runoff only. Excessive spraying can injure lawns.

Trigger Sprayer Instruction for Operation and Care:

- 1. Remove sprayer from bag.
- 2. Shake the container well.
- Unscrew cap from the bottle, and remove the foil seal.
- 4. Making sure that the tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- Open spray nozzle approximately one full turn.
- 6. TO PRIME—With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 7. Adjust the spray nozzle for desired spray pattern
- 8. To store, turn nozzle to "OFF" position and store with trigger head above level of liquid in container to prevent leakage.



BROADLEAF WEEDS CONTROLLED:

EH 1404 Herbicide will control or suppress the following broadleaf weeds:

- BROADLEAF WEEDS -					
Aster, white heath & white prairie	Field oxeye-daisy (*creeping oxeye)	Prostrate knotweed (*knotweed)			
Bedstraw	Filaree, whitestem & redstem	Puncturevine .			
Beggarweed, creeping	Florida pusley	Purple cudweed			
Bindweed	Ground ivy	Purslane			
Black medic	Groundsel	Ragweed			
Broadleaf plantain	Hawkweed	Redweed			
Buckhorn plantain	Healall	Red sorrel (*sheep sorrel)			
Bull thistle	Henbit	Shepherdspurse			
Burclover	Innocence (Blue-eyed Mary)	Spotted spurge			
Burdock, common	Lambsquarters	Spurge, prostrate			
Buttercup, creeping	Lawn burweed	Thistle			
Carpetweed	Lespedeza, common	Veronica (*corn speedwell)			
Chickweed, common	Mallow, common	Virginia buttonweed			
Chicory	Matchweed	White clover (*Dutch clover,			
Cinquefoil	Mouseear chickweed	honeysuckle clover, white			
Clover	Old world diamond flower	trefoil, & purplewort)			
Compassplant	Oxalis (*yellow woodsorrel &	Wild carrot			
Curly dock	creeping woodsorrel)	Wild garlic			
Dandelion ·	Parsley-piert	Wild geranium			
Dayflower	Pennsylvania smartweed	Wild lettuce			
Deadnettle	Pennywort (*dollarweed)	Wild mustard			
Dock	Pepperweed	Wild onion			
Dogfennel	Pigweed	Wild strawberry			
English daisy	Pineappleweed	Wild violet			
False dandelion (*spotted	Plantain .	Yarrow			
catsear & common catsear)	Poison ivy	Yellow rocket			
Field bindweed (*morningglory & creeping jenny)	Poison oak				

^{*}Synonyms

47

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in an area inaccessible to children and pets. CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instruction. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- I. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:
 - Rainfast in as little as 3 hours
 - ◆ Rainfast [Rainproof] in 3 hours
 - Visible results in just 24 hours
 - Clover control in as little as one week
 - Proven cool-weather performance
 - ♦ Consistently fast control on tough weeds like clover, plantain, ground ivy and spurge [various other listed weeds].
 - ◆ For information call XXX-XXX-XXXX [contact <u>www.xxx-xxxx.com</u>]

WHAT IT'S FOR:	 Use on home lawns Rapid and effective control of common and troublesome broadleaf weeds 	
WHERE TO USE:	 Kentucky bluegrass Perennial ryegrass Fescues Bermudagrass Zoysiagrass 	
AMOUNT TO USE:	 Ready-to-use and is applied directly from the container. Refer to complete instructions in Directions for Use section of this booklet 	
QUESTIONS:	For frequently asked questions, visit our website at consumer.pbigordon.com	

- DEAD WEEDS...FAST
- FOR HOME LAWNS ONLY
- consumer.pbigordon.com
- · Performs in both warm and cool weather
- See results in hours
- Kills 200+ broadleaf weeds
- Won't harm lawn grass when used as directed
- · For Northern and Southern grasses