



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number: 2217-876
Date of Issuance: 28 MAR 2008

Term of Issuance:

Name of Pesticide Product:
EH-1418 Herbicide

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PBI Gordon Corporation
1217 West 12th Street
Kansas City, MI 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to:

1) Per the combined label table for 2,4-D, Dicamba and MCPP-p, the Environmental Hazard text must be revised to read:

“This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water.

This product contains chemicals that have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.”

2) Per the combined label table, add the text “Do not apply as a fine mist because of potential injury to desirable plants.”

3) Per the combined label table, the text below must be added to the label:

“Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated areas to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only.”

4) Per the combined label table, the following text must be added to the label and any conflicting text must be removed:

“Do not apply more than 2 applications per year.
You must wait at least 30 days between applications.”

5) To the Storage and Disposal section change “Storage” to “Pesticide Storage” and “Disposal” to “Pesticide Disposal”.

Signature of Approving Official:

Joanne Miller, Product Manager (23)
Herbicide Branch, Registration Division (7505P)

Date:

28 MAR 2008

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

rec'd 2/6/08 3/12

ACCEPTED
with COMMENTS
in EPA Letter Dated

EH-1418 HERBICIDE

28 MAR 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EPA Reg. No. 2217-876

2217-876

ACTIVE INGREDIENT:

2,4-D, dimethylamine salt.....	0.342%
Mecoprop-p, dimethylamine salt	0.123%
Dicamba, dimethylamine salt	0.032%
Sulfentrazone.....	0.008%
OTHER INGREDIENTS:.....	<u>99.495%</u>
TOTAL.....	100.000%

THIS PRODUCT CONTAINS (on weight basis):

- 0.0239 lbs 2,4-D acid equivalent per gallon or 0.285%
 - 0.0085 lbs Mecoprop-p acid equivalent per gallon or 0.102%
 - 0.0026 lbs Dicamba acid equivalent per gallon or 0.027%
 - 0.00067 lbs Sulfentrazone per gallon or 0.008%
- Isomer Specific By AOAC Methods.

CAS Numbers: 2,4-D dimethylamine salt (2008-39-1), Mecoprop-p dimethylamine salt (66423-09-4), Dicamba dimethylamine salt (2300-66-5), Sulfentrazone (122836-35-5)

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing; remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	



Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

For home lawn care:

EH-1418 Herbicide is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf weeds.

- This 32 fl. oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq. ft.
- This 128 fl. oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq. ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq. ft.

BROADLEAF WEEDS CONTROLLED:

EH-1418 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:

Broadleaf Weeds			
Bedstraw	Ground ivy	Morningglory	Redweed
Black medic	Healall	Old world diamond flower	Sheep sorrel
Buckhorn	Henbit	Peppergrass	Shepherdspurse
Burdock	Innocence (Blue-eyed Mary)	Pigweed	Speedwell
Chicory		Plantain	Spurge
Chickweed	Knotweed	Poison ivy	Wild carrot
Clover	Lambsquarters	Poison oak	Wild garlic
Corn speedwell	Lawn burweed	Purple cudweed	Wild lettuce
Dandelion	Lespedeza	Purslane	Wild onion
Dock	Mallow	Ragweed	Yarrow

HAND SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)
4. Spray just enough [EH-1418 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 85° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications — some weeds can take that long to die.

- Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be reapplied.]
- Do not allow spray to drift onto desirable plants since injury may result.
- Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)
3. Spray just enough [EH-1418 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 85°F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
4. Weeds will begin wilting and browning overnight.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE TIPS

- ❖ Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications; — some weeds can take that long to die.
- ❖ Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- ❖ Do not allow spray to drift onto desirable plants since injury may result.
- ❖ Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass

[Optional Directions for Use]

CLAIMS, DIRECTIONS AND STORAGE AND DISPOSAL FOR THE POWER PUMP

Patent Pending

[Revolutionary (NEW) Power Pump™ [Spray] • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger]

EH-1418 Herbicide kills more than [number] types of [broadleaf] [lawn] weeds down to the root. [ALTERNATE: EH-1418 Herbicide kills all major [broadleaf] [lawn] weeds down to the root. And EH-1418 Herbicide is formulated to kill only the weeds, not the lawn.] And the revolutionary Power Pump [Spray] eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump [Spray] works

like a pressure sprayer - just pump it a few times and spray. And the Power Pump [Spray] can be refilled up to 5 times with EH-1416 Herbicide [brand name] for incredible value!

Use to Spot Treat: Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Cudweed, Curly dock, Dandelion, Dollarweed, English daisy, Filaree, Fleabane, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarters, Lespedeza, Matchweed, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow and more!

1. **CONNECT WAND HOSE TO POWER PUMP [SPRAY] BOTTLE.** Unwrap the wand. Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the small opening on the bottle. (graphic) Tightly screw the Green Hose Connector Cap onto the bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic)
2. **PRESSURIZE THE POWER PUMP [SPRAY].** Break off the **Pump Handle "TAB"** with your thumb. (graphic) Pump 20 - 30 times to build up pressure.
NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump [Spray] pressurized.
3. **SHAKE WELL.** (graphic)
4. **SPRAY WEEDS.** Spray just enough [EH-1418 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.**
Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 85°F as lawn injury may occur. Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications — some weeds can take that long to die.
- Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.
- Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass

REFILLING

The Power Pump [Spray] can be refilled up to 5 times with EH-1416 Herbicide. Add six (6) fl. oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix.

This dilution rate results in a product with the same strength as that supplied in the Power Pump [Spray] when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) **IMPORTANT: Do not refill more than 5 times.**

To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than EH-1416 Herbicide in this Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Always release pressure by unscrewing the pump cap before storing. Store in original container in an area inaccessible to children and pets.

Disposal: After 5 refills, rinse thoroughly. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this [brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[Optional Directions for Use]

DIRECTIONS FOR USE for Spectracide Weed Stop EzSPRAY(TM) applicator:

EzSPRAY(TM) EASY SET UP

1. Remove sprayer from side holder. Gently pull tubing out.
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the green plug into hole in cap.
4. Remove plastic tab near bottom of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM.
6. [graphics included for each of the five steps above]

HOW TO USE THE EzSPRAY(TM)

- A. Aim toward target weeds/plants, and away from people and pets.
- B. Press the trigger to spray.
- C. Release the trigger to stop spray.

After use:

1. Twist nozzle completely to CLOSE position
2. Secure sprayer upright in holder.
3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.**

To replace batteries:

1. Slide battery compartment door to unlatch and open.
2. Remove used batteries and insert four new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries.
3. Securely close battery compartment door.
4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

Additional operating notes:

- Do not submerge in water
- Before each use inspect sprayer carefully—makes sure hose is flexible and not kinked, worn or cracked, and that all connections are tight.
- When storing sprayer for prolonged periods remove batteries.

REFILL DIRECTIONS

Refill only with EH-1416 Herbicide [brand name]. Remove cap. Carefully measure and mix 6 fl. oz. (12 Tbsp.) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

Additional advertising items to be included on **EzSPRAY(TM)** container label:

- Battery Powered [with graphic]
- **EzSPRAY™** NO PUMPING – NO PULLING – NO FATIGUE!
- 4 AA Batteries Included! [with graphic]

STORAGE AND DISPOSAL

Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Disposal: Do not reuse container except to refill (refer to REFILL DIRECTIONS). **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assume all responsibility for safety and use not in accordance with directions.
GUARANTEED RESULTS or your money back. If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

Questions or comments? Call toll free 1-800-xxx-xxxx.
 [telephone number, address, website information for supplemental registrant or distributor].

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.

- Cool and Warm Season Grasses Bluegrass, Fescue, Zoysia, Bermuda, St. Augustinegrass, Bentgrass, Centipede, Bahia, Perennial Ryegrass * (note: Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass)
- Kills the Weeds, not the Lawn
- Kills xx+ Weed Types Roots and All.
- Kills xx+ Weeds
- Kills over 250 Weeds, Including Clover and Dandelion
- Kills weed roots
- Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
- Overnight results • Rainproof in hours • Rainproof in as little as 3 hours — won't wash away.
- Water-Based
- Refillable
- Especially effective on all types of hard-to-kill weeds
- Kills xx+ types of weeds • Kills weed roots! • Kills all major broadleaf weeds
- Clear-view measuring window
- For home lawn care.
- Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy
- Kills broadleaf weeds in lawns
- Kills all major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.

- 9/12
- Kills dandelion and many other broadleaf weeds
 - [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both cool and warm season lawns.
 - Kills Twice the Weeds! As listed on our Weed Stop product.
 - Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
 - Won't Harm Lawns*
 - *When used as directed: Do not use on 'Floratam' or 'Bitterblue' varieties of St. Augustinegrass.

EFFICACY

- Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Cool and Warm Season Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, St. Augustine*, Bentgrass, Centipede, Bahia, Perennial ryegrass * (note: Do not use on 'Floratam' or 'Bitterblue' varieties of St. Augustinegrass)
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills all major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills all [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- Kills poison ivy and poison oak
- Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- [Complete] clover control [as little as one week]
- Controls clover in one week
- Kills blackberries and kudzu
- Kills XX [types of] [brush and] weeds [roots and all]
- Kills weed roots
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on all types of hard-to-kill weeds [Superior results] [Kills mre weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]
- Kills Yellow Nutsedge

SPEED

- [Superior] Overnight results
- [See] results in hours
- [See] results in 8 hours
- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

WEATHER

- [Superior][cool][all] weather performance
- Proven [all] [cool] weather performance
- Performs in both warm and cool weather

RAINPROOF

- Rainproof — [For control that] won't wash away
- Can't be washed [away][off]
- Can't be washed [off by rain]
- [Rainfast][Rainproof] [in hours [Won't wash away]
- Rainproof — Won't wash away
- [Rainproof] [Rainfast] in [as little as] 3 hours

OTHER

- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window
- For home lawn care
- For home lawns only
- For a beautiful, weed-free lawn
- Helps keep lawns weed-free
- Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed

MEASUREMENT CALCULATIONS

- Total lawn area in square feet = length x width.

EQUAL MEASURES:

Tablespoons

4 fl. oz. = ½ cup;

8 fl. oz. = 1 cup;

16 fl. oz. = 1 pint;

32 fl. oz. = 1 quart

PRODUCT FACTS

What It Does:

[Kills all Major Broadleaf Weeds including Dandelion, Chickweed and Clover] [Kills over 60 types of weeds including Poison Ivy, Poison Oak]

Where To Use: (icon weeds)

Lawns: Kills the Weeds not the Lawn

(note: Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass)

When To Use:

Apply when daytime temperatures are between 50°F and 85°F.

Questions & Comments: (icon phone) (icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

Controls (Number) weeds! (Listing of weeds may include the following.)

- WEEDS -			
Amaranth, purple	Daisy, oxeye	Mustard, indian,	Speedwell, snow
Amaranth, slender	Dandelion, common	Mustard, tansy	Speedwell, thymeleaf
Aster, heath	Dandelion, false	Mustard, tumble	Spiny amaranth
Aster, white heath	Day flower	Mustard, white	Spurge, spotted
Aster, purple	Deadnettle	Mustard, wormseed	Spurge, prostrate
Aster, white prairie	Dichondra	Nettle, stinging (burning)	Spurweed
Artichoke	Dock, broadleaf	Nettle, tall	Star of Bethlehem
Austrian fieldcress	Dock, curly	Nettle, wood	Strawberry, India mock
Bedstraw, Catchweed	Dogbane	Parsley-piert	Tansy ragwort
Bedstraw, smooth	Dogfennel	Parsnip	Tanweed
Bedstraw, Northern	Dollarweed (Pennywort)	Pearlwort	Thistle, blessed
Bedstraw, pineywoods	Dove weed	Pennycress (frenchweed)	Thistle, bull
Beggarticks, hairy	Elderberry	Pepperweed, perennial	Thistle, canada
Betony, Florida	Falseflax	Pepperweed, virginia	Thistle, flodman (prairie)
Bindweed, Field	False sunflower	(Peppergrass)	Thistle, musk
Bindweed, Hedge	Fiddleneck	Pigweed, prostate	Thistle, platte
Bitter Wintercress	Filaree, redstem	Pigweed, redroot	Thistle, plumeless
Bittercress, hairy	Filaree, whitestem	Pigweed, russian	Thistle, russian
Bitterweed	Fleabane, daisy (annual)	Pigweed, smooth	Thistle, scotch
Black-eyed Susan	Fleabane, rough	Pigweed, tumble	Thistle, wavyleaf
Black Medic	Galinsoga, hairy	Pineapple weed	Thistle, yellow (horrible)
Blood flower milkweed	Galinsoga, smallflower	Plains coreopsis (tickseed)	Trailing crownvetch
Blue lettuce	Goldenrod	Plantain, blackseed	Velvetleaf
Brassbuttons	Ground ivy	Plantain, bracted	Vervain, blue
Bristly oxtongue	Groundsel	Plantain, broadleaf	Vervain, hoary
Broomweed	Gumweed	Plantain, buckhorn	Vervain, prostrate
Buckhorn	Hairy fleabane	Plantain, hoary	Vervain, tall
Bullnettle	Hawkweed, meadow	Plantain, narrowleaf	Vetch, bird
Burclover	Hawkweed, mouseear	Plantain, slender	Vetch, hairy
Burdock	Hawkweed, orange	Plantain, woolly	Vetch, milk
Burweed, lawn (spurweed)	Hawkweed, yellow	Poison ivy	Vetch, narrowleaf
Buttercup, bulbous	Healall	Poison oak	Vetch, wild
Buttercup, creeping	Heartleaf drymary	Pokeweed	Virginia creeper
Buttonweed, common (poorjoe)	Hemp	Prairie Sunflower	Western clematis
Buttonweed, virginia	Henbit	Prickly lettuce (compass plant)	Western salsify
Carolina geranium (wild)	Hoary cress	Prickly sida	Wild aster
Carpetweed	Horsenettle	Prostrate knotweed	Wild buckweed
Catnip	Horseweed	Puncturevine	Wild carrot
Catsear, spotted (false dandelion)	Jimsonweed	Purslane, common	Wild four-o'clock
Chamber bitter	Johnny-Jumpup violet	Pusley, brazil	Wild garlic
Chickweed, common	Knawel	Pusley, florida	Wild lettuce
Chickweed, mouseear	Knotweed, prostrate	Pusley, large flower	Wild marigold
Chickweed, sticky	Kochia	Ragweed, bur	Wild mustard (yellow rocke')
Chicory	Lambsquarters	Ragweed, common	Wild onion
Cinquefoil	Lespedeza	Ragweed, lanceleaf	Wild parsnip
Clover, crimson	Mallow, alkali	Ragweed, western	Wild radish
Clover, alyce	Mallow, bristly	Redstem filaree	Wild rape
Clover, hop	Mallow, common	Rough cinquefoil	Wild strawberrry
Clover, rabbit foot	Mallow, dwarf	Scarlet pimpernel	Wild sweet potato
Clover, red	Mallow, venice	Shepardspurse	Wild vicia
Clover, strawberry	Marcela	Smartweed, ladysthumb	Woodscree, creeping
Clover, yellow sweet	Matchweed	Smartweed, pale	Woodsorrel, violet
Clover, white sweet	Mexicanweed	Smartweed, pennsylvania	Woodsorrel, yellow (Oxalis)
Clover, white	Moneywort	Smooth chaff-flower	Woolly croton
Cockle	Morningglory, bigroot	Smoothdock	Wormseed
Cocklebur	Morningglory, ivyleaf	Sorrel, red (sheep)	Yarrow, common
Cocklebur, oriental	Morningglory, mexican	Sowthistle, annual	Yarrow, western
Cocklebur, spiny	Morningglory, red	Sowthistle, spiny	Yarrow, yellow
Common mullein	Morningglory, tall	Spanish needles	Yellow nutsedge
Corn Spurry	Morningglory, wolly	Speedwell, bi-lobed	
Creeping Beggarweed	Mugwort	Speedwell, common	
Creeping Jenny (creeping charlie)	Mustard, ball	Speedwell, corn	
Cupid shaving Brush	Mustard, black	Speedwell, ivyleaf	
Cudweed	Mustard, blue	Speedwell, persian	
Daisy, English	Mustard, hedge	Speedwell, purslane	
		Speedwell, slender	

12/12

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00876.20071105b.doc

2. Previous Version: AP083106

3. Reason for Issue: Various changes pertaining to re-registration. Re-format label. Add pounds per gallon in ingredient statement.