

2217-883

2-9-2007

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOTIFICATION

FEB 09 2007

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

James L. Kunstman, Ph.D.
Director of Regulatory Services
PBI/Gordon Corporation
P.O. Box 014090
Kansas City, MO 64101

FEB 09 2007

SUBJECT: Applications for Pesticide Notification – CA DPR Statements
EH-1406 Herbicide EPA Reg. No. 2217-867
EH-1415 Professional EPA Reg. No. 2217-882
✓EH-1415 Weed and Feed EPA Reg. No. 2217-883
EH-1427 Herbicide EPA Reg. No. 2217-886
EH-1425 Herbicide EPA Reg. No. 2217-888
Applications Dated January 18, 2007

Dear Dr. Kunstman:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of these requests for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/15



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217-883	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH-1415 Weed and Feed	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 09 2007
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification Per Pesticide Registration Notice (PRN) 98-10:
Please refer to cover letter describing adoption of CPDR recommendations for irrigation schedules.
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 14, 15, 16, 17, 18, 19, 20, 25 and 30 pounds		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued--Bag <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name James L. Kunstman, Ph.D.		Title Director of Regulatory Services		Telephone No. (Include Area Code) 816-461-6292	
<p style="text-align: center;">Certification</p> <p><i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i></p>					6. Date Application Received (Stamped)
2. Signature 			3. Title Manager of Regulatory Services		
4. Typed Name James L. Kunstman, Ph.D.			5. Date January 18, 2007		

3/15



1217 WEST 12TH STREET • P.O. BOX 014090
KANSAS CITY, MISSOURI 64101-0090
816-421-4070 • 1-800-821-7925
FAX: 816-474-0462

January 18, 2007

Document Processing Desk (AMEND)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Ms. Joanne I. Miller, PM -23

NOTIFICATION
FEB 09 2007

Dear Ms Miller:

Subject: Notification request for five product registrations

I. Notification request: Revisions to Directions for Use based upon the review of California Department of Pesticide Regulation (DPR).

Five product registrations were submitted by PBI/Gordon Corporation for review to California Department of Pesticide Regulation (DPR). John S. Sanders, Ph.D., Chief of the Environmental Monitoring Branch, proposed mitigation measures for the use of sulfentrazone on turfgrass. We ask to adopt the instructions for irrigation schedules and to include the application window for broadcast applications as recommended by DPR. Please refer to the annotated text in the Directions for Use.

II. Grouping of registrations:

Grouping to aid your review: PBI/Gordon Corporation has grouped five pesticide registrations into one group or batch. Our criteria for this group included the multiple active ingredients containing sulfentrazone and the consistency of the proposed labeling revisions. We are submitting concurrently these five (5) amendments for these product registrations to aid your review.

EH-1415 Professional (EPA Reg. No. 2217-882), CA ID# 217636

EH-1415 Weed and Feed (EPA Reg. No. 2217-883), CA ID#217642

EH-1427 Herbicide (EPA Reg. No. 2217-886), CA ID#217014

EH-1406 Herbicide (EPA Reg. No. 2217-867)

EH-1425 Herbicide (2217-888), CA ID#217015

One (1) copy of the draft labeling for the listed registrations are enclosed for your review.

4/15

III. Certification:

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.


IV. Enclosures:

The administrative portion of this application includes the following:

1. Application for Pesticide Amendment (EPA Form 8570-1).
2. One (1) copy of the draft labeling for each registration.

Please contact me at 816-460-6292 or via e-mail at jkunstman@pbigordon.com if you have questions concerning this submission.

Sincerely,



James L. Kunstman, Ph.D.
Director of Regulatory Services

5/10

NOTIFICATION

FEB 09 2007

EH-1415 WEED & FEED

ACTIVE INGREDIENTS:

2,4-D, 2-ethylhexyl ester.....	1.153%
Mecoprop-p acid.....	0.174%
Dicamba acid.....	0.073%
Sulfentrazone.....	0.034%

OTHER INGREDIENTS:	98.566%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 15.30 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.765%
- 3.48 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton or 0.174%
- 1.46 lbs. 3,6-dichloro-o-anisic acid equivalent per ton or 0.073%
- 0.68 lbs. N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide per ton or 0.034%

CAS Registry Numbers:

- 2,4-D CAS# 1928-43-4
- Mecoprop-p CAS# 16484-77-8
- Dicamba CAS#1918-00-9
- Sulfentrazone CAS #122836-35-5

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

[Guaranteed Analysis and other required fertilizer-related statements may be presented on the front panel of the container label. A sample Guaranteed Analysis and possible statements are presented in the Appendix on page 9 of this master label.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements and First Aid.

NET WEIGHT: 14, 15, 16, 17, 18, 19, 20, 25 or 30 POUNDS


FL 987

AP-----

EPA Reg. No. 2217-883

EPA EST. NO. 2217-KS-2

MANUFACTURED BY:



1217 West 12th Street
Kansas City, Missouri 64101

1-800-821-7925

6/15



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.</p>	

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

For Residential Use Only.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

INSTRUCTIONS:

EH-1415 Weed & Feed is a combination of four proven weed killers--2,4-D, mecoprop-p, dicamba and sulfentrazone. This herbicide controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a x x-x (grade percentage) fertilizer provides a supply of plant nutrients.

7/15

USE PRECAUTIONS:

Do not use on dichondra, carpetgrass, St. Augustinegrass, or turfgrass where desirable clovers are present.

Do not apply this product to newly seeded grasses until well-established or after the second or third mowing.

Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings including shrubs and trees. Do not exceed specified dosage for any area.

This product will not prevent weed seeds from producing new plants.

HOW MUCH TO APPLY:

Apply 2.5 to 3.0 pounds of product per 1,000 square feet of turfgrass. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

WHEN TO APPLY:

Apply when broadleaf weeds are actively growing in spring or early fall.

- ◆ Apply when the air is calm (Choose a calm day) to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.

Possible retreatment may be necessary if lawn is heavily overrun by weeds, if adverse low moisture conditions prevail, or if weeds are in a state of poor growth.

WHAT TO EXPECT:

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).
3. Apply when broadleaf weeds are young and actively growing, preferably in the morning when dew is on the grass. At the time of application, moisture on the weed leaves from dew, rainfall or irrigation/watering aids in control. If grass is not moist at time of application, sprinkle lightly with water.
4. Avoid applying when temperatures are consistently above 90°F.
5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

DISTRIBUTION AND SPREADER PATTERNS:

Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never apply by hand.

Coverage - To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct all non-lawn areas (house, gardens, etc.). One bag covers up to XXX square feet.

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators may be presented on the container labels.

Bag Size, Lbs.	Application Rate, Lbs./1,000 Sq.Ft.	Treated Area for This Bag Size, Sq.Ft.
14	2.5	5600
	2.75	5100
	3.0	4700
15	2.5	6000
	2.75	5450
	3.0	5000
16	2.5	6400
	2.75	5800
	3.0	5300
17	2.5	6800
	2.75	6200
	3.0	5700
18	2.5	7200
	2.75	6500
	3.0	5400

Bag Size, Lbs.	Application Rate, Lbs./1,000 Sq.Ft.	Treated Area for This Bag Size, Sq.Ft.
19	2.5	7600
	2.75	6900
	3.0	6300
20	2.5	8000
	2.75	7200
	3.0	6700
25	2.5	10000
	2.75	9000
	3.0	7500
30	2.5	12000
	2.75	11000
	3.0	10000

10/15

SINGLE PASS DISTRIBUTION:

For best results, apply this product evenly and uniformly avoiding streaking, skips or overlaps.

1. For rotary spreaders, operate at intervals corresponding to the swath width. For drop spreaders, overlap the wheel tracks to ensure complete coverage.
2. First, spread the borders of your lawn and header strips for turning around. Then apply this product to the center with straight line passes
3. Walk at a steady pace to ensure even coverage. Close the spreader opening when turning to change directions or when stopping.

CALIBRATION INSTRUCTIONS AND SPREADER SETTINGS:

Calibrate the spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to deliver the recommended rate under actual application conditions.

To provide proper distribution, calibrate spreader before application.

- For 2.5 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 400 square feet and adjust to apply at the rate of 1 pound of product per 400 square feet.
- For 2.75 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 360 square feet and adjust to apply at the rate of 1 pound of product per 360 square feet.
- For 3.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330 square feet.

Spreader	Delivers ___ lbs./1,000 sq. ft.				
	2.5 lbs.	2.75 lbs	3.0 lbs		
LESCO® Rotary calibration gauge setting #	X	X	X		
Ortho® Drop (5000)	X	X	X		
Ortho® Rotary (6000)	X	X	X		
Precision® Red Devil® Rotary	X	X	X		
Quaker® Rotary	X	X	X		
Republic® EZ Drop	X	X	X		
Republic® EZ Grow	X	X	X		
Republic® EZ Rotary	X	X	X		
Scotts® Drop (PF3)	X	X	X		
Scotts® Easy Green	X	X	X		
Scotts® Speedy Green	X	X	X		
True Temper Rotary	X	X	X		

11/15

OR

Spreader settings for 1.0 pound of product per 330 square feet	
Scotts EasyGreen® Rotary	26
Scotts Drop.....	5
Scotts SpeedyGreen® Rotary.....	3½
GreenView Drop (Spred II).....	4
Central Drop (#205).....	5½
Sears Drop (#19810).....	4
Ortho Drop (#5000).....	5
Precision Drop (Red Devil).....	4

Advisory For Fertilizers Containing Iron:

Keep this product off sidewalks, patios, driveways, etc. This fertilizer may contain iron which will stain concrete and painted surfaces. If it comes in contact with concrete surfaces, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

Fertilizer Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum must have the following labeling statement: "This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."
- Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm> .

Referrals to other products used sequentially:

- For best results, apply (brand name) products.
- Apply using the 4-Step Program
- **4-Step Program:**
 - STEP 1:* Menards Premium Crabgrass Preventor - Apply March - early May - Prevents crabgrass, foxtail, goosegrass, poa annua and other annual weed grasses. - Nutralene feeds your turfgrass for up to 2 months with long lasting deep greening.
 - STEP 2:* Menards Premium Weed & Feed - Apply May - June - Kills dandelion, clover, plantain and over XXX other broadleaf weeds. - Nutralene feeds your turfgrass for up to 2 months with long lasting deep greening.
 - STEP 3:* Menards Premium Lawn Food - Apply June - August - Nourishes your lawn throughout the summer months with extended feeding of Nitrogen. - Nutralene feeds your turfgrass for up to 2 months with long lasting deep greening.
 - STEP 4:* Menards Premium Winterizer & Weed Control - Apply late August - mid October - Kills dandelion, clover, plantain and over XXX other broadleaf weeds. - Maximizes root building. - Nutralene feeds your turfgrass for up to 2 months with long lasting deep greening.

OR

STEP 4: Menards Premium Starter & Winterizer - Apply late August - November - Maximizes root building. - Nutralene feeds your turfgrass for up to 2 months with long lasting deep greening. - Use with new seeding and sodding of turfgrass.

- BROADLEAF WEEDS -

Annual yellow sweetclover	Cockle	Mustard	Spiny amaranth
Aster	Cocklebur	Narrowleaf plantain	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf vetch	Spiny sowthistle
Bedstraw	Creeping jenny	Nettle	Spotted catsear
Beggarticks	Cudweed	Orange hawkweed	Spotted spurge
Betony, Florida	Curly dock	Oxalis	Spurweed
Bindweed, field	Daisy, English	Parsley-piert	Stinging nettle
Bird vetch	Daisy fleabane	Parsnip	Strawberry, India mock
Bitter wintercress	Daisy, oxeeye	Pearlwort	Tall nettle
Bittercress, hairy	Dandelion	Pennycress	Tall vervain
Bitterweed	Dichondra	Pepperweed	Tansy ragwort
Black-eyed Susan	Dogfennel	Pigweed	Tansy mustard
Black medic	Dollarweed	Pineywoods bedstraw	Thistle
Black mustard	False dandelion	Plains coreopsis	Trailing crownvetch
Blackseed plantain	Falseflax	Plantain	Tumble mustard
Blessed thistle	False sunflower	Poison ivy	Tumble pigweed
Bloodflower milkweed	Fiddleneck	Poison oak	Velvetleaf
Blue lettuce	Florida pusley	Pokeweed	Venice mallow
Blue vervain	Frenchweed	Poorjoe	Virginia buttonweed
Bracted plantain	Galinsoga	Prairie sunflower	Virginia creeper
Bristly oxtongue	Goldenrod	Prickly lettuce	Virginia pepperweed
Broadleaf dock	Ground ivy	Prickly sida	Wavyleaf bullthistle
Broadleaf plantain	Gumweed	Prostrate knotweed	Western clematis
Broomweed	Hairy fleabane	Prostrate pigweed	Western salsify
Buckhorn	Hawkweed	Prostrate spurge	White mustard
Buckhorn plantain	Healall	Prostrate vervain	Wild aster
Bulbous buttercup	Heartleaf drymary	Puncture vine	Wild buckwheat
Bull thistle	Heath aster	Purslane, common	Wild carrot
Bullnettle	Hedge bindweed	Ragweed	Wild four-o'clock
Burclover	Hedge mustard	Red sorrel	Wild garlic
Burdock	Henbit	Redroot pigweed	Wild geranium
Burning nettle	Hoary cress	Redstem filaree	Wild lettuce
Burweed	Hoary plantain	Rough cinquefoil	Wild marigold
Buttercup	Hoary vervain	Rough fleabane	Wild mustard
Buttonweed	Horsenettle	Russian pigweed	Wild onion
Canada thistle	Jimsonweed	Russian thistle	Wild parsnip
Carolina geranium	Knawel	Scarlet pimpernel	Wild radish
Carpetweed	Knotweed	Scotch thistle	Wild rape
Catchweed bedstraw	Kochia	Sheep sorrel	Wild strawberry
Catnip	Lambsquarters	Shepherdspurse	Wild sweet potato
Catsear	Lespedeza	Slender plantain	Wild vetch
Chickweed, common	Mallow	Smallflower galinsoga	Woodsorrel
Chickweed, mouseear	Matchweed	Smooth dock	Woolly croton
Chicory	Mexicanweed	Smooth pigweed	Woolly morningglory
Cinquefoil	Milk vetch	Sorrel	Woolly plantain
Clover, crimson	Morningglory	Sowthistle	Wormseed
Clover, hop	Mouseear hawkweed	Spanishneedles	Yarrow
Clover, red	Mugwort	Speedwell	Yellow rocket
Clover, strawberry	Musk thistle		Yellowflower peonervweed
Clover, sweet			and other broadleaf weeds
Clover, white			

13/15

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

14/15

APPENDIX

I. Guaranteed Analysis:

GUARANTEED ANALYSIS XX-X-X	
Total Nitrogen (N)	XX%
x.x% ammoniacal nitrogen	
x.x% urea nitrogen*	
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%
Sulfur (S)	X%
x.x% free sulfur (S)	
Derived from: polymer-coated sulfur-coated urea, urea, ammonium phosphate, potassium chloride.	
*A portion of the urea has been coated to provide x.x% coated slow-release nitrogen.	
This product and/or its manufacture is covered by one or more of the following U.S. patents and international counterparts thereof: US Patent Numbers: xxxxxx	

Note: Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅ and K₂O may include the following: 23-3-7 or x-x-x. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

II. State mandated fertilizer labeling requirements:

Fertilizer Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum must have the following labeling statement: *"This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."*
- Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

I. Fertilizer Labeling Requirements in States:

- All fertilizer products distributed in Washington at a minimum, must have the following labeling statement: *"This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."*
- After July 1, 1999, the label must also state: *"Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at <http://www.wa.gov/agr/>."*
- Information regarding the contents and levels of metals in this product is available on the internet at <http://www.xxxxx.com>.
- Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing ___ pounds of nitrogen per 1,000 square feet. Consult your local Extension office for questions regarding a fertilizer program suitable to your geographical region.

III. Fertilizer Grades:

Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following:

18-0-6	22-4-11	26-4-4	30-4-4
19-6-8	23-3-7	26-4-6	32-3-3
22-3-3	25-3-3	28-0-3	32-4-8
22-3-6	25-4-8	29-3-4	24-4-8
22-3-17	26-3-6	30-3-3	

IV. Advertising Claims which may be used on the container labeling, advertising and promotional materials of subregistered products.

- Superior Broadleaf Weed Control in Cool Weather
- Controls Tough Broadleaf Weeds in Established Lawns
- Kills Over (number) Broadleaf Weeds
- Bag Treats Up To 7,600 Square Feet