


2217-885

01/18/2006

1/16



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
2217-885

Date of Issuance:
JAN 18 2006

Term of Issuance:
Conditional

Name of Pesticide Product:
EH-1426 Herbicide

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PBI/Gordon Corporation
P.O. Box 014090
Kansas City, MO 64101-0090

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for the registration/reregistration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 2217-885 "
3. Under the "User Safety Recommendation" section of the labeling add the following statement: "Wash thoroughly with soap and water after handling."

Signature of Approving Official:

Joanne J. Miller

Date:

JAN 18 2006

2/16

EPA Reg. No. 2217-885

4. Submit storage stability (830.6317) and corrosion characteristics (830.6320) studies within one year of the date of this registration.

5. Submit one copy of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Joanne I. Miller
Product Manger (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

3/16

EH-1426 HERBICIDE

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	7.27%
Quinclorac.....	3.49%
Dicamba, dimethylamine salt.....	0.84%
Sulfentrazone.....	0.42%
INERT INGREDIENTS:.....	<u>87.98%</u>
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- 0.52 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 6.04%
 - 0.30 lb. 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 3.49%
 - 0.06 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.70%
 - 0.037 lb. N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide per gallon or 0.42%
- Isomer Specific by AOAC Method.

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: *See back panel for substatement of ingredient statement.*]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

ACCEPTED
with **COMMENTS**
In EPA Letter Dated:

JAN 18 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2217-885

**NET CONTENTS: 6 Fl.Oz., 40 Fl.Oz., 32 Fl.Oz. (1 Quart), 64 Fl.Oz. (1/2 Gallon),
1 Gallon, 30 Gallons, 55 Gallons, or 275 Gallons**

(EPA File Symbol No. 2217-)
EPA EST. NO. XXXX-YY-N
MANUFACTURED BY:



Telephone: 1-800-821-7925
www.pbigordon.com

4/16



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

Engineering Control Statements:

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

Not for use on turf being grown for sale or other commercial use such as sod, or for commercial seed production, or for research purposes.

SHAKE WELL BEFORE USING.

GENERAL INFORMATION:

EH-1426 Herbicide is a selective herbicide that controls emerged broadleaf and grass weeds in established lawns. Symptoms you may expect to see on affected broadleaf weeds include leaf reddening, leaf and stem curling and twisting, chlorosis and necrosis. Symptoms expected on grass weeds include stunting, chlorosis, gradual reddening and necrosis.

PRODUCT FACTS [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)
Lawns: Kills the weeds not the lawn

When to Use:
Apply when daytime temperatures are between 50° and 85°F.

Questions & Comments: (icon phone) (icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

BROADLEAF WEEDS CONTROLLED:

EH-1426 Herbicide is effective for post-emergent control or suppression of hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. Additionally, EH-1426 Herbicide controls most other broadleaf weeds including chickweed, clover, dandelion, knotweed and plantain. A partial list is presented [below] [on the side panel]:

Aster, white heath & white prairie	Field oxeye-daisy (*creeping oxeye)	Prickly lettuce (*compass plant)
Bedstraw	Filaree, whitestem & redstem	Puncturevine
Beggarweed, creeping	Florida betony	Purple cudweed
Bindweed	Florida pusley	Purslane
Black medic	Ground ivy	Ragweed
Broadleaf plantain	Groundsel	Redweed
Buckhorn plantain	Hawkweed	Red sorrel (*sheep sorrel)
Bull thistle	Healall	Shepherdspurse
Burdock, common	Henbit	Spurge
Buttercup, creeping	Innocence (Blue-eyed Mary)	Thistle
Carpetweed	Knotweed	Virginia buttonweed
Chickweed, common	Lambsquarters	White clover (*Dutch clover, honeysuckle clover, white trefoil, & purplewort)
Chicory	Lawn burweed	Wild carrot
Cinquefoil	Lespedeza, common	Wild garlic
Clover	Mallow, common	Wild geranium
Curly dock	Matchweed	Wild lettuce
Dandelion	Mouseeear chickweed	Wild mustard
Dayflower	Old world diamond flower	Wild onion
Deadnettle	Oxalis (*yellow woodsorrel & creeping woodsorrel)	Wild strawberry
Dock	Parsley-piert	Yarrow
Dogfennel	Pennsylvania smartweed	Yellow rocket
Dollarweed (*pennywort)	Pepperweed	and many more broadleaf weeds
False dandelion (*spotted catsear & common catsear)	Pigweed	
Field bindweed (*morningglory & creeping jenny)	Pineappleweed	
	Plantain	
	Poison ivy	
	Poison oak	

*Synonyms

6/16

GRASS WEEDS CONTROLLED:

EH-1426 Herbicide also provides post emergent control and/or suppression of the listed grass and sedge weeds in turfgrass. Below is a list of grass weeds controlled:

Grass Weeds
Crabgrass, large and smooth
Foxtail, green, yellow and giant
Barnyardgrass
Nutsedge, yellow

WHERE TO USE:

This product is intended for use by homeowners on residential lawns. This product should be applied only to the following species of turfgrass:

Cool season turfgrass

- Kentucky bluegrass
- Perennial ryegrass
- Fescue spp., including tall, red and fine leaf fescues

Warm season turfgrass

- Bermudagrass
- Zoysiagrass

DO NOT use EH-1426 Herbicide on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, carpetgrass. Also, do not use on dichondra, or lawns with desirable clovers or legumes. Do not use on vegetable gardens, fruits, or ornamentals ((flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)

WHEN TO USE:

Generally, apply this product to actively-growing weeds during the early growth stages for the best results. Apply in spring or fall when daytime temperatures are between 50° and 85°F. Fall applications may control winter annual and biennial weeds that may otherwise resprout the following spring. For heavy grass weed pressure, apply a second application at the same rate, 14 days after the first application.

[Optional additional text for more specific timing for grass weeds]

CRABGRASS (large and smooth):

- **Spring:** For the best results, apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or before the crabgrass is 3-4 inches in height. Generally, this period begins or corresponds to the first time that you can see crabgrass in your lawn. Use two applications at the same rate with a 14-day interval for dense populations.

FOXTAIL (GREEN GIANT AND YELLOW):

- **Spring and early summer:** For the best results, apply this product to foxtail during the early growth stages or when foxtail is 1-4 inches in height. Use two applications at the same rate with a 14-day interval for dense populations.

YELLOW NUTSEGE:

- **Early summer:** Two applications of this product are required when the yellow nutsedge plants are 3-6 inches tall. Apply the second application at the same rate at 14 days later.

BROADLEAF WEEDS:

- **Spring:** Apply when **dandelion, plantain, buttercup, speedwell, knotweed** and other broadleaf weeds are young and actively growing with adequate soil moisture for best results.
- **Fall:** Apply when **henbit, chickweed, white clover, ground ivy, lawn burweed** and other broadleaf weeds are young and actively growing with adequate soil moisture for best results.

[end of optional grass weed text]

HOW MUCH TO USE:

See the following table for calculating the correct amount of product to use for the area to be treated.

The maximum application rate to turf is 0.9 pound of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

I. SPOT TREATMENT

To treat small areas or individual weeds use a pressure sprayer for better control. Mix the indicated amount of product listed below with 1 gallon of water for each 500 sq.ft. to be treated. Shake well before spraying. Spray the target weeds thoroughly. Nozzle adjustments may be necessary to deliver small spray droplets of the target weeds for uniform coverage.

Amount of product to be diluted in one (1.0) gallon water required to treat 500 sq. ft. of lawn with pressure sprayers.

Turfgrass	Amount of Product Fl.oz. (Tbsp.)	Approximate Treated Area
Kentucky bluegrass, Fescue spp., Perennial ryegrass, Zoysiagrass and Bermudagrass	2.5 fl.oz. or 5 Tablespoons (Tbs.)	500 sq.ft.

II. ENTIRE LAWN TREATMENTS

Three easy steps to mix and apply with hand-operated sprayers:

1. Calculate (measure) the total lawn area to be treated. For rectangular areas, multiply the length of the area by the width to obtain total square feet. Prepare enough spray solution to treat the area calculated.
2. Prepare the spray mixture according to Table 1. Measure the proper amount of product to treat 1,000 sq. ft. If more or less than 1,000 sq. ft is to be treated, adjust the amount of product as shown in Table 1.
3. Shake the spray solution before and during application. Use a spray pattern that gives small droplets without any fine mist.

8/16

PRESSURE SPRAYERS [OPTIONAL DIRECTIONS]

Table 1. Amount of product to be diluted in one (1.0) gallon water required to treat 1,000 sq. ft. of lawn with pressure sprayers.

Turfgrass	Amount of Product to Use	Area to be Treated (sq. ft.)
Kentucky bluegrass, Fescue spp., Perennial ryegrass, Zoysiagrass and Bermudagrass	5.0 fl. oz. or 10 Tablespoons (Tbs.)	1,000 sq. ft.
	10.0 fl. oz.	2,000 sq. ft.
	25.0 fl. oz.	5,000 sq. ft.

FOR DIAL-IN HOSE END SPRAYERS WITH NO PRE-MIXING [OPTIONAL DIRECTIONS]

- 1) From the Table 2 [chart] below, determine amount of EH-1426 to be applied for each 1,000 sq. ft. of lawn.
- 2) Fill sprayer jar with enough concentrate to cover the total area to be treated. DO NOT add water to the sprayer jar.
- 3) Set dial on sprayer to the "Rate per Gallon" setting shown in Table 2 [chart] below.
- 4) Attach sprayer to garden hose. Extend hose to the farthest area of lawn to be treated and work toward faucet. Apply evenly to lawn.
- 5) Unused product can be returned to the original container when completed.

Table 2. Application rates for turfgrass with hose-end sprayers

Turfgrass	Rate per Gallon or Dial settings *	Amount of herbicide applied per 1,000 sq. ft.
Kentucky bluegrass, Fescue spp., Perennial ryegrass, Zoysiagrass and Bermudagrass	4 Tablespoons or 12 teaspoons or 2 fl. oz.	5.0 fl. oz.

*this assumes the sprayer delivers approximately 2.5 gallons per 1,000 sq ft sprayed

Example for Kentucky bluegrass: To treat 5,000 sq ft of lawn, measure 25 fl.oz. of product into sprayer jar. Do not add water. **Set dial on 4 Tablespoons (Tbs.) or 12 Teaspoons (tsp.)** and apply uniformly on 5,000 sq.ft. of turfgrass.

- **To BEGIN spraying:** Attach hose to sprayer. Extend the garden hose to the farthest section of lawn to be treated. Rotate sprayer nozzle tip to direct spray up or down. Turn on water and squeeze trigger or rotate on/off knob to begin.
- **AFTER spraying:** Unused product or concentrate can be poured back into the original container. Keep the dial setting and clean the sprayer by rinsing the sprayer jar with water for one minute.

Check the directions you received when you purchased your sprayer for further details on the proper use of your dial sprayer.

9/16

**FOR CONCENTRATE-PLUS-WATER SPRAYERS OR HOSE-END SPRAYERS WITH PRE-MIXING
[OPTIONAL DIRECTIONS]**

For sprayers that require the addition of water and concentrate before application:

- 1) From Table 3, determine the amount of concentrate required to treat the entire lawn. Pour concentrate into sprayer jar to the required "fl. oz." level.
- 2) Add the appropriate amount of water to the "gals." level. Replace sprayer top on jar and shake well before spraying.
- 3) Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work toward faucet. Apply evenly to lawn.

**Table 3. Application rates for turfgrass with hose-end sprayers that require pre-mixing.
(Suitable for 16 gallon lawn sprayer with 32 fl. oz. jar capacity and a dilution rate of 64:1)**

Area to be treated, Sq.ft.	Kentucky bluegrass, Fescue spp., Perennial ryegrass, Zoysiagrass and Bermudagrass	Gallon mark/level on sprayer jar
1,600 sq. ft.	8 fl. oz.	4 gal.
2,400 sq.ft.	12 fl. oz.	6 gal.
3,200 sq.ft.	16 fl. oz.	8 gal
4,800 sq.ft.	24 fl. oz.	12 gal

Example for Kentucky bluegrass: To treat 4,800 sq ft of lawn, pour 24 fl.oz. of product into sprayer jar. Add water to the 12 gallon mark, and apply uniformly on 4,800 sq.ft. of turfgrass.

Check the directions you received when you purchased your sprayer for further details on the proper use of your sprayer.

10/16

FOR READY SPRAY NOZZLE (Dial Button) [OPTIONAL DIRECTIONS]

Marketing Phrase: Just connect to your garden hose and spray!

HOSE END SPRAYER INSTRUCTIONS [Dial Button]

1. *Shake container well before using.*
2. Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work toward the faucet.
4. To BEGIN spraying, point nozzle toward lawn
 - a) bend the green safety tab (located at right of [yellow] dial) back and hold,
 - b) using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control weeds. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat up to 6,400 sq. ft. of Southern or Northern grasses.
 For rectangular areas, calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counter clockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the [green] safety tab in the valve notch.

Table 4. Application rates for lawns using the Ready Spray Nozzle.

Turfgrass	Total Treated Area for 1.0 quart (32 fl. oz.) sprayer jar or retail container, sq.ft	Amount of Herbicide applied per 1,000 sq. ft.
Kentucky bluegrass, Fescue spp., Perennial ryegrass, Zoysiagrass and Bermudagrass	Up to 6,400 sq.ft.	5.0 fl. oz.

11/16

DIRECTIONS FOR REFILLING A POWER PUMP [OPTIONAL DIRECTIONS]

[Easy to mix • Just add water • Makes one gallon • Single-use refill • No measuring required
• Power Sprayer Refill]

To refill the Power Pump: [Mix 5 fl. oz.] [pour in the entire contents of this 5 fl. oz. bottle] and dilute to a gallon with the water. See the Power Pump label for complete directions.

The Power Pump can be refilled up to 5 times with EH-1426 Herbicide

IMPORTANT: Do not refill more than 5 times. Do not use any product other than EH-1426 Herbicide in this Power Pump. Incompatible chemicals may damage the pump making it unsafe to use.

DIRECTIONS FOR REFILLING Spectracide Weed Stop *EzSPRAY™* [OPTIONAL DIRECTIONS]

To refill the *EzSPRAY™* applicator, measure 5 fl. oz. of EH-1426 Herbicide into a one gallon container and mix with water to make 1 gallon of solution. Mix thoroughly before using. See *EzSPRAY™* label for complete directions.

The *EzSPRAY™* applicator can be refilled up to 5 times with EH-1426 Herbicide.

IMPORTANT: Do not refill more than 5 times. Do not use any product other than EH-1426 Herbicide in the *EzSPRAY™* Applicator. Incompatible chemicals may damage the applicator making it unsafe to use.

CULTURAL TIPS AND NOTES:

Adequate moisture and mild environmental conditions enhance the performance of EH-1426 Herbicide. Applications should be made to actively growing weeds. Apply when daytime temperatures are between 50° and 85°F. Avoid applications of this product when turfgrasses are under stress since injury may result.

For newly seeded areas:

- Do not apply within 4 weeks after seedling emergence of Kentucky bluegrass, fine fescue blends and perennial ryegrass. Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas:

- The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding:

- Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Irrigation:

- Do not apply this product immediately before rainfall or irrigation. For best results, do not irrigate or water the turfgrass within 24 hours after application.
- If dry conditions exist, a scheduled irrigation or watering 24 hours before and 24 hours after application is recommended.

13/16

[Optional Warranty Statement]

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

MEASUREMENT CALCULATIONS: Total lawn area in square feet = length x width.

EQUAL MEASURES:

1 fl. oz. = 2 Tablespoons = 6 Teaspoons (tsp.)

2 fl. oz. = 4 Tablespoons

4 fl. oz. = 1/2 cup;

16 fl. oz. = 1 pint;

8 fl. oz. = 1 cup;

32 fl. oz. = 1 quart

14/16

APPENDIX:

I. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.

EFFICACY

- Tough weed killer
- Kills even the tough[est] broadleaf weeds [like clover, dandelion, oxalis]
- Destroys the hard-to-kill broadleaf weeds [like clover, dandelion, oxalis]
- Kills all major broadleaf weeds [like clover, dandelion, oxalis]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills all [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- Kills poison ivy and poison oak
- Provides broadleaf control
- Controls [Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- [Complete] clover control [in as little as one week]
- Controls clover in one week
- Kills XX [types of] [brush and] weeds [roots and all]
- Kills weed roots
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on all types of hard-to-kill weeds [Superior results] [Kills more weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]

SPEED

- [Superior] Overnight results
- [See] results in hours
- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

WEATHER

- [Superior][cool][all] weather performance
- Proven [all] [cool] weather performance
- Performs in both hot and cold weather

RAINPROOF

- Rainproof — [For control that] won't wash away
- [Rainfast][Rainproof] [in hours [Won't wash away]
- Rainproof — Won't wash away
- [Rainproof] [Rainfast] in [as little as] 3 hours

OTHER

- For use on Bluegrass, Fescue, Zoysia, Perennial Ryegrass
- Kills the Weeds, not the Lawn
- Kills xx+ Weed Types Roots and All.
- Kills xx+ Weeds
- Kills weed roots
- Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
- Overnight results • Rainproof in hours • Rainproof in as little as 3 hours — won't wash away. Economical Concentrate
- Water-Based
- 1 quart treats up to x,xxx square feet
- Especially effective on all types of hard-to-kill weeds
- Kills xx+ types of weeds • Kills weed roots! • Kills all major broadleaf weeds
- Dilutable concentrate
- Clear-view measuring window
- For home lawn care.
- Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy.
- Kills broadleaf weeds in lawns
- Kills all major broadleaf weeds, roots and all. And brand name is formulated to kill only the weeds, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds
- [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison
- This formula covers up to x,xxx sq. ft
- **Kills Twice The Weeds!** As listed on our Weed Stop product.
- Use on Lawns to Kill the Toughest Weeds like Clover and Dandelion.
- Won't Harm Lawns
- Guaranteed Results Or Your Money Back*
 - *If you are not satisfied with this product for any reason, send your written request for a refund to the address at left, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.
- New [improved] formula [now includes crabgrass control]
- All-in-one [complete] [total] [2-in-1] weed control [for lawns]
- [Now] kills [controls] crabgrass [yellow nutsedge] [foxtail]
- Kills [controls] all types of [lawn] weeds
- Targets the toughest [stubborn] weeds [crabgrass] [yellow nutsedge].
- 100% root kill
- Kills the toughest weeds - down to the root
- [Kills the root so] weeds won't come back
- Lawn-friendly formula
- Weed deadly. Lawn friendly.
- Kills weeds [including crabgrass] - not the lawn.
- For a weed-free lawn.
- Weed-free. Worry-free.
- No weeds. No worry.
- Starts working immediately
- Fast acting [formula]
- Destroys weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely - [down to the root].
- Long lasting [formula]
- [Works fast] on [hard-to-kill] weeds
- [Even] works in cold [and hot] weather [temperatures]
- Let [Weed Stop] [the liquid] do the weeding
- Kills on contact

- A simple [an easy] step towards a weed free lawn [yard]
- [Now] kills all types of weeds - [grassy or broadleaf]
- Super Value [concentrate]
- Better Value [concentrate]
- Super Saver [concentrate]
- The value of [x] [size RTU] in one concentrate!
- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window
- For home lawn care
- For home lawns only
- For a beautiful, weed-free lawn
- Helps keep lawns weed-free
- Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed
- Covers [Treats] up to x,xxx sq ft
- 1 quart covers up to x,xxx sq ft
- Economical concentrate
- Dilutable concentrate