
0006/81/10



Date of Issuance:

2217-887

JAN 1 8 2006



Conditional

Name of Pesticide Product:

EH-1428 Herbicide

A GE TO STARES T

NOTICE OF PESTICIDE:

<u>x</u> Registration

Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PBI/Gordon Corporation

P.O. Box 014090

Kansas City, MO 64101-0090

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs

Registration Division (H7505C)

401 "M" St., S.W. Washington, D.C. 20460

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for the registration/reregistration review of your product when the Agency requires all registrants of similar products to submit such data.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 2217-887 "
- 3. Under the "User Safety Recommendation" section of the labeling add the following statement: "Wash thoroughly with soap and water after handling."

Signature of Approving Official:

oanne J. Miller

JAN 18 2006

EPA Form 8570-6

Date:

EPA Reg. No. 2217-887

- 4. Under the "First Aid" section of the labeling, add the following ocular statement (this product is Category III for Primary Eye Irritation): "Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice."
- 5. Submit storage stability (830.6317) and corrosion characteristics (830.6320) studies within one year of the date of this registration.
 - 6. Submit one copy of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Joanne I. Miller
Product Manger (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

EH-1428 HERBICIDE

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.253%
Quinclorac	0.121%
Dicamba, dimethylamine salt	0.029%
Sulfentrazone	0.015%
INERT INGREDIENTS:	<u>99.582%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

0.018 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.210%

0.010 lb. 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.121%

0.002 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%

0.001 lb. N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide per gallon or 0.015%

Isomer Specific by AOAC Method.

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

ACCEPTED with COMMENTS In EPA Letter Dated:

JAN 18 2006 Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1217-887

NET CONTENTS: 16, 24, 32, 40 and 64 Fluid Ounces, One Gallon and 1.3 Gallon

EPA File Symbol No. 2217- XXX EPA Est. No. 2217- KS-1 MANUFACTURED BY:

An Employee-Owned Company
1017 West 19th Street
Annual City Idea 201 194 191
Telephone: 1-800-821-7925

Page





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals:

CAUTION: Causes moderate eye injury. Avoid contact with eyes or clothing. Wear protective eyewear. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. It is recommended that safety glasses include front, brow and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Optional text for Containers over 1 gallon and less than 5 gallons:] Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

First Aid

	If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
		Do not give anything by mouth to an unconscious person.	
ı	Have the product container or label with you when calling a poison control center or doctor or going for		

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water.

Line

SUBLABEL 1:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep people and pets off treated areas until dry.

For home lawn care:

EH-1428 Herbicide is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, Perennial ryegrass, Fescue species (including tall, red, and fine leaf varieties), Bermudagrass, and Zoysiagrass.

EH-1428 Herbicide should <u>not</u> be used on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, or carpetgrass. Do <u>not</u> use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)

[options for different size containers]

- This 32 fl. oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq. ft.
- This 128 fl. oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq. ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq. ft.

WEEDS CONTROLLED:

EH-1428 Herbicide will control or suppress the following broadleaf and grass weeds. Partial weed lists are presented below:

Broadleaf Weeds			
Bedstraw	Innocence (Blue-eyed Mary)	Purple cudweed	
Black medic	Knotweed	Purslane	
Buckhorn	Lambsquarters	Ragweed	
Burdock	Lawn burweed	Redweed	
Chicory	Lespedeza	Sheep sorrel	
Chickweed	Mallow	Shepherdspurse	
Clover	Morningglory	Speedwell	
Corn speedwell	Old world diamond flower	Spurge	
Dandelion	Peppergrass	Wild carrot	
Dock	Pigweed	Wild garlic	
Ground ivy	Plantain	Wild lettuce	
Healall	Poison ivy	Wild onion	
Henbit	Poison oak	Yarrow	

Grass Weeds		
Crabgrass	(large and smooth)	
Foxtail	(green, giant and yellow)	
Yellow nutsedge		

HAND SPRAYER PRODUCT

(Directions & Storage and Disposal)

- 1. Shake well.
- 2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
- 3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)
- 4. Spray just enough [EH-1428 Herbicide] [product] to lightly cover [broadleaf and grass] weeds. *Excessive spraying can injure some lawns*. Do not apply when daytime temperatures are above 85° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
- 5. Weeds will begin wilting and browning overnight.

USE TIPS

- > Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- ➤ Rainproof [Rain fast] rain or watering 8 hours after application will not wash away effectiveness. [If rainfall occurs within 8 hours of application, the product should be reapplied.]
- > Do not allow spray to drift onto desirable plants since injury may result.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

- 1. Shake well.
- 2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)
- 3. Spray just enough [EH-1428 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. *Excessive spraying can injure some lawns.* Do not apply when daytime temperatures are above 85°F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
- 4. Weeds will begin wilting and browning overnight.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- ❖ Rainproof [Rain fast] rain or watering 8 hours after application will not wash away effectiveness. [If rainfall occurs within 8 hours of application, the product should be reapplied.]
- Do not allow spray to drift onto desirable plants since injury may result.

[Optional Directions for Use]

CLAIMS, DIRECTIONS AND STORAGE AND DISPOSAL FOR THE POWER PUMP

Patent Pending

[Revolutionary (NEW) Power Pump™ [Spray] • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger]

EH-1428 Herbicide kills more than [number] types of [grass and broadleaf] [lawn] weeds down to the root. [ALTERNATE: EH-1428 Herbicide kills all major [grass and broadleaf] [lawn] weeds down to the root. And EH-1428 Herbicide is formulated to kill only the weeds, not the lawn.] And the revolutionary Power Pump [Spray] eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump [Spray] works like a pressure sprayer - just pump it a few times and spray. And the Power Pump [Spray] can be refilled up to 5 times with EH-1426 Herbicide [brand name] for incredible value!

Use to Spot Treat: Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Crabgrass, Cudweed, Curly dock, Dandelion, Dollarweed, English daisy, Filaree, Fleabane, Foxtail, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarters, Lespedeza, Matchweed, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow, Yellow Nutsedge and more!

- CONNECT WAND HOSE TO POWER PUMP [SPRAY] BOTTLE. Unwrap the wand.
 Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the
 small opening on the bottle. (graphic) Tightly screw the Green Hose Connector Cap onto the
 bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before
 pressurizing. (graphic)
- 2. PRESSURIZE THE POWER PUMP [SPRAY]. Break off the Pump Handle "TAB" with your thumb. (graphic) Pump 20 30 times to build up pressure.
 - NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump [Spray] pressurized.
- 3. SHAKE WELL. (graphic)
- 4. SPRAY WEEDS. Spray just enough [EH-1428 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. *Excessive spraying can injure some lawns*.
 - Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 85°F as lawn injury may occur. Spray only the weeds, not the entire lawn.
- 5. Weeds will begin wilting and browning overnight.

USE TIPS

- > Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- ➤ Rainproof [Rain fast] rain or watering 8 hours after application will not wash away effectiveness. [If rainfall occurs within 8 hours of application, the product should be reapplied.]
- Do not allow spray to drift onto desirable plants since injury may result.

REFILLING

The Power Pump [Spray] can be refilled up to 5 times with EH-1426 Herbicide. Add five (5) fl. oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix.

This dilution rate results in a product with the same strength as that supplied in the Power Pump [Spray] when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) IMPORTANT: Do not refill more than 5 times.

To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than EH-1426 Herbicide in this Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Always release pressure by unscrewing the pump cap before storing. Store in original container in an area inaccessible to children and pets.

Disposal: After 5 refills, rinse thoroughly.

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this [brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[Optional Directions for Use] DIRECTIONS FOR USE for Spectracide Weed Stop *EzSPRAY*TM applicator: *EzSPRAY*TM *EASY SET UP*

- 1. Remove sprayer from side holder. Gently pull tubing out.
- 2. Remove seal from top of cap. Unplug cap.
- 3. Securely snap the green plug into hole in cap.
- 4. Remove plastic tab near bottom of sprayer to activate batteries.
- 5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM.

[graphics included for each of the five steps above]

HOW TO USE THE EZSPRAYTM

- A. Aim toward target weeds/plants, and away from people and pets.
- B. Press the trigger to spray.
- C. Release the trigger to stop spray.

After use:

- 1. Twist nozzle completely to CLOSE position
- 2. Secure sprayer upright in holder.
- 3. Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.

To replace batteries:

 $I \sim I_{C}$

Augo Carlos



- 1. Slide battery compartment door to unlatch and open.
- Remove used batteries and insert four new AA batteries in correct positions as marked
 per diagram inside of battery compartment. Never insert the positive end where the
 negative end belongs and vice versa. Always use a complete set of new batteries of the
 same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable
 batteries.
- 3. Securely close battery compartment door.
- 4. Always follow manufacturer's recommendations for use and disposal of batteries.

Additional operating notes:

- · Do not submerge in water
- Before each use inspect sprayer carefully—makes sure hose is flexible and not kinked, worn or cracked, and that all connections are tight.
- · When storing sprayer for prolonged periods remove batteries.

REFILL DIRECTIONS

Refill only with EH-1426 Herbicide [brand name]. Remove cap. Carefully measure and mix 5 fl. oz. (10 Tbsp.) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

Additional advertising items to be included on *EzSPRAY*TM container label:

- Battery Powered [with graphic]
- EzSPRAYTM NO PUMPING NO PULLING NO FATIGUE!
- 4 AA Batteries Included! [with graphic]

STORAGE AND DISPOSAL

Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Disposal: Do not reuse container except to refill (refer to REFILL DIRECTIONS).

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

GUARANTEED RESULTS or your money back. If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

Questions or comments? Call toll free 1-800-xxx-xxxx.

[telephone number, address, website information for supplemental registrant or distributor].

APPENDIX:

- I. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.
 - For use on Many Northern and Southern Grasses including Bluegrass, Fescue, Zoysia, Bermuda, and Perennial Ryegrass
 - · Kills the Weeds, not the Lawn
 - Kills xx+ Weed Types Roots and All.
 - Kills xx+ Weeds
 - Kills weed roots
 - Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
 - Overnight results Rainproof in hours Rainproof in as little as 8 hours won't wash away.
 - Water-Based
 - Especially effective on all types of hard-to-kill weeds
 - Kills xx+ types of weeds Kills weed roots! Kills all major broadleaf weeds
 - · Clear-view measuring window
 - For home lawn care.
 - Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy
 - Kills broadleaf weeds in lawns
 - Kills all major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.
 - Kills dandelion and many other broadleaf weeds
 - [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.
 - Kills Twice the Weeds! As listed on our Weed Stop product.
 - Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
 - New [improved] formula [now includes crabgrass control]
 - All-in-one [complete] [total] [2-in-1] weed control [for lawns]
 - [Now] kills [controls] crabgrass [yellow nutsedge] [foxtail]
 - Kills [controls] all types of [lawn] weeds
 - Targets the toughest [stubborn] weeds [crabgrass] [yellow nutsedge].
 - 100% root kill
 - Kills the toughest weeds down to the root
 - [Kills the root so] weeds won't come back
 - Lawn-friendly formula
 - · Weed deadly. Lawn friendly.
 - · Kills weeds [including crabgrass] not the lawn.
 - For a weed-free lawn.
 - · Weed-free. Worry-free.
 - No weeds. No worry.
 - Starts working immediately
 - Fast acting [formula]
 - Destroys weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely -[down to the root].
 - Long lasting [formula]
 - [Works fast] on [hard-to-kill] weeds
 - [Even] works in cold [and hot] weather [temperatures]
 - · Let [Weed Stop] [the liquid] do the weeding
 - Kills on contact
 - A simple [an easy] step towards a weed free lawn (yard)



• [Now] kills all types of weeds - [grassy or broadleaf]

EFFICACY

- · Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Many Northern and Southern Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, Perennial ryegrass
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills all major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- · Kills all [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- · Kills poison ivy and poison oak
- Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- [Complete] clover control [as little as one week]
- Controls clover in one week
- Kills XX [types of] [brush and] weeds [roots and all]
- Kills weed roots
- Kills the root
- · Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on all types of hard-to-kill weeds [Superior results] [Kills more weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]

SPEED

- [Superior] Overnight results
- [See] results in hours
- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- · Starts working on contact
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

WEATHER

- [Superior][cool][all] weather performance
- Proven [ali] [cool] weather performance
- Performs in both hot and cold weather

RAINPROOF

- Rainproof [For control that] won't wash away
- Can't be washed [away][off]
- Can't be washed [off by rain]
- [Rainfast][Rainproof] [in hours [Won't wash away]
- Rainproof Won't wash away
- [Rainproof] [Rainfast] in [as little as] 8 hours

OTHER

- Water-based
- Guaranteed [results] or your money back
- · Clear-view measuring window
- For home lawn care.
- · For home lawns only
- · For a beautiful, weed-free lawn
- · Helps keep lawns weed-free
- · Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- · For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed

MEASUREMENT CALCULATIONS

Total lawn area in square feet = length x width.

EQUAL MEASURES:

1 fl. oz. = 2 Tablespoons = 6 Teaspoons (tsp.)

2 fl. oz. = 4 Tablespoons

4 fl. oz. = 1/2 cup; 16 fl. oz. = 1 pint; 8 fl. oz. = 1 cup; 32 fl. oz. = 1 quart

PRODUCT FACTS What it Does: [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds Including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the weeds not the lawn

When to Use:

Apply when daytime temperatures are between 50°F and 85°F.

Questions & Comments: (icon phone)(icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

SUBLABEL 2:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

WHERE TO USE:

On Lawns: This product is intended for use by homeowners as a spot treatment on lawns. This product should be applied only to the following species of turfgrass:

Cool season turfgrass	Warm season turfgrass
Kentucky bluegrass	Bermudagrass
Perennial ryegrass	
Fescue spp., including tall, red and fine leaf fescues	Zoysiagrass

DO NOT use EH-1428 Herbicide for the following:

Cool season turfgrass	Warm season turfgrass	Other areas
Bentgrass, creeping	St. Augustinegrass	Lawns with desirable clovers or legumes
Bentgrass, 'Seaside'	Bahiagrass	Dichondra
Bentgrass, colonial	Centipedegrass	Vegetable gardens or fruits (food crops)
	Carpetgrass	Ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)
	Seashore paspalum	

WHEN TO USE

Generally, apply this product to actively-growing weeds during the early growth stages for the best results. Two or more applications at 14 day intervals throughout the season may be required. Apply when daytime temperatures are between 50° and 85° F.

SPRING AND EARLY SUMMER:

- Crabgrass (large and smooth): Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3-4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 14-day interval between applications.
- Foxtail (green, glant and yellow): Apply this product to foxtail during the early growth stages or when the foxtail is 1-4 inches tall. Use two applications with a 14-day interval between applications.
- Yellow nutsedge: Two applications are required when the yellow nutsedge plants are 3-6 inches tall. The second application should follow the first application 14 days later.
- Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweeed) and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

FALL:

 Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.

Note for weeds controlled: Supplemental registrants may select broadleaf weeds from the list presented in the appendix and may include additional species on the container labels for different geographic regions.

HOW TO USE:

Ready-To-Use: No mixing. No measuring. No fuss.

For Containers with Triggers Sprayers: EH-1428 Herbicide is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Usually, two (2) pumps of this trigger sprayer will provide adequate coverage of individual weeds. Excessive spraying can injure some lawns.

For Refill Containers: EH-1428 Herbicide is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Excessive spraying can injure some lawns.

USE PRECAUTIONS:

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Avoid applications of this product when turfgrasses are under stress since injury may result

CULTURAL TIPS:

For newly seeded areas of Kentucky bluegrass, fine fescue blends and perennial ryegrass: Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas of bermudagrass and zoysiagrass:

The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding: Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Mowing: Delay mowing 2 days before and until 2 days after the application of this product.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX:

I. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.

PRODUCT FACTS [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds Including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the weeds not the lawn

When to Use:

Apply when daytime temperatures are between 50°F and 85°F.

Questions & Comments: (icon phone) (icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

EH-1428 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:

Aster, white heath & white prairie	Field oxeye-daisy (*creeping oxeye)	Prickly lettuce (*compass plant)
Bedstraw	Filaree, whitestem & redstem	Puncturevine
Beggarweed, creeping	Florida betony	Purple cudweed
Bindweed	Florida pusley	Purslane
Black medic	Ground ivy	
Broadleaf plantain	Groundsel	Ragweed Redweed
· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · · · · · · · · · · · · · · · · · ·
Buckhorn plantain	Hawkweed	Red sorrel (*sheep sorrel)
Bull thistle	Healall	Shepherdspurse
Burdock, common	Henbit	Spurge
Buttercup, creeping	Innocence (Blue-eyed Mary)	Thistle
Carpetweed	Knotweed	Virginia buttonweed
Chickweed, common	Lambsquarters	White clover (*Dutch clover,
Chicory	Lawn burweed	honeysuckle clover, white
Cinquefoil	Lespedeza, common	trefoil, & purplewort)
Clover	Mallow, common	Wild carrot
Curly dock	Matchweed	Wild garlic
Dandelion	Mouseear chickweed	Wild geranium
Dayflower	Old world diamond flower	Wild lettuce
Deadnettle	Oxalis (*yellow woodsorrel &	Wild mustard
Dock	creeping woodsorrel)	Wild onion
Dogfennel.	Parsley-piert	Wild strawberry
Dollarweed (*pennywort)	Pennsylvania smartweed	Yarrow
False dandelion (*spotted	Pepperweed	Yellow rocket
catsear & common catsear)	Pigweed	and many more broadleaf
Field bindweed (*morningglory	Pineappleweed	weeds
& creeping jenny)	Plantain	
	Poison ivy	
1	Poison oak	
[سرحين سيرين في المساورين ا	

^{*}Synonyms