

2217-887

10/21/2010

10f23



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

James Kuntsman  
PBI/Gordon Corporation  
1217 West 12<sup>th</sup> Street  
P.O. Box 014090

OCT 21 2010

Subject: EPA Reg. 2217-887 / EH-1428 Herbicide Notification

Dear Mr. Kuntsman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 8-31-10 for the product EPA Reg. 2217-887 / EH-1428 Herbicide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions please call Erik Kraft at 703-308-9358 or email at [Kraft.Erik@epa.gov](mailto:Kraft.Erik@epa.gov) or Kathryn Montague at 703-305-1243 or [Montague.Kathryn@epa.gov](mailto:Montague.Kathryn@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn Montague".

Kathryn Montague  
Team Leader  
Herbicide Branch, Team 23  
Registration Division (7504P)



United States  
**Environmental Protection Agency**  
Washington, DC 20460

Registration

Amendment

Other

OPP Identifier Number **2013**

### Application for Pesticide - Section I

|   |   |  |
|---|---|--|
| 1. Company/Product Number<br><b>2217-887</b>  | 2. EPA Product Manager<br><b>Kathryn V. Montague</b>  | 3. Proposed Classification   |
| 4. Company/Product (Name)<br><b>EH-1428 Herbicide</b>   | PM#<br>Product Manager—Team 23  | <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 5. Name and Address of Applicant (Include ZIP Code)<br>PBI/Gordon Corporation<br>Post Office Box 014090<br>Kansas City, Missouri 64101<br><input type="checkbox"/> Check if this is a new address | 6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:<br>EPA Reg. No. _____<br>Product Name _____ |  |

### Section - II

|  |  |
|--|--|
| <input type="checkbox"/> Amendment - Explain below.                            | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application.   |
| <input checked="" type="checkbox"/> Notification - Explain below.              | <input type="checkbox"/> Other - Explain below.  |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

### Labeling notification per Pesticide Registration Notice (PRN) 98-10.

Please refer to cover letter for details and certification statement.

e-mail to [jkunstman@pbigordon.com](mailto:jkunstman@pbigordon.com) FAX: 816-421-2731

### Section - III

|   |  |   |  |  |  |
|---|--|---|--|--|--|
| 1. Material This Product Will Be Packaged In:   |  |   |  | 2. Type of Container   |  |
| Child-Resistant Packaging<br><input type="checkbox"/> Yes*<br><input checked="" type="checkbox"/> No                    | Unit Packaging<br><input type="checkbox"/> Yes<br><input checked="" type="checkbox"/> No | Water Soluble Packaging<br><input type="checkbox"/> Yes<br><input checked="" type="checkbox"/> No |  | <input type="checkbox"/> Metal   | <input checked="" type="checkbox"/> Plastic    |
| * Certification must be submitted   |  |   |  | <input type="checkbox"/> Glass   | <input type="checkbox"/> Paper                 |
|   | If "Yes" Unit Packaging wgt.   | No. per container   | If "Yes" Package wgt.  | No. per Container  | <input type="checkbox"/> Other (Specify) _____ |
| 3. Location of Net Contents Information<br><input checked="" type="checkbox"/> Label <input type="checkbox"/> Container |  | 4. Size(s) Retail Container<br>24 fl. oz., 1.0 quart,<br>1.0 and 1.3 gallon                       |  | 5. Location of Label Directions<br><input checked="" type="checkbox"/> On Label<br><input type="checkbox"/> On Labeling accompanying product |  |
| 6. Manner in Which Label is Affixed to Product  |  |   | <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ |  |  |
|   |  |   | <input checked="" type="checkbox"/> Paper glued                          |  |  |
|   |  |   | <input type="checkbox"/> Stenciled                                       |  |  |

### Section - IV

|   |  |  |
|---|--|--|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)   |  |  |
| Name<br><b>James L. Kunstman, Ph.D.</b>   | Title<br><b>Director of Regulatory Services</b>    | Telephone No. (Include Area Code)<br><b>816-460-6292</b> |
| <b>Certification</b><br><i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i> |  | 6. Date Application Received<br><b>(Stamped)</b>         |
| 2. Signature<br>  | 3. Title<br><b>Director of Regulatory Services</b> |  |
| 4. Typed Name<br><b>James L. Kunstman, Ph.D.</b>  | 5. Date<br><b>August 31, 2010</b>                  |  |



40823



1217 WEST 12TH STREET • P.O. BOX 014090  
KANSAS CITY, MISSOURI 64101-0090  
816-421-4070 • 1-800-821-7925  
FAX: 816-474-0462

August 31, 2010

Document Processing Desk (PRN)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attn: Ms. Kathryn V. Montague (PM-23)

Dear Ms. Montague:

**Subject: Labeling notification according to Pesticide Registration Notice (PRN) 98-10.  
EH-1428 Herbicide (EPA Reg. No. 2217-887)**

***I. Labeling notification per Pesticide Registration Notice (PRN) 98-10:***

1. We propose to add Directions for Use for an additional design of pump sprayer. These specific instructions (including appropriate Storage and Disposal Statement) are presented as highlighted text on pages 8 and 9 of the enclosed draft labeling. The application rates and use patterns remain unchanged from the label previously accepted by the Agency.
2. We ask to add several marketing claims to the Appendix, page 15 of the enclosed labeling.

**Certification:** This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

```

c c c c
c c c c
c
c c c c c
c c c c c
c c c c
c c c c
c
c c c c c
c c c c
c c c c

```





Language Common to All Sublabels

EH-1428 HERBICIDE

EPA Reg. No. 2217-887

ACTIVE INGREDIENT:

|                                   |                |
|-----------------------------------|----------------|
| 2,4-D, dimethylamine salt .....   | 0.253%         |
| Quinclorac .....                  | 0.121%         |
| Dicamba, dimethylamine salt ..... | 0.029%         |
| Sulfentrazone .....               | 0.015%         |
| INERT INGREDIENTS: .....          | <u>99.582%</u> |
| TOTAL .....                       | 100.000%       |

THIS PRODUCT CONTAINS:

- 0.018 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.210%
- 0.010 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.121%
- 0.002 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%
- 0.001 lb N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide per gallon or 0.015%

Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

| First Aid  |  |
|--|--|
| <b>If swallowed:</b>   | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>If in eyes:</b>   | <ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center for treatment advice.</li> </ul>  |
| <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p> |  |

**Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**[Environmental Hazards (alternate per PRN 2008-1)**

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.]



---

## SUBLABEL 1

---

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### GENERAL PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

#### For home lawn care:

EH-1428 Herbicide is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, Perennial ryegrass, Fescue species (including tall, red, and fine leaf varieties), Bermudagrass<sup>1</sup>, buffalograss and Zoysiagrass.

<sup>1</sup>Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85°F.

EH-1428 Herbicide should not be used on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, or carpetgrass. Do not use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)

[options for different size containers]

- This 24 fl.oz. retail container size treats approximately 180 weeds or up to 180 sq.ft.
- This 32 fl.oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq.ft.
- This 128 fl.oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq.ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq.ft.

#### WEEDS CONTROLLED:

EH-1428 Herbicide will control or suppress the following broadleaf and grass weeds. Partial weed lists are presented below:

| Broadleaf Weeds |                            |                          |                |
|-----------------|----------------------------|--------------------------|----------------|
| Bedstraw        | Ground ivy                 | Morningglory             | Redweed        |
| Black medic     | Healall                    | Old world diamond flower | Sheep sorrel   |
| Buckhorn        | Henbit                     | Peppergrass              | Shepherdspurse |
| Burdock         | Innocence (Blue-eyed Mary) | Pigweed                  | Speedwell      |
| Chicory         |                            | Plantain                 | Spurge         |
| Chickweed       | Knotweed                   | Poison ivy               | Wild carrot    |
| Clover          | Lambsquarters              | Poison oak               | Wild garlic    |
| Corn speedwell  | Lawn burweed               | Purple cudweed           | Wild lettuce   |
| Dandelion       | Lespedeza                  | Purslane                 | Wild onion     |
| Dock            | Mallow                     | Ragweed                  | Yarrow         |

| Grassy Weeds                 |                                   |                 |  |
|------------------------------|-----------------------------------|-----------------|--|
| Crabgrass (large and smooth) | Foxtail (green, giant and yellow) | Yellow nutsedge |  |

## HAND SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)
4. Spray just enough [EH-1428 Herbicide] [product] to lightly cover [broadleaf and grass] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 90° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

### [Alternate Hand Sprayer Directions

#### SPRAYER APPLICATION

##### BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

##### AFTER USE:

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.]

##### USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications - some weeds can take that long to die.
- Rainproof [Rain fast] - rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be reapplied.]
- Do not allow spray to drift onto desirable plants since injury may result.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

## TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)

3. Spray just enough [EH-1428 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 90°F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
4. Weeds will begin wilting and browning overnight.

**USE TIPS**

- ❖ Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications - some weeds can take that long to die.
- ❖ Rainproof [Rain fast] - rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- ❖ Do not allow spray to drift onto desirable plants since injury may result.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[Optional Directions for Use]**

**CLAIMS, DIRECTIONS AND STORAGE AND DISPOSAL FOR THE POWER PUMP**

Patent Pending

[Revolutionary (NEW) Power Pump(TM) [Spray] • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger]

EH-1428 Herbicide kills more than [number] types of [grass and broadleaf] [lawn] weeds down to the root. [ALTERNATE: EH-1428 Herbicide kills all major [grass and broadleaf] [lawn] weeds down to the root. And EH-1428 Herbicide is formulated to kill only the weeds, not the lawn.] And the revolutionary Power Pump [Spray] eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump [Spray] works like a pressure sprayer - just pump it a few times and spray. And the Power Pump [Spray] can be refilled up to 5 times with EH-1426 Herbicide [brand name] for incredible value!

**Use to Spot Treat:** Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Crabgrass, Cudweed, Curly dock, Dandelion, Dollarweed, English daisy, Filaree, Fleabane, Foxtail, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarters, Lespedeza, Matchweed, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow, Yellow Nutsedge and more!

1. **CONNECT WAND HOSE TO POWER PUMP [SPRAY] BOTTLE.** Unwrap the wand. Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the small opening on the bottle. (graphic) Tightly screw the Green Hose Connector Cap onto the bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic)
2. **PRESSURIZE THE POWER PUMP [SPRAY].** Break off the **Pump Handle "TAB"** with your thumb. (graphic) Pump 20 to 30 times to build up pressure.

NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump [Spray] pressurized.

3. **SHAKE WELL.** (graphic)
4. **SPRAY WEEDS.** Spray just enough [EH-1428 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. **Excessive spraying can injure some lawns.**  
Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 90°F as lawn injury may occur. Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

#### USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications - some weeds can take that long to die.
- Rainproof [Rain fast] - rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.

#### REFILLING

The Power Pump [Spray] can be refilled up to 5 times with EH-1426 Herbicide. Add five (5) fl.oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix.

This dilution rate results in a product with the same strength as that supplied in the Power Pump [Spray] when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) **IMPORTANT: Do not refill more than 5 times.**

To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than EH-1426 Herbicide in this Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

**[Satisfaction Guaranteed:** If for any reason you are not completely satisfied with the performance or results of this [brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Always release pressure by unscrewing the pump cap before storing. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### [Optional Directions for Use]

#### DIRECTIONS FOR USE for Spectracide Weed Stop EzSPRAY(TM) applicator:

##### EzSPRAY(TM) EASY SET UP

1. Remove sprayer from side holder. [Gently pull tubing out.] [Unwrap tubing]
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the [green] plug into hole in cap.

4. Remove plastic tab near [bottom] [top] of sprayer to activate batteries.
  5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM.
  6. When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.
- [graphics included for each of the five steps above]

#### HOW TO USE THE EzSPRAY(TM)

- A. Aim toward target [weeds/plants] [area to be treated], and away from people and pets.
- B. Press the trigger to spray.
- C. Release the trigger to stop spray.

#### After use:

1. Twist nozzle completely to CLOSE position
2. Secure sprayer upright in holder [holster].
3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in [holder] [holster] may result in leakage and damage to property or injury to people or animals.**

#### To replace batteries:

1. [Slide battery compartment door to unlatch and open.] [Push release button near nozzle and lift up on battery hatch.]
2. Remove used batteries and insert [four] [two] new AA batteries **in correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries.
3. Securely close battery compartment door.
4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

#### Additional operating notes:

- Do not submerge in water
- Before each use inspect sprayer carefully - makes sure hose is flexible and not kinked, worn or cracked, and that all connections are tight.
- When storing sprayer for prolonged periods remove batteries.

#### REFILL DIRECTIONS

Refill only with EH-1426 Herbicide [brand name]. Remove cap. Carefully measure and mix 5 fl.oz. (10 Tbsp.) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

Additional advertising items to be included on **EzSPRAY(TM)** container label:

- Battery Powered [with graphic]
- **EzSPRAY(TM) NO PUMPING - NO PULLING - NO FATIGUE!**
- 4 AA Batteries Included! [with graphic]

#### USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications - some weeds can take that long to die.
- Rainproof [Rain fast] - rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**GUARANTEED RESULTS or your money back.** If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6 to 8 weeks for processing.

**Questions or comments?** Call toll free 1-800-xxx-xxxx.

[telephone number, address, website information for supplemental registrant or distributor].

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrate) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[Optional Directions for Use]**

**EASY ACTION PUMP [SPRAYER] Directions [HOW TO USE THE EASY ACTION PUMP [SPRAYER]**

1. For the initial use, remove the tie that is securing the handle to the base of the pump.
2. REMOVE THE WAND from the holster and PULL THE HOSE from the storage compartment.
3. Make sure the sprayer wand is securely tightened to the spray handle. (Graphical representation.)
4. TURN THE PUMP HANDLE CLOCKWISE to tightly seal the pump to the bottle and unlock the pump handle for pumping. (Graphical representation)
5. RAISE THE PUMP HANDLE FROM THE BOTTLE AND PUMP until you begin to feel resistance.
6. Secure the pump handle for carrying by pushing the handle into the base of the pump and turn the handle counterclockwise one quarter turn to lock.

(Graphical representation)

7. BEGIN SPRAYING by pushing down on the spray handle trigger. (Graphical representation)
8. ROTATE THE NOZZLE AT THE TIP of the wand to adjust the spray from a direct spray to a broadcast mist. (Graphical representation)
9. For continuous spray, push the trigger down and slide it forward to lock. SLIDE THE TRIGGER BACK TO RELEASE it from the lock position.

Note: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above.]

**Storage:** Slowly turn the pump handle counterclockwise to loosen the pump mechanism from the bottle to release pressure. Turn the handle back clockwise to seal the unit for storage. Turn the handle counterclockwise one quarter turn to lock the handle. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal:

**PESTICIDE STORAGE:** Slowly turn the pump handle counterclockwise to loosen the pump mechanism from the bottle to release pressure. Turn the handle back clockwise to seal the unit for storage. Turn the handle counterclockwise one quarter turn to lock the handle. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrate) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

---

## SUBLABEL 2

---

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **GENERAL PRECAUTIONS AND RESTRICTIONS:**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

#### **WHERE TO USE:**

**On Lawns:** This product is intended for use by homeowners as a spot treatment on lawns. This product should be applied only to the following species of turfgrass:

| Cool season turfgrass   | Warm season turfgrass                                    |
|---|--|
| Kentucky bluegrass<br>Perennial ryegrass<br>Fescue spp., including tall, red and fine leaf fescues  | Bermudagrass <sup>†</sup><br>Buffalograss<br>Zoysiagrass |
| <sup>†</sup> Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F. |  |

**DO NOT** use EH-1428 Herbicide for the following:

| Cool season turfgrass  | Warm season turfgrass   | Other areas  |
|--|---|--|
| Bentgrass, creeping<br>Bentgrass, 'Seaside'<br>Bentgrass, colonial | St. Augustinegrass<br>Bahia grass<br>Centipedegrass<br>Carpetgrass<br>Seashore paspalum | Lawns with desirable clovers or legumes<br>Dichondra<br>Vegetable gardens or fruits (food crops)<br>Ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs) |

#### **WHEN TO USE**

Generally, apply this product to actively-growing weeds during the early growth stages for the best results. Apply when daytime temperatures are between 45° and 90° F.

#### **SPRING AND EARLY SUMMER:**

- **Crabgrass (large and smooth):** Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 14-day interval between applications.
- **Foxtail (green, giant and yellow):** Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 14-day interval between applications.
- **Yellow nutsedge:** Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. The second application should follow the first application 14 days later.
- **Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweed) and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture.
- Use two applications with a 30-day interval between applications.

#### **FALL:**

- **Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.



**Note for weeds controlled:** Supplemental registrants may select broadleaf weeds from the list presented in the appendix and may include additional species on the container labels for different geographic regions.

**HOW TO USE:**

**Ready-To-Use:** No mixing. No measuring. No fuss.

**For Containers with Triggers Sprayers:** EH-1428 Herbicide is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Usually, two (2) pumps of this trigger sprayer will provide adequate coverage of individual weeds. Excessive spraying can injure some lawns.

**For Refill Containers:** EH-1428 Herbicide is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Excessive spraying can injure some lawns.

**USE PRECAUTIONS:**

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Avoid applications of this product when turfgrasses are under stress since injury may result

**CULTURAL TIPS:**

For newly seeded areas of Kentucky bluegrass, fine fescue blends and perennial ryegrass: Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas of bermudagrass and zoysiagrass:

The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

**Seeding:** Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

**Mowing:** Delay mowing 2 days before and until 2 days after the application of this product.

**STORAGE & DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area. Keep from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**LIMITED WARRANTY AND DISCLAIMER**

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

## **APPENDIX SUBLABEL 1**

### **1. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.**

- For use on Many Northern and Southern Grasses including Bluegrass, Fescue, Zoysia, Bermuda, and Perennial Ryegrass
- Kills the Weeds, not the Lawn
- Kills xx+ Weed Types Roots and All.
- Kills xx+ Weeds
- Kills weed roots
- Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
- Overnight results • Rainproof in hours • Rainproof in as little as 3 hours — won't wash away.
- Water-Based
- Especially effective on all types of hard-to-kill weeds
- Kills xx+ types of weeds • Kills weed roots! • Kills all major broadleaf weeds



[icon ]

- Clear-view measuring window
- For home lawn care.
- Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy
- Kills broadleaf weeds in lawns
- Kills all major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds
- [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.
- Kills Twice the Weeds! As listed on our Weed Stop product.
- Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
- New [improved] formula [now includes crabgrass control]
- All-in-one [complete] [total] [2-in-1] weed control [for lawns]
- [Now] kills [controls] crabgrass [yellow nutsedge] [foxtail]
- Kills [controls] all types of [lawn] weeds
- Targets the toughest [stubborn] weeds [crabgrass] [yellow nutsedge].
- 100% root kill
- Kills the toughest weeds - down to the root



[icon ]

- [Kills the root so] weeds won't come back
- Lawn-friendly formula
- Weed deadly. Lawn friendly.
- Kills weeds [including crabgrass] - not the lawn.



[icon ]

- For a weed-free lawn.
- Weed-free. Worry-free.
- No weeds. No worry.
- Starts working immediately
- Fast acting [formula]
- Destroys weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely - [down to the root].
- Long lasting [formula]
- [Works fast] on [hard-to-kill] weeds
- [Even] works in cold [and hot] weather [temperatures]
- Let [Weed Stop] [the liquid] do the weeding
- Kills on contact



[icon ]

- A simple [an easy] step towards a weed free lawn [yard]
- [Now] kills all types of weeds - [grassy or broadleaf]
- Won't Harm Lawns (when used as directed).
- Please read before use - level (diagram) - not level (diagram) When priming, hold sprayer level to the ground. If held at an angle, sprayer will not prime.
- EzSpray - Power Action Sprayer [batteries included]

**EFFICACY**

- Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Many Northern and Southern Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, Perennial ryegrass
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills all major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills all [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- Kills poison ivy and poison oak
- Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- [Complete] clover control [ as little as one week]
- Controls clover in one week
- Kills XX [ types of] [ brush and] weeds [roots and all]
- Kills weed roots
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on all types of hard-to-kill weeds [Superior results] [Kills more weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]

**SPEED**

- Overnight results
- [See] results in hours

- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

#### WEATHER

- [Cool][all] weather performance
- Proven [all] [cool] weather performance
- Performs in both hot and cold weather

#### RAINPROOF

- Rainproof — [For control that] won't wash away
- Can't be washed [away][off]
- Can't be washed [off by rain]
- [Rainfast][Rainproof] [in hours [Won't wash away]
- Rainproof — Won't wash away

#### OTHER

- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window
- For home lawn care
- For home lawns only
- For a beautiful, weed-free lawn
- Helps keep lawns weed-free
- Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed
- [U.S. Patent 6,849,579] patented formula
- Kills yellow nutsedge
- Visible results in 8 hours



- 
- Kills both broadleaf and grassy weeds
- Kills all types of weeds
- Rainfast in 3 hours



- Continuous Spray
- Increased Pressure for [5 Minute] Continuous Spray
- Up to 5 minutes of Continuous Spray
- Adjustable Spray Patterns [For Spot Application] [Covers Large Area]
- Extended Wand for Hard-to-Reach Areas
- Locking Trigger Reduces Hand Fatigue
- Easy Action Pump [Sprayer]
- No Assembly Required

**MEASUREMENT CALCULATIONS**

- Total lawn area in square feet = length x width.

**EQUAL MEASURES:**

- 1 fl.oz. = 2 Tablespoons = 6 Teaspoons (tsp.)
- 2 fl.oz. = 4 Tablespoons
- 4 fl.oz. = 1/2 cup; 16 fl. oz. = 1 pint;
- 8 fl.oz. = 1 cup; 32 fl. oz. = 1 quart

**PRODUCT FACTS What it Does: [optional info box]**

**What It Does:** Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

**Where to Use:** (icon weeds)

Lawns: Kills the weeds not the lawn

**When to Use:**

Apply when daytime temperatures are between 45° and 90°F.

**Questions & Comments:** (icon phone)(icon computer)

Call 1-800-xxx-xxxx or Visit our Website at [www.companyname.com](http://www.companyname.com)

**WEEDS**

|                          |                        |                             |                            |
|--------------------------|------------------------|-----------------------------|----------------------------|
| Amaranth, purple         | Cupid shaving brush    | Mugwort                     | Speedwell, common          |
| Amaranth, slender        | Cudweed                | Mustard, ball               | Speedwell, corn            |
| Aster, heath             | Daisy, English         | Mustard, black              | Speedwell, ivyleaf         |
| Aster, white heath       | Daisy, oxeye           | Mustard, blue               | Speedwell, Persian         |
| Aster, purple            | Dandelion, common      | Mustard, hedge              | Speedwell, purslane        |
| Aster, white prairie     | Dandelion, false       | Mustard, Indian,            | Speedwell, slender         |
| Artichoke                | Day flower             | Mustard, tansy              | Speedwell, snow            |
| Austrian fieldcress      | Deadnettle             | Mustard, tumble             | Speedwell, thymeleaf       |
| Bedstraw, catchweed      | Dichondra              | Mustard, white              | Spiny amaranth             |
| Bedstraw, smooth         | Dock, broadleaf        | Mustard, wormseed           | Spurge, spotted            |
| Bedstraw, northern       | Dock, curly            | Nettle, stinging (burning)  | Spurge, prostrate          |
| Bedstraw, pineywoods     | Dogbane                | Nettle, tall                | Spurweed                   |
| Beggarticks, hairy       | Dogfennel              | Nettle, wood                | Star of Bethlehem          |
| Betony, Florida          | Dollarweed             | Parsley-piert               | Strawberry, Indian mock    |
| Bindweed, Field          | (pennywort)            | Parsnip                     | Tansy ragwort              |
| Bindweed, hedge          | Doveweed               | Pearlwort                   | Tanweed                    |
| Bitter Wintercress       | Elderberry             | Pennycress (Frenchweed)     | Thistle, blessed           |
| Bittercress, hairy       | Falseflax              | Pepperweed, perennial       | Thistle, bull              |
| Bitterweed               | False sunflower        | Pepperweed, Virginia        | Thistle, Canada            |
| Black-eyed Susan         | Fiddleneck             | (peppergrass)               | Thistle, flodman (prairie) |
| Black medic              | Filaree, redstem       | Pigweed, prostate           | Thistle, musk              |
| Blood flower milkweed    | Filaree, whitestem     | Pigweed, redroot            | Thistle, platte            |
| Blue lettuce             | Fleabane, daisy        | Pigweed, Russian            | Thistle, plumeless         |
| Brassbuttons             | (annual)               | Pigweed, smooth             | Thistle, Russian           |
| Bristly oxtongue         | Fleabane, rough        | Pigweed, tumble             | Thistle, Scotch            |
| Broomweed                | Galinsoga, hairy       | Pineappleweed               | Thistle, wavyleaf          |
| Buckhorn                 | Galinsoga, smallflower | Plains coreopsis (tickseed) | Thistle, yellow (horrible) |
| Bullnettle               | Goldenrod              | Plantain, blackseed         | Trailing crownvetch        |
| Burclover                | Ground ivy             | Plantain, bracted           | Velvetleaf                 |
| Burdock                  | Groundsel              | Plantain, broadleaf         | Vervain, blue              |
| Burweed, lawn (spurweed) | Gumweed                | Plantain, buckhorn          | Vervain, hoary             |
| Buttercup, bulbous       | Hairy fleabane         | Plantain, hoary             | Vervain, prostrate         |
| Buttercup, creeping      | Hawkweed, meadow       | Plantain, narrowleaf        | Vervain, tall              |
| Buttonweed, common       | Hawkweed, mouseear     | Plantain, slender           | Vetch, bird                |
| (poorjoe)                | Hawkweed, orange       | Plantain, woolly            | Vetch, hairy               |

| WEEDS                              |                       |                                 |                              |
|------------------------------------|-----------------------|---------------------------------|------------------------------|
| Buttonweed, Virginia               | Hawkweed, yellow      | Poison ivy                      | Vetch, milk                  |
| Carolina geranium (wild)           | Healall               | Poison oak                      | Vetch, narrowleaf            |
| Carpetweed                         | Heartleaf drymary     | Pokeweed                        | Vetch, wild                  |
| Catnip                             | Hemp                  | Prairie sunflower               | Virginia creeper             |
| Catsear, spotted (false dandelion) | Henbit                | Prickly lettuce (compass plant) | Western clematis             |
| Chamber bitter                     | Hoary cress           | Prickly sida                    | Western salsify              |
| Chickweed, common                  | Horsenettle           | Prostrate knotweed              | Wild aster                   |
| Chickweed, mouseear                | Horseweed             | Puncturevine                    | Wild buckweat                |
| Chickweed, sticky                  | Jimsonweed            | Purslane, common                | Wild carrot                  |
| Chicory                            | Johnny-Jumpup violet  | Pusley, Brazil                  | Wild four-o'clock            |
| Cinquefoil                         | Knawel                | Pusley, Florida                 | Wild garlic                  |
| Clover, crimson                    | Knotweed, prostrate   | Pusley, large flower            | Wild lettuce                 |
| Clover, alsike                     | Kochia                | Ragweed, bur                    | Wild marigold                |
| Clover, hop                        | Lambsquarters         | Ragweed, common                 | Wild mustard (yellow rocket) |
| Clover, rabbit foot                | Lespedeza             | Ragweed, lanceleaf              | Wild onion                   |
| Clover, red                        | Mallow, alkali        | Ragweed, western                | Wild parsnip                 |
| Clover, strawberry                 | Mallow, bristly       | Redstem filaree                 | Wild radish                  |
| Clover, yellow sweet               | Mallow, common        | Rough cinquefoil                | Wild rape                    |
| Clover, white sweet                | Mallow, dwarf         | Scarlet pimpernel               | Wild strawberry              |
| Clover, white                      | Mallow, Venice        | Shepherdspurse                  | Wild sweet potato            |
| Cockle                             | Marcela               | Smartweed, ladysthumb           | Wild violet                  |
| Cocklebur                          | Matchweed             | Smartweed, pale                 | Woodsorrel, creeping         |
| Cocklebur, oriental                | Mexicanweed           | Smartweed, Pennsylvania         | Woodsorrel, violet           |
| Cocklebur, spiny                   | Moneywort             | Smooth chaff-flower             | Woodsorrel, yellow (Oxalis)  |
| Common mullein                     | Morningglory, bigroot | Smooth dock                     | Woolly croton                |
| Corn spurry                        | Morningglory, ivyleaf | Sorrel, red (sheep)             | Wormseed                     |
| Creeping beggarweed                | Morningglory, Mexican | Sowthistle, annual              | Yarrow, common               |
| Creeping Jenny (creeping Charlie)  | Morningglory, red     | Sowthistle, spiny               | Yarrow, western              |
|                                    | Morningglory, tall    | Spanish needles                 | Yarrow, yellow               |
|                                    | Morningglory, woolly  | Speedwell, bi-lobed             |                              |

## APPENDIX SUBLABEL 2

### 1. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.

|  |
|--|
| <p><b>PRODUCT FACTS [optional info box]</b><br/> <b>What It Does:</b> Kills major broadleaf and troublesome grass weeds Including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)</p> <p><b>Where to Use:</b> (icon weeds)<br/>         Lawns: Kills the weeds not the lawn</p> <p><b>When to Use:</b><br/>         Apply when daytime temperatures are between 45°F and 90°F.</p> <p><b>Questions &amp; Comments:</b> (icon phone) (icon computer)<br/>         Call 1-800-xxx-xxxx or Visit our Website at <a href="http://www.companyname.com">www.companyname.com</a></p> |
|--|

EH-1428 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:

|                                    |   |                   |                            |
|------------------------------------|---|-------------------|----------------------------|
| Aster, white heath & white prairie | Dogfennel   | Knotweed          | Purslane                   |
| Bedstraw                           | Dollarweed (*pennywort)                             | Lambsquarters     | Ragweed                    |
| Beggarweed, creeping               | False dandelion (*spotted catsear & common catsear) | Lawn burweed      | Redweed                    |
| Bindweed                           |   | Lespedeza, common | Red sorrel (*sheep sorrel) |
|                                    |   | Mallow, common    | Shepherdspurse             |

|                     |  |   |   |
|---------------------|--|---|---|
| Black medic         | Field bindweed<br>(*morningglory & creeping jenny) | Matchweed   | Spurge  |
| Broadleaf plantain  | Field oxeye-daisy<br>(*creeping oxeye)             | Mouseear chickweed                                | Thistle   |
| Buckhorn plantain   | Filaree, whitestem & redstem                       | Old world diamond flower                          | Virginia buttonweed   |
| Bull thistle        | Florida betony                                     | Oxalis (*yellow woodsorrel & creeping woodsorrel) | White clover (*Dutch clover, honeysuckle clover, white trefoil, & purplewort) |
| Burdock, common     | Florida pusley                                     | Parsley-piert                                     | Wild carrot   |
| Buttercup, creeping | Ground ivy   | Pennsylvania smartweed                            | Wild garlic   |
| Carpetweed          | Groundsel  | Pepperweed  | Wild geranium   |
| Chickweed, common   | Hawkweed   | Pigweed   | Wild lettuce  |
| Chicory             | Healall  | Pineappleweed                                     | Wild mustard  |
| Cinquefoil          | Henbit   | Plantain  | Wild onion  |
| Clover              | Innocence (Blue-eyed Mary)                         | Poison ivy  | Wild strawberry   |
| Curly dock          |  | Poison oak  | Yarrow  |
| Dandelion           |  | Prickly lettuce (*compass plant)                  | Yellow rocket   |
| Dayflower           |  | Puncturevine                                      | and many more broadleaf weeds   |
| Deadnettle          |  | Purple cudweed                                    |   |
| Dock                |  |   |   |
| *Synonyms           |  |   |   |

## **APPENDIX ALL SUBLABELS**

### **1. Statements which may appear on different label components depending on packaging configuration.**

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: \_\_\_\_\_
- EPA Est. No. \_\_\_\_\_
- [NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

## **DOCUMENT CONTROL INFORMATION**

1. **Unique Label Identifier:** 002217-00887.20100831.notif-proposed-highlighted.doc

2. **Reason for Issue:** Ad claims, restate DFU