

2217-916

11/17/2008

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOV 17 2008

James L. Kunstman, Ph.D.
Director of Regulatory Services
PBI/Gordon Corporation
Post Office Box 014090
Kansas City, Missouri 64101

RE: Notification of Alternate Brand Name: Gordon's Liquid Weed & Feed² 15-0-0
EPA Registration Number: 2217-916
Date of Submission: September 10, 2008

Dear Dr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 10, 2008, for the product DM 899 Liquid Weed and Feed II. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards, of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

Registration

Amendment

Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217-916	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DM 899 Liquid Weed and Feed II	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar to the registration and labeling to: EPA Reg. No. _____ Product Name NOV 17 2008	

Section - II

Amendment - Explain below.

Resubmission in response to Agency letter dated _____

Notification - Explain below.

Final printed labels in response to Agency letter dated **June 26, 2008**

"Me Too" Application.

Other - Explain below.

Timeline:

- **June 26, 2008**—Stamped "Accepted" Label, with comment letter
- **August 20, 2008**—submitted notification modifying range of application areas to reflect treatment area from 5,000 sq. ft. to 50,000 sq. ft., depending upon container size, and to add a single marketing claim.
- **September 10, 2008**--We ask to add the Additional Brand Name: **Gordon's Liquid Weed & Feed² 15-0-0**.
 - We are submitting a PDF copy of the container label, as requested in the Stamped "Accepted" cover letter dated June 26, 2008.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per Container
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container	4. Size(s) Retail Container 1 pint, 1 quart, 2 quarts, 1 Gallon, 2.5 Gallon	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James L. Kunstman, Ph.D.	Title Director of Regulatory Services	Telephone No. (Include Area Code) 816-460-6292
Certification <i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i>		6. Date Application Received (Stamped)
2. Signature 	3. Title Director of Regulatory Services	
4. Typed Name James L. Kunstman, Ph.D.	5. Date September 10, 2008	

3/4



LIQUID WEED & FERTILIZER² 15-0-0



*Perfect for
tank sprayer
applications*

*2.5 Gals. Covers
50,000 Sq. Ft.*

Control Broadleaf Weeds and Fertilize in One Step!

ACTIVE INGREDIENT:
 Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 4.51%
 Dimethylamine salt of (+)-R-2-(2-methyl-4-chlorophenoxy)propionic acid 2.33%
INERT INGREDIENTS: 93.16%
TOTAL 100.00%

THIS PRODUCT CONTAINS
 0.35 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 3.75%
 0.18 lb. (+)-R-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent
 per gallon or 1.93%
 Isomer Specific by AOAC Methods

GUARANTEED ANALYSIS FOR 15-0-0
 Total Nitrogen (N) 15%
 15% Urea Nitrogen
 Source: Derived From Urea

KEEP OUT OF REACH OF CHILDREN CAUTION

*See back panel for Precautionary Statements (Including First Aid)
and Directions for Use (Including Storage and Disposal).*

NET CONTENTS: 2.5 U.S. GALLONS (9.46 liters)
NET WEIGHT: 23 LBS., 6 OZ. (10.6 kg)

731/8-2008 FL #987



NOTIFICATION

NOV 17 2008



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse. Wear protective eyewear (if appropriate).

First Aid	
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information.	

Environmental Hazards:

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

OTHER USE PRECAUTIONS:

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85°F. Seed can be sown 3 to 4 weeks after application. Do not use on carpetgrass, dichondra, St. Augustinegrass, centipedegrass, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present. Do not exceed specified dosages for any area.

Do not apply as a fine mist because of potential for injury to desirable plants.

Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only.

- WEEDS -

- | | | |
|------------------|--------------------|-----------------------|
| Black medic | English Daisy | Pigweed |
| Dock | Knotweed | Plantain |
| Clover | Lambsquarters | Purslane |
| Common chickweed | Mallow | Ragweed |
| Dandelion | Mooseear chickweed | and many other |
| Dock | Oxalis | broadleaf lawn weeds. |

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>.

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.07 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your state agricultural extension agent for the proper amount of nitrogen to be applied in your area.

Gordon's Liquid Weed & Feed[®] should be supplemented with lawn fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your state agricultural extension agent concerning a regular fertilizer program.

WHERE TO USE: Gordon's Liquid Weed & Feed[®] may be used on bentgrass, bermudagrass, bluegrass, fescue lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. Gordon's Liquid Weed & Feed[®] controls most broadleaf weeds, including chickweed, clover, dandelion, knotweed and plantain.

WHEN TO USE:

- Use up to two (2) broadcast treatments during the growing season when weeds are actively growing.
- On new lawns, wait until the grass has reached a height of 2 inches before making a broadcast treatment. Wait 3 weeks after application before seeding or planting stolons.
- Poor weed control may result if spray is applied during drought or just before rain.
- For best results, mow 1 to 2 days before treating.
- Do not water lawn within 24 hours after treatment.

How much Gordon's Liquid Weed & Feed [®] to use: Mixing instructions for pull behind sprayers (Shake well before using)		
Mix . . .	in . . .	to cover
1 qt. (0.25 gal.)	5 gal. water	5,000 sq. ft.
2 qt. (0.5 gal.)	10 gal. water	10,000 sq. ft.
3 qt. (0.75 gal.)	15 gal. water	15,000 sq. ft.
4 qt. (1 gal.)	20 gal. water	20,000 sq. ft.
6 qt. (1.5 gal.)	30 gal. water	30,000 sq. ft.
8 qt. (2 gal.)	40 gal. water	40,000 sq. ft.
10 qt. (2.5 gal.)	50 gal. water	50,000 sq. ft.

Limitations on broadcast applications to turfgrass:

The maximum application rate is 32 fl. oz. of product per 5,000 sq. ft. per application (0.76 lbs. 2,4-D acid equivalent and 0.39 lb. MCP-P ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 64 fl. oz. of product per 5,000 sq. ft. (1.53 lbs. 2,4-D ae and 0.78 lb MCP-P ae per acre), excluding spot treatments.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

GORDON'S is a registered trademark of PBI/Gordon Corporation.

FL #987

731/8-2008 APO62608
EPA REG. NO. 2217-916
EPA EST. NO. 2217-KS-2

**MANUFACTURED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.pbigordon.com**



NOTIFICATION

NOV 17 2008