EPA Reg

2217-917

Term of Issuance:

Date of Issuance:

conditional

Number:

OCT 2008

Office of Pesticide Programs Registration Division (7505P) **Ariel Rios Building** 1200 Pennsylvania Ave., NW Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration

Reregistration (under FIFRA, as amended) Name of Pesticide Product:

EH-1462 Herbicide

Name and Address of Registrant (include ZIP Code):

PBI/Gordon Corporation

1217 West 12th Street

P.O. Box 014090

Kansas City, Missouri

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read: "EPA Reg. No. 2217-917."
 - b. Under the "First Aid' section:
 - i. According to the acute toxicity review an "oral statement" is not required, however, you may retain the statement.
- 3. Generate one year storage stability (830.6317) and corrosion characteristics (830.6320) data on the proposed product. It is required that the observations be made at 0, 3, 6, 9 and 12 month intervals. The results must be submitted to the Agency in electronic and hard copy format.

Submit one copy of the revised final printed label for the record. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA ... sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

vanne J. Miller

Signature of Approving Official:

Joanne I. Miller **Product Manager 23**

Herbicide Branch

Registration Division (7505P)

act

Label Language Common to All Sublabels

EH-1462 HERBICIDE

EPA Reg. No. 2217-YYY

| ACTIVE INGREDIENT: | |
|-----------------------------|-----------|
| MCPA, dimethylamine salt | 0.257% |
| Quinclorac | 0.118% |
| Dicamba, dimethylamine salt | |
| Sulfentrazone | 0.015% |
| INERT INGREDIENTS: | |
| TOTAL | 100 0000/ |

THIS PRODUCT CONTAINS:

- 0.018 lb. 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 0.210%
- 0.010 lb. 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.118%
- 0.002 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%
- 0.001 lb. N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl] phenyl]methanesulfonamide per gallon or 0.015%

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ACCEPTED with COMMENTS In EPA Letter Dated:

OCT 2 2008 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2217-917

| First Aid | |
|---------------|--|
| If swallowed: | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If in eyes: | Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice. |
| | ct container or label with you when calling a poison control center or doctor or going for may also contact 1-877-800-5556 for emergency medical treatment advice. |

Environmental Hazards

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwater or rinsate.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

SUBLABEL 1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

For home lawn care:

EH-1462 Herbicide is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red, and fine leaf varieties), bermudagrass¹, buffalograss and zoysiagrass.

Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F.

EH-1462 Herbicide should <u>not</u> be used on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, or carpetgrass. Do <u>not</u> use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)

[options for different size containers]

- This 32 fl.oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq.ft.
- This 128 fl.oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq.ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq.ft.

WEEDS CONTROLLED:

EH-1462 Herbicide will control or suppress the following broadleaf and grass weeds. Partial weed lists are presented below:

| Broadleaf Weeds | | | | |
|-----------------|----------------------|--------------------------|----------------|--|
| Bedstraw | Ground ivy | Morningglory | Redweed | |
| Black medic | Healall | Old world diamond flower | Sheep sorrel | |
| Buckhorn | Henbit | Peppergrass | Shepherdspurse | |
| Burdock | Innocence (Blue-eyed | Pigweed | Speedwell | |
| Chicory | Mary) | Plantain | Spurge | |
| Chickweed | Knotweed | Poison ivy | Wild carrot | |
| Clover | Lambsquarters | Poison oak | Wild garlic | |
| Corn speedwell | Lawn burweed | Purple cudweed | Wild lettuce | |
| Dandelion | Lespedeza | Purslane | Wild onion | |
| Dock | Mallow | Ragweed | Yarrow | |

| Grassy Weeds | | | |
|----------------------|---------------------------|-----------------|--|
| Crabgrass (large and | Foxtail (green, giant and | Yellow nutsedge | |
| smooth) | yellow) | | |

HAND SPRAYER PRODUCT

(Directions & Storage and Disposal)

- 1. Shake well.
- 2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.

- 3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)
- 4. Spray just enough [EH-1462 Herbicide] [product] to lightly cover [broadleaf and grass] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 90° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
- 5. Weeds will begin wilting and browning overnight.

USE TIPS

- > Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- Rainproof [Rain fast] rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be reapplied.]
- > Do not allow spray to drift onto desirable plants since injury may result.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

- 1. Shake well.
- 2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)
- 3. Spray just enough [EH-1462 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 90°F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
- 4. Weeds will begin wilting and browning overnight.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- Rainproof [Rain fast] rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.

[Optional Directions for Use]

CLAIMS, DIRECTIONS AND STORAGE AND DISPOSAL FOR THE POWER PUMP Patent Pending

[Revolutionary (NEW) Power Pump(TM) [Spray] • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger]

EH-1462 Herbicide kills more than [number] types of [grass and broadleaf] [lawn] weeds down to the root. [ALTERNATE: EH-1462 Herbicide kills all major [grass and broadleaf] [lawn] weeds down to the root. And EH-1462 Herbicide is formulated to kill only the weeds, not the lawn.] And the revolutionary Power Pump [Spray] eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump [Spray] works like a pressure sprayer - just pump it a few times and spray. And the Power Pump [Spray] can be refilled up to 5 times with EH-1464 Herbicide [brand name] for incredible value!

Use to Spot Treat: Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Crabgrass, Cudweed, Curly dock, Dandelion, Dollarweed, English daisy, Filaree, Fleabane, Foxtail, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarters, Lespedeza, Matchweed, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurse, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow, Yellow Nutsedge and more!

- 1. **CONNECT WAND HOSE TO POWER PUMP [SPRAY] BOTTLE.** Unwrap the wand. Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the small opening on the bottle. (graphic) Tightly screw the Green Hose Connector Cap onto the bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic)
- PRESSURIZE THE POWER PUMP [SPRAY]. Break off the Pump Handle "TAB" with your thumb. (graphic) Pump 20 to 30 times to build up pressure.
 NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump [Spray] pressurized.
- 3. SHAKE WELL. (graphic)
- 4. **SPRAY WEEDS.** Spray just enough [EH-1462 Herbicide] [product] to lightly cover [grass and broadleaf] weeds. **Excessive spraying can injure some lawns.**Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 90°F as lawn injury may occur. Spray only the weeds, not the entire lawn.
- 5. Weeds will begin wilting and browning overnight.

USE TIPS

- > Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications some weeds can take that long to die.
- Rainproof [Rain fast] rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- > Do not allow spray to drift onto desirable plants since injury may result.

REFILLING

The Power Pump [Spray] can be refilled up to 5 times with EH-1464 Herbicide. Add 8.5 fl.oz. (1 cup) of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix.

This dilution rate results in a product with the same strength as that supplied in the Power Pump [Spray] when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly

secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) IMPORTANT: Do not refill more than 5 times.

To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than EH-1464 Herbicide in this Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Always release pressure by unscrewing the pump cap before storing. Store in original container in an area inaccessible to children and pets.

Disposal: After 5 refills, rinse thoroughly. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this [brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[Optional Directions for Use]

DIRECTIONS FOR USE for Spectracide Weed Stop EzSPRAY(TM) applicator: EzSPRAY(TM) EASY SET UP

- 1. Remove sprayer from side holder. Gently pull tubing out.
- 2. Remove seal from top of cap. Unplug cap.
- 3. Securely snap the green plug into hole in cap.
- 4. Remove plastic tab near bottom of sprayer to activate batteries.
- 5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM.

[graphics included for each of the five steps above]

HOW TO USE THE EZSPRAY(TM)

- A. Aim toward target weeds/plants, and away from people and pets.
- B. Press the trigger to spray.
- C. Release the trigger to stop spray.

After use:

- 1. Twist nozzle completely to CLOSE position
- 2. Secure sprayer upright in holder.
- 3. Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.

To replace batteries:

- 1. Slide battery compartment door to unlatch and open.
- 2. Remove used batteries and insert four new AA batteries in correct positions as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. Always use a complete set of new batteries of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.
- Securely close battery compartment door.
- 4. Always follow manufacturer's recommendations for use and disposal of batteries.

Additional operating notes:

- Do not submerge in water
- Before each use inspect sprayer carefully—makes sure hose is flexible and not kinked, worn or cracked, and that all connections are tight.
- When storing sprayer for prolonged periods remove batteries.

REFILL DIRECTIONS

Refill only with EH-1464 Herbicide [brand name]. Remove cap. Carefully measure and mix 8.5 fl.oz. (1 cup) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

Additional advertising items to be included on EzSPRAY(TM) container label:

- Battery Powered [with graphic]
- EZSPRAY(TM) NO PUMPING NO PULLING NO FATIGUE!
- 4 AA Batteries Included! [with graphic]

STORAGE AND DISPOSAL

Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

Disposal: Do not reuse container except to refill (refer to REFILL DIRECTIONS). **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. **GUARANTEED RESULTS or your money back**. If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6 to 8 weeks for processing.

Questions or comments? Call toll free 1-800-xxx-xxxx. [telephone number, address, website information for supplemental registrant or distributor].

SUBLABEL 2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

WHERE TO USE:

On Lawns: This product is intended for use by homeowners as a spot treatment on lawns. This product should be applied only to the following species of turforass:

| Cool season turfgrass | Warm season turfgrass | |
|--|---------------------------|--|
| Kentucky bluegrass | Bermudagrass ¹ | |
| Perennial ryegrass | Buffalograss | |
| Fescue spp., including tall, red and fine leaf fescues | Zoysiagrass | |
| ¹ Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. D | | |
| not apply to bermudagrass when daytime temperatures exceed 85° F. | | |

DO NOT use EH-1462 Herbicide for the following:

| Cool season turfgrass | Warm season turfgrass | Other areas |
|-----------------------|-----------------------|--|
| Bentgrass, creeping | St. Augustinegrass | Lawns with desirable clovers or legumes |
| Bentgrass, 'Seaside' | Bahiagrass | Dichondra |
| Bentgrass, colonial | Centipedegrass | Vegetable gardens or fruits (food crops) |
| _ | Carpetgrass | Ornamentals (flowers, trees, groundcovers, hedges, |
| | Seashore paspalum | landscape/flower beds and shrubs) |

WHEN TO USE

Generally, apply this product to actively-growing weeds during the early growth stages for the best results. Two or more applications at 14 day intervals throughout the season may be required for grass weeds. Apply when daytime temperatures are between 45° and 90° F.

SPRING AND EARLY SUMMER:

- Crabgrass (large and smooth): Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 14-day interval between applications.
- Foxtail (green, giant and yellow): Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 14-day interval between applications.
- **Yellow nutsedge:** Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. The second application should follow the first application 14 days later.
- Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweeed) and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

FALL:

 Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results. **Note for weeds controlled:** Supplemental registrants may select broadleaf weeds from the list presented in the appendix and may include additional species on the container labels for different geographic regions.

HOW TO USE:

Ready-To-Use: No mixing. No measuring. No fuss.

For Containers with Triggers Sprayers: EH-1462 Herbicide is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Usually, two (2) pumps of this trigger sprayer will provide adequate coverage of individual weeds. Excessive spraying can injure some lawns.

For Refill Containers: EH-1462 Herbicide is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Excessive spraying can injure some lawns.

USE PRECAUTIONS:

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Avoid applications of this product when turfgrasses are under stress since injury may result

CULTURAL TIPS:

For newly seeded areas of Kentucky bluegrass, fine fescue blends and perennial ryegrass: Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas of bermudagrass and zoysiagrass: The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding: Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Mowing: Delay mowing 2 days before and until 2 days after the application of this product.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or toll free number (1-800-XXX-XXX) for disposal instructions. Never place unused product down any indoor or outdoor drain.

<u>APPENDIX</u>

- 1. Statements which may appear on different label components depending on packaging configuration.
 - See next panel for additional Precautionary Statements and First Aid

| • | Net Contents: | |
|---|---------------|--|
| | CDA Cat Na | |

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

SUBLABEL 1:

- For use on Many Northern and Southern Grasses including Bluegrass, Fescue, Zoysia, Bermuda, and Perennial Ryegrass
- Kills the Weeds, not the Lawn
- Kills xx+ Weed Types Roots and All.
- Kills xx+ Weeds
- · Kills weed roots
- Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back.
 See Results in Hours.
- Overnight results Rainproof in hours Rainproof in as little as 3 hours won't wash away.
- Water-Based
- Especially effective on all types of hard-to-kill weeds
- Kills xx+ types of weeds Kills weed roots! Kills major broadleaf weeds
- Clear-view measuring window
- · For home lawn care.
- Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy
- · Kills broadleaf weeds in lawns
- Kills major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds
- [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.
- Kills Twice the Weeds! As listed on our Weed Stop product.
- Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
- New [improved] formula [now includes crabgrass control]
- All-in-one [complete] [total] [2-in-1] weed control [for lawns]
- [Now] kills [controls] crabgrass [yellow nutsedge] [foxtail]
- Kills [controls] types of [lawn] weeds
- Targets the toughest [stubborn] weeds [crabgrass] [yellow nutsedge].
- 100% root kill
- Kills the toughest weeds down to the root
- [Kills the root so] weeds won't come back
- · Lawn-friendly formula
- Weed deadly. Lawn friendly.
- Kills weeds [including crabgrass] not the lawn.
- For a weed-free lawn.
- Weed-free. Worry-free.
- No weeds. No worry.
- Starts working immediately
- Fast acting [formula]
- Destroys weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely [down to the root].
- Long lasting [formula]
- [Works fast] on [hard-to-kill] weeds
- [Even] works in cold [and hot] weather [temperatures]
- · Let [Weed Stop] [the liquid] do the weeding
- Kills on contact
- A simple [an easy] step towards a weed free lawn [yard]
- [Now] kills types of weeds [grassy or broadleaf]
- Won't Harm Lawns (when used as directed).

EFFICACY

- · Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Many Northern and Southern Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, Perennial ryegrass
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills [major] broadleaf weeds
- · Kills broadleaf weeds in lawns
- · Kills poison ivy and poison oak
- · Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- · Clobbers clover
- [Complete] clover control [as little as one week]
- · Controls clover in one week
- Kills XX [types of] [brush and] weeds [roots and all]
- · Kills weed roots
- · Kills the root
- Kills weed roots!
- · Kills more weeds
- · Kills tough lawn weeds
- Especially effective on types of hard-to-kill weeds [Superior results] [Kills more weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]

SPEED

- · Overnight results
- [See] results in hours
- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

WEATHER

- [Cool][all] weather performance
- Proven [all] [cool] weather performance
- · Performs in both hot and cold weather

RAINPROOF

- Rainproof [For control that] won't wash away
- Can't be washed [away][off]
- Can't be washed [off by rain]
- [Rainfast][Rainproof] [in hours [Won't wash away]
- Rainproof Won't wash away '

OTHER

- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window

- · For home lawn care
- For home lawns only
- For a beautiful, weed-free lawn
- Helps keep lawns weed-free
- · Ideal for spot treating individual lawn weeds
- · Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- · For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed
- · Kills yellow nutsedge
- Visible results in 8 hours
- · Kills both broadleaf and grassy weeds
- · Kills types of weeds
- · Rainfast in 3 hours

EQUAL MEASURES:

- 1 fl.oz. = 2 Tablespoons = 6 Teaspoons (tsp.)
- 2 fl.oz. = 4 Tablespoons
- 4 fl.oz. = 1/2 cup
- 8 fl.oz. = 1 cup
- 16 fl.oz. = 1 pint
- 32 fl.oz. = 1 quart

PRODUCT FACTS What it Does: [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the weeds not the lawn

When to Use:

Apply when daytime temperatures are between 45° and 90°F.

Questions & Comments: (icon phone)(icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

| WEEDS | · · · · · · · · · · · · · · · · · · · | | |
|-----------------------------------|---------------------------------------|---|--|
| Amaranth, purple | Cupid shaving brush | Mustard, ball | Speedwell, common : |
| Amaranth, slender | Cudweed | Mustard, black | Speedwell, corn |
| Aster, heath | Daisy, English | Mustard, blue | Speedwell, ivyleaf |
| Aster, white heath | Daisy, oxeye | Mustard, hedge | Speedwell, Persian |
| Aster, purple | Dandelion, common | Mustard, Indian, | Speedwell, purslane |
| Aster, white prairie | Dandelion, false | Mustard, tansy | Speedwell, slender |
| Artichoke | Day flower | Mustard, tumble | Speedwell, snow |
| Austrian fieldcress | Deadnettle | Mustard, white | Speedwell, thymeleaf |
| Bedstraw, catchweed | Dichondra | Mustard, wormseed | Spiny amaranth |
| Bedstraw, smooth | Dock, broadleaf | Nettle, stinging (burning) | Spurge, spotted |
| Bedstraw, northern | Dock, curly | Nettle, tall | Spurge, prostrate |
| Bedstraw, pineywoods | Dogbane | Nettle, wood | Spurweed |
| Beggarticks, hairy | Dogfennel | Parsley-piert | Star of Bethlehem |
| Betony, Florida | Dollarweed (pennywort) | Parsnip | Strawberry, Indian mock |
| Bindweed, Field | Doveweed | Pearlwort | Tansy ragwort |
| Bindweed, hedge | Elderberry | Pennycress (Frenchweed) | Tanweed |
| Bitter Wintercress | Falseflax | Pepperweed, perennial | Thistle, blessed |
| Bittercress, hairy | False sunflower | Pepperweed, Virginia | Thistle, bull |
| Bitterweed | Fiddleneck | (peppergrass) | Thistle, Canada |
| Black-eyed Susan | Filaree, redstem | Pigweed, prostate | Thistle, flodman (prairie) |
| Black medic | Filaree, whitestem | Pigweed, redroot | Thistle, musk |
| Blood flower milkweed | Fleabane, daisy (annual) | Pigweed, Russian | Thistle, platte |
| Blue lettuce | Fleabane, rough | Pigweed, smooth | Thistle, plumeless |
| Brassbuttons | Galinsoga, hairy | Pigweed, tumble | Thistle, Russian |
| Bristly oxtongue Broomweed | Galinsoga, smallflower Goldenrod | Pineappleweed Plains coreopsis (tickseed) | Thistle, Scotch Thistle, wavyleaf |
| Buckhorn | Ground ivy | Plantain, blackseed | Thistle, wavylear Thistle, yellow (horrible) |
| Bullnettle | Groundsel | Plantain, bracted | Trailing crownvetch |
| Burclover | Gumweed | Plantain, broadleaf | Velvetleaf |
| Burdock | Hairy fleabane | Plantain, broadical | Vervain, blue |
| Burweed, lawn (spurweed) | Hawkweed, meadow | Plantain, hoary | Vervain, hoary |
| Buttercup, bulbous | Hawkweed, mouseear | Plantain, narrowleaf | Vervain, prostrate |
| Buttercup, creeping | Hawkweed, orange | Plantain, slender | Vervain, tall |
| Buttonweed, common (poorjoe) | Hawkweed, yellow | Plantain, woolly | Vetch, bird |
| Buttonweed, Virginia | Healall | Poison ivy | Vetch, hairy |
| Carolina geranium (wild) | Heartleaf drymary | Poison oak | Vetch, milk |
| Carpetweed | Hemp | Pokeweed | Vetch, narrowleaf |
| Catnip | Henbit | Prairie sunflower | Vetch, wild |
| Catsear, spotted (false | Hoary cress | Prickly lettuce (compass plant) | Virginia creeper |
| dandelion) | Horsenettle | Prickly sida | Western clematis |
| Chamber bitter | Horseweed | Prostrate knotweed | Western salsify |
| Chickweed, common | Jimsonweed | Puncturevine | Wild aster |
| Chickweed, mouseear | Johnny-Jumpup violet | Purslane, common | Wild buckweat |
| Chickweed, sticky | Knawel | Pusley, Brazil | Wild carrot |
| Chicory | Knotweed, prostrate | Pusley, Florida | Wild gorlin |
| Cinquefoil Clover, crimson | Kochia Lambsquarters | Pusley, large flower Ragweed, bur | Wild garlic Wild lettuce |
| Clover, crimson Clover, alsike | Lespedeza | Ragweed, common | Wild marigold |
| Clover, hop | Mallow, alkali | Ragweed, lanceleaf | Wild mustard (yellow rocket) |
| Clover, rabbit foot | Mallow, bristly | Ragweed, western | Wild onion |
| Clover, red | Mallow, common | Redstem filaree | Wild parsnip |
| Clover, strawberry | Mallow, dwarf | Rough cinquefoil | Wild radish |
| Clover, strawberry | Mallow, Venice | Scarlet pimpernel | Wild rape |
| Clover, white sweet | Marcela | Shepherdspurse | Wild strawberry |
| Clover, white | Matchweed | Smartweed, ladysthumb | Wild sweet potato |
| Cockle | Mexicanweed | Smartweed, pale | Wild violet |
| Cocklebur | Moneywort | Smartweed, Pennsylvania | Woodsorrel, creeping |
| Cocklebur, oriental | Morningglory, bigroot | Smooth chaff-flower | Woodsorrel, violet |
| Cocklebur, spiny | Morningglory, ivyleaf | Smooth dock | Woodsorrel, yellow (Oxalis) |
| Common mullein | Morningglory, Mexican | Sorrel, red (sheep) | Woolly croton |
| Corn spurry | Morningglory, red | Sowthistle, annual | Wormseed |
| Creeping beggarweed | Morningglory, tall | Sowthistle, spiny | Yarrow, common |
| Creeping Jenny (creeping | Morningglory, woolly | Spanish needles | Yarrow, western |
| Charlie) | Mugwort | Speedwell, bi-lobed | Yarrow, yellow |

SUBLABEL2:

PRODUCT FACTS [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds Including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the weeds not the lawn

When to Use:

Apply when daytime temperatures are between 45°F and 90°F.

Questions & Comments: (icon phone) (icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

EH-1462 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:

| 2010111 | | | |
|----------------------------|---------------------------|----------------------------|------------------------------|
| Aster, white heath & white | Dollarweed (*pennywort) | Lawn burweed | Ragweed |
| prairie | False dandelion (*spotted | Lespedeza, common | Redweed |
| Bedstraw | catsear & common catsear) | Mailow, common | Red sorrel (*sheep sorrel) |
| Beggarweed, creeping | Field bindweed | Matchweed | Shepherdspurse |
| Bindweed | (*morningglory & creeping | Mouseear chickweed | Spurge |
| Black medic | jenny) | Old world diamond flower | Thistle |
| Broadleaf plantain | Field oxeye-daisy | Oxalis (*yellow woodsorrel | Virginia buttonweed |
| Buckhorn plantain | (*creeping oxeye) | & creeping woodsorrel) | White clover (*Dutch clover, |
| Bull thistle | Filaree, whitestem & | Parsley-piert | honeysuckle clover, white |
| Burdock, common | redstem | Pennsylvania smartweed | trefoil, & purplewort) |
| Buttercup, creeping | Florida betony | Pepperweed | Wild carrot |
| Carpetweed | Florida pusley | Pigweed | Wild garlic. |
| Chickweed, common | Ground ivy | Pineappleweed | Wild geranium |
| Chicory | Groundsel | Plantain | Wild lettuce |
| Cinquefoil | Hawkweed | Poison ivy | Wild mustard |
| Clover | Healall | Poison oak | Wild onion |
| Curly dock | Henbit | Prickly lettuce (*compass | Wild strawberry |
| Dandelion | Innocence (Blue-eyed | plant) | Yarrow |
| Dayflower | Mary) | Puncturevine | Yellow rocket |
| Deadnettle | Knotweed | Purple cudweed | and many more broadleaf . |
| Dock | Lambsquarters | Purslane | weeds |
| Dogfennel | | <u> </u> | · |
| *Synonyms | | | _ |

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00YYY.20080318.doc

2. Previous Version: None

3. Reason for Issue: New Registration