



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 10, 2025

Eric Smith
Vice President of Regulatory, Formulation, & GLP
PBI/Gordon Corporation
22701 W. 68th Terrace
Shawnee, KS 66226-3567

Subject: Notification per PRN 98-10 – Addition of Alternate Warranty/Guarantee
Statement Similar to Existing Warranty Statement
Product Name: EH-1462 HERBICIDE
EPA Registration Number: 2217-917
Application Date: August 19, 2025
Case Number: 665751

Dear Eric Smith:


The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Carmen Rodia via e-mail at Rodia.Carmen@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Carmen J. Rodia, Jr.", with a stylized, cursive script.

Carmen J. Rodia, Jr., Senior Risk Manager
Invertebrate & Vertebrate Branch 2
Registration Division (7505T)

Enclosure: Stamped "NOTIFICATION" Label, September 10, 2025

NOTIFICATION

2217-917

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/10/2025

EH-1462 HERBICIDE

EPA Reg. No. 2217-917

Two sublabels represent the entire or master label of EH-1462 Herbicide. Please refer to the appropriate section of the labeling as shown as follows:

Section
Label language common to all sublabels
Sublabel 1. Residential Turf Use with Multiple RTU Sprayer Configurations
Sublabel 2. Residential Turf Use with RTU Trigger Sprayer
Appendix
Document Control Information

See back [next] panel for additional Precautionary Statements and First Aid [OR See back panel booklet [inside pages] for additional Precautionary Statements and First Aid.]

Net Contents: _____

EPA Est. No. _____

Company Name and Address:

PBI/Gordon Corporation
P.O. Box 860350
Shawnee, KS 66286



{Label text may also appear all or in part in [a foreign language] [insert one or more foreign language] in addition to English.}

Label Language Common To All Sublabels

EH-1462 HERBICIDE

EPA Reg. No. 2217-917

ACTIVE INGREDIENTS:

MCPA, dimethylamine salt	0.257%
Quinclorac	0.118%
Dicamba, dimethylamine salt	0.029%
Sulfentrazone	0.015%
OTHER INGREDIENTS:	99.581%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 0.018 lb 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 0.210%
- 0.010 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.118%
- 0.002 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%
- 0.001 lb N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide per gallon or 0.015%

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	<ul style="list-style-type: none">Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a poison control center for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.	

Environmental Hazards

This product is toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Groundwater Advisory: MCPA is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

Non-target Organism Advisory Statement: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by minimizing spray drift.


SUBLABEL 1

Residential Turf Use with Multiple RTU Sprayer Configurations

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- [ Optional Icon] Do not allow people or pets to enter treated area until spray has dried.
- The maximum application rate is 1 gallon of product per 1,000 sq.ft. per application. [(0.78 lb MCPA ae, 0.44 lb Quinclorac, 0.09 lb Dicamba ae, and 0.04 lb Sulfentrazone ai per acre per application)]
- The number of spot treatments is limited to 2 per year with a minimum of 21 days between applications.

PRECAUTIONS

- EH-1462 Herbicide is a ready-to-use (RTU) product intended for “spot” treatment of individual broadleaf and grass weeds by homeowners on residential lawns.
- This product may be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red, and fine leaf varieties), bermudagrass¹, buffalograss and zoysiagrass.
- ¹ Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F.
- EH-1462 Herbicide should **not** be used on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, or carpetgrass.
- Do **not** use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)
- Spray just enough [EH-1462 Herbicide] [product] to lightly cover [broadleaf and grass] weeds.
Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.

[options for different size containers]

- This 32 fl.oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq.ft.
- This 128 fl.oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq.ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq.ft.

WEEDS CONTROLLED:

EH-1462 Herbicide will control or suppress the following broadleaf and grass weeds. Partial weed lists are presented below:

Broadleaf Weeds			
Bedstraw	Ground ivy	Morningglory	Redweed
Black medic	Healall	Old world diamond flower	Sheep sorrel
Buckhorn	Henbit	Peppergrass	Shepherdspurse
Burdock	Innocence (Blue-eyed	Pigweed	Speedwell
Chicory	Mary)	Plantain	Spurge
Chickweed	Knotweed	Poison ivy	Wild carrot
Clover	Lambsquarters	Poison oak	Wild garlic
Corn speedwell	Lawn burweed	Purple cudweed	Wild lettuce
Dandelion	Lespedeza	Purslane	Wild onion
Dock	Mallow	Ragweed	Yarrow

Grassy Weeds			
Crabgrass (large and smooth)	Foxtail (green, giant and yellow)	Yellow nutsedge	

[Note to Reviewer: The following section was copied from existing text in Sublabel 2.]

WHEN TO USE

Apply this product to actively-growing weeds during the early growth stages for the best results. Two applications at 21 day intervals throughout the season may be required for grass weeds. Apply when daytime temperatures are between 45° and 90° F.

[Optional additional text for more specific timing]

SPRING AND EARLY SUMMER:

- Crabgrass (large and smooth): Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 21 day interval between applications.
- Foxtail (green, giant and yellow): Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 21 day interval between applications.
- Yellow nutsedge: Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. Do not apply the second application until 21 days after the first application.
- Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweed) and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

FALL:

- Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.

[Applicator Option 1]

HAND/TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. [Connect trigger sprayer.] Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the sprayer [cap] securely.
3. Prime Sprayer: [Turn the sprayer nozzle one-half turn counter-clockwise][Rotate nozzle to desired setting]. [Hold the sprayer lower than the bottle and] squeeze the trigger several times until it sprays. [Adjust the nozzle to coarse spray pattern to minimize wind drift.] (graphic)
4. [Squeeze trigger [slowly/fully] [to spray/for fast, continuous coverage].
5. [Weeds will begin wilting and browning overnight.]

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications -- some weeds can take that long to die.
- Rainproof [Rain fast] – rain or watering 3 hours or longer after application will not wash away effectiveness. Do not apply if rain is expected to occur within 3 hours after application.
- Do not allow spray to drift onto desirable plants since injury may result.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your

local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Applicator Option 2]

TRIGGER SPRAYER PRODUCT

(Directions & Storage and Disposal)

1. Shake well.
2. Rotate nozzle to desired setting. [Adjust nozzle to coarse spray pattern to minimize wind drift.] (graphic)
3. Squeeze the trigger several times until it sprays.
4. [Squeeze trigger [slowly/fully] [to spray/for fast, continuous coverage]
5. [Weeds will begin wilting and browning overnight.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 3 weeks between applications — some weeds can take that long to die.
- Rainproof [Rain fast] – rain or watering 3 hours or longer after application will not wash away effectiveness. Do not apply if rain is expected within 3 hours after application.
- Do not allow spray to drift onto desirable plants since injury may result.

[Applicator Option 3]

QUICK CONNECT SPRAYER [Slow Hand] [insert graphics]

1. Shake Well.
2. Remove [the] sprayer. Pull cord/tubing ALL THE WAY OUT.
3. [Turn/twist/slide [switch on] trigger/nozzle to unlock.][Unlock trigger]
4. Insert [insert color] plug into [spout/knob/opening] on cap [until it clicks].
5. Flip up spout. **Alternative Text:** [Flip up [insert color] spout until fully upright.] [Twist [spout/knob] to ON.] [Pull spout up.] [Open/Adjust] nozzle [at end of sprayer] to the desired spray setting [(foam or spray)].
6. Squeeze the trigger several times until it sprays. [Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)]
7. [Squeeze trigger [slowly/fully] [to spray/for fast, continuous coverage.]

[Applicator Option 4]

PUMP 'N GO [2] [insert graphics]

Instructions for Printing on the Wand and Handle:

Wand: STORAGE POSITION Push button and pull nozzle end. Extend to spray position. [insert arrow graphic] SPRAY POSITION

Handle: [insert arrow graphic] RELEASE PRESSURE AFTER USE. Push handle to cap & turn. RETIGHTEN.

1. **CUT [insert graphics]**
Carefully cut the [insert number/two] [insert color/white] zip ties securing the hose and pump handle with scissors. Use caution not to cut the [insert color/white] hose.
2. **CONNECT [insert graphics]**
Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks into place.
3. **EXTEND WAND [insert graphics]**
Lift sprayer wand off bottle. Push [insert color/yellow] button while pulling out on the wand nozzle tip. Fully extend wand until [insert color/yellow] button snaps into SPRAY POSITION. **NOTE:** [insert color/white] trigger will not function until wand is fully extended and [insert color/yellow] button is visible in the SPRAY POSITION.
4. **PUMP [insert graphics]**
Make sure handle is screwed on **tightly** or the bottle will not pressurize. Pump container [insert number of pumps to prime/X to Y] times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. **NOTE:** This bottle is designed to expand under pressure and cannot be over-pressurized.
5. **SPRAY [insert graphics]**
Aim wand. Spray by pushing down [insert color/white] trigger with thumb. Adjust spray pattern by rotating [insert color/white] nozzle tip up to one-half rotation. Spray weeds [and grasses] until **thoroughly wet**.
6. **STORE [insert graphics]**
When finished spraying, push the [insert color/yellow] button and [retract/push] the wand until the [insert color/yellow] button snaps back into the original storage position. Place wand back onto [the top of] the bottle [in the integrated holster] with nozzle [facing down/tip extended through the eyelet opening].
7. **DEPRESSURIZE [insert graphics]**
Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store.

[Applicator Option 5]

BATTERY OPERATED SPRAYER with Wand [insert graphics]

Wand Safety Sticker or Printed on the Handle: Always lock after use. **Alternative Text:** [Always lock sprayer when opening and closing] [insert icons]

[insert illustration or photo]

1. **Remove [insert graphics]**
 - Remove [wand/insert applicator name] [from] [side/carrier/holder/clip/bottle].
 - Pull connector by slightly twisting from [side/carrier/holder/clip/bottle] and unwrap hose completely.
 - Remove protective strip from battery compartment to activate batteries.
2. **Connect [insert graphics]**
 - Insert [insert color] plug at end of hose into [insert color] [spout/knob/opening] on cap until it clicks. Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout until fully upright.] [Twist [spout/ knob] to ON.] [Pull spout up.] [Spout must remain up while spraying.]
3. **Extend [insert graphics]**
 - Flip open [wand/insert applicator name] until it clicks and locks into position.
4. **Spray [insert graphics]**
 - Slide trigger lock on [wand/insert applicator name] handle to the unlocked position.
 - Twist nozzle to desired spray pattern.

- Point [insert applicator name] nozzle away from body and hold [insert color] trigger for continuous spray.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of [wand/insert applicator name] with a small screwdriver [illustration]. [insert graphics]

Remove used batteries and replace with [insert number] new [AA/alkaline] batteries [in correct position as marked inside battery compartment] [or per illustration]. [insert graphics]

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

[Applicator Option 6]

BATTERY OPERATED SPRAYER with Extendable Wand [insert graphics]

Wand Safety Sticker or Printed on the Handle: Always lock after use. **Alternative Text:** [Always lock sprayer when opening and closing] [insert icons]
[insert illustration or photo]

1. Remove [insert graphics]

- Remove [wand/insert applicator name] [from] [side/carrier/holder/clip/bottle].
- [Pull connector by slightly twisting from [side/carrier/holder/clip/bottle] and unwrap hose completely.]
- Remove protective strip from battery compartment to activate batteries.

2. Connect [insert graphics]

- Insert [insert color] plug at end of hose into [insert color] [spout/knob/opening] on cap until it clicks. Flip up spout. **Alternative Text:** [Flip up [insert color] spout until fully upright.] [Twist [spout/ knob] to ON.] [Pull spout up.] [Spout must remain up while spraying.]
- [Remove [protective] [cone/ dome/guard/shield] [from side clip/from bottle] and attach over nozzle [for targeted application].

3. Extend [insert graphics]

- Flip open [wand/insert applicator name] until it clicks and locks into position.
- [Extend [wand/fully]].

4. Spray [insert graphics]

- Slide trigger lock on [wand/insert applicator name] handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- Point [insert applicator name] nozzle away from body and hold [insert color] trigger for continuous spray.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of [wand/insert applicator name] with a small screwdriver [insert illustration].

Remove used batteries and replace with [insert number] new [AA/alkaline] batteries [in correct position as marked inside battery compartment] [or per illustration]. [insert graphics]

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix

alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

[Applicator Option 7]

PRIMO/QUICKHAND/QUICK HAND [SPRAYER] [insert graphics]

1. Shake Well
2. [Remove [color] pull strip to activate batteries].
3. Turn [sprayer] nozzle to desired spray/spray pattern/ "On"/spray pattern descriptor.
4. [Slide/push/rotate [color] trigger lock to "Off"]
5. Press/Squeeze trigger to spray. [Aim at center of weed and spray to lightly cover.]
6. [Slide/push/rotate trigger lock to "On"].
7. [Turn/rotate [sprayer] nozzle to "OFF"/X].

[Optional Sections for Battery Operated Sprayers Only]

IMPORTANT SPRAYER INFORMATION

- Read and follow all directions before use.
- [insert applicator name] is to be used only with Roundup brand products with a quick-connect cap.
- [insert applicator name] may not be compatible with other products.
- Do not drop or throw sprayer.
- Do not [submerge/immerse] sprayer in water. Never place sprayer in dishwasher.
- Do not use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.
- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge [insert applicator name] of liquid for winter storage or place [wand/insert applicator name] in a heated storage area.

TROUBLESHOOTING SECTION FOR BATTERY OPERATED SPRAYER

[Troubleshooting Section for [Battery Powered/Comfort Wand/One-Touch Wand/Extendable Wand/Sure Shot Wand/Insert Applicator Name] Directions]

Troubleshooting Tips:

Problem: Sprayer does not [spray/function].

Possible Cause: Batteries not installed properly.

Solution: See instructions for correct battery placement.

Problem: Sprayer makes a straining noise. [Sprayer runs but no product comes out].

Possible Cause: Nozzle is turned Off.

Solution: Twist nozzle to desired spray pattern.

Possible Cause: [insert color] plug at end of hose is not [flipped up/open].

Solution: Insert [insert color] plug at end of hose into [insert color] [spout/knob/opening] on cap until it clicks and [flip up spout.] [flip up [insert color] spout until fully upright.] [twist [spout/knob] to ON.] [pull spout up.]

Possible Cause: Sprayer is not primed.

Solution: Press and hold button on sprayer for about [10/15/20/30] seconds to prime the sprayer.

Problem: Spray pattern is weak [or uneven]. [Product flow is uneven or dribbles out of nozzle.]

Possible Cause: Weak batteries.

Solution: Install a fresh set of alkaline batteries.

Possible Cause: [insert color] plug at end of hose is not in the fully upright position.
Solution: Insert [insert color] plug at end of hose into [insert color] [spout/knob/opening] on cap until it clicks. [Attach coupler to the cap] and [flip up spout.] [flip up [insert color] spout until fully upright.] [twist [spout/knob] to ON.] [pull spout up.]

Possible Cause: Nozzle not fully open.
Solution: Twist nozzle to desired spray pattern.

[Optional Sections for Refill and Refillable Containers Only]

[Option 1:] [HOW TO [USE] REFILL]

For Ready-To-Use Containers with Applicators Intended to be Reused/Refilled

To refill this empty container, pour product carefully and directly from the [insert brand name] container designated as the ready-to-use refill container. DO NOT add water.

[Option 2:] [HOW TO [USE] REFILL]

[This product can be used as a refill in [2/ two] ways:] [1.] Use this product to refill the empty [insert brand name/insert packaging type] container by pouring product carefully and directly into the container. DO NOT add water. [[2.] [Insert Applicator Name] can be reused with this [refill] [bottle/ container]. Follow the instructions below:]

[PRIMO/QUICKHAND/QUICK HAND][SPRAYER]

1. Grab [base/ribbing] to [Unscrew/Remove] [sprayer/ applicator] off from bottle.
2. Remove cap from [Rigid/bottle] refill.
3. Insert [sprayer/applicator] into [Rigid/bottle] refill.
4. [Screw/tighten] [sprayer/applicator] back onto bottle by grabbing the [base/ribbing] of the [sprayer/applicator].

[Wand/trigger/QCT]

1. Remove [insert color] [connector/ plug] from [cap/closure].
2. Remove wand [assembly/holder/ clip] from empty bottle lug by pushing up.
3. [Move/attach] wand [assembly/ holder/clip] to [rigid/refill] bottle by clipping onto lug.
4. Insert [insert color] plug into [spout/knob/opening] on [cap/closure] of refill bottle

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:

[Only for battery operated sprayer containers:] Flip spout down. **Alternative Text:** [Close [insert color] spout on cap.] [Twist [spout/knob] to OFF.] [Push spout down]. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Twist sprayer nozzle to the OFF position. [Engage trigger lock.]

[Retract and] Flip the [wand/insert applicator name] closed and place in side [carrier/clip/holder]. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

[Only for non-sprayer (refill) containers:] Store product in original container in a safe place away from direct sunlight. [If a wand/applicator has been attached to refill bottle:][Insert appropriate Storage language for applicator attached (see below).] Keep from freezing. If frozen, allow to thaw and shake well before using.

[Only for quick connect sprayer containers:] Flip spout down. **Alternative Text:** [Close [Insert Color] spout on cap.] [Twist [spout/knob] to OFF.] [Push spout down]. [Rotate/slide/switch lock to "off"] [push down [insert color] spout until fully closed/down.] **NO NEED TO DISCONNECT TRIGGER**

SPRAYER. Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

[Only for Pump ‘N Go [2] containers:] Push the [insert color/yellow] button and retract the wand until the [insert color/yellow] button snaps back into the original STORAGE POSITION. Place wand back onto [the top of] the bottle [in the integrated holster] with nozzle [facing down/tip extended through the eyelet opening]. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

[Only for trigger sprayer containers:] Rotate nozzle to closed position. **Alternative Text:** [Rotate/slide/switch trigger lock to “On”] [push down [insert color] spout until fully closed/down.] [Twist/turn [spout/knob/sprayer nozzle] to OFF.] [Place sprayer back on bottle connection/lug.] Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

[Only for containers with refill instructions:] Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the **HOW TO REFILL** section. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Only for containers without refill instructions:] Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Only for containers without refill instructions:] Nonrefillable container. Do not reuse or refill this container. [[Insert Applicator Name] can be reused with [this] [Insert Brand Name] [refill] [bottle/container].] [Follow instructions in the “Applicator” directions section when reusing the [Insert Applicator Name] **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Alternate Warranties:

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

GUARANTEED RESULTS or your money back. If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6 to 8 weeks for processing.

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Questions or comments? Call toll free 1-800-xxx-xxxx.
[telephone number, address, website information for supplemental registrant or distributor].


SUBLABEL 2

Residential Turf Use with RTU Trigger Sprayer

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- [ Optional Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- The maximum application rate is 1 gallon of product per 1,000 sq.ft. per application. [(0.78 lb MCPA ae, 0.44 lb Quinclorac, 0.09 lb Dicamba ae, and 0.04 lb Sulfentrazone ai per acre per application)]
- The number of spot treatments is limited to 2 per year with a minimum of 21 days between applications.

WHERE TO USE:

On Lawns: This product is intended for use by homeowners as a spot treatment on lawns. This product should be applied only to the following species of turfgrass:

Cool season turfgrass	Warm season turfgrass
Kentucky bluegrass Perennial ryegrass Fescue spp., including tall, red and fine leaf fescues	Bermudagrass ¹ Buffalograss Zoysiagrass
¹ Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F.	

DO NOT use EH-1462 Herbicide for the following:

Cool season turfgrass	Warm season turfgrass	Other areas
Bentgrass, creeping Bentgrass, 'Seaside' Bentgrass, colonial	St. Augustinegrass Bahiagrass Centipedegrass Carpetgrass Seashore paspalum	Lawns with desirable clovers or legumes Dichondra Vegetable gardens or fruits (food crops) Ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)

WHEN TO USE

Apply this product to actively-growing weeds during the early growth stages for the best results. Two applications at 21 day intervals throughout the season may be required for grass weeds. Apply when daytime temperatures are between 45° and 90° F.

SPRING AND EARLY SUMMER:

- **Crabgrass (large and smooth):** Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 21 day interval between applications.
- **Foxtail (green, giant and yellow):** Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 21 day interval between applications.
- **Yellow nutsedge:** Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. The second application should follow the first application 21 days later.
- **Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweed) and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

FALL:

- **Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.

Note for weeds controlled: Supplemental registrants may select broadleaf weeds from the list presented in the appendix and may include additional species on the container labels for different geographic regions.

HOW TO USE:

Ready-To-Use: No mixing. No measuring. No fuss.

For Containers with Triggers Sprayers: EH-1462 Herbicide is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Usually, two (2) pumps of this trigger sprayer will provide adequate coverage of individual weeds. Excessive spraying can injure some lawns.

For Reuse/Refill Containers: EH-1462 Herbicide is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Excessive spraying can injure some lawns.

USE PRECAUTIONS:

- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Avoid applications of this product when turfgrasses are under stress since injury may result

CULTURAL TIPS:

For newly seeded areas of Kentucky bluegrass, fine fescue blends and perennial ryegrass: Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas of bermudagrass and zoysiagrass: The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding: Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Mowing: Delay mowing 2 days before and until 2 days after the application of this product.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: [Applicator Name] can be reused with [Product Name refill bottle/container]. Follow instructions in the Reuse Directions when reusing [applicator name]. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Advertising claims & additional statements that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

SUBLABEL 1:

- For use on Northern grasses
- For use on Many Northern and Southern Grasses including Bluegrass, Fescue, Zoysia, Bermuda, and Perennial Ryegrass
- Kills the Weeds, not the Lawn
- Kills xx+ Weed Types Roots and All.** **see inside [booklet] for weed list
- Kills xx+ Weeds** **see inside [booklet] for weed list
- Kills weed roots
- Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
- Overnight results • Rainproof in hours • Rainproof in as little as 3 hours — won't wash away.
- Water-Based
- Especially effective on hard-to-kill weeds
- Kills xx+ types of weeds • Kills weed roots! • Kills major broadleaf weeds ** **see inside [booklet] for weed list
- Clear-view measuring window
- For home lawn care.
- Kills over xx weed types including dandelion, chickweed, wild onion, plantain and poison ivy** **see inside [booklet] for weed list
- Kills broadleaf weeds in lawns
- Kills major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds
- [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.
- Kills Twice the Weeds! As listed on our Weed Stop product.
- Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
- New [improved] formula [now includes crabgrass control]
- All-in-one [complete] [total] [2-in-1] weed control [for lawns]
- [Now] kills [controls] crabgrass [yellow nutsedge] [foxtail]
- Kills [controls] types of [lawn] weeds
- Targets the toughest [stubborn] weeds [crabgrass] [yellow nutsedge].
- Kills the toughest weeds - down to the root
- [Kills the root so] weeds won't come back
- Lawn-friendly formula
- Weed deadly. Lawn friendly.

- Kills weeds [including crabgrass] - not the lawn.
- For a weed-free lawn.
- Weed-free. Worry-free.
- No weeds. No worry.
- Starts working immediately [clock image]
- Fast acting [formula]
- Destroys weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely - [down to the root].
- Long lasting [formula]
- [Works fast] on [hard-to-kill] weeds
- [Even] works in cold [and hot] weather [temperatures]
- Let [Weed Stop] [the liquid] do the weeding
- Kills on contact
- A simple [an easy] step towards a weed free lawn [yard]
- [Now] kills types of weeds - [grassy or broadleaf]
- Won't Harm Lawns (when used as directed).

EFFICACY

- Kills even [tough/the toughest] weeds* * when used as directed
- Kills the root[s] [so weeds don't come back] [first time, every time] [guaranteed] qualify guarantee
- Kills the weed you see and the root you don't
- Kills [to] the root[s] [Guaranteed[!/*]] qualify guarantee
- Kills weeds dead* * when used as directed
- Kills weeds, roots and all* * when used as directed
- Spray the [weed/leaves] to kill the root
- Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Many Northern and Southern Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, Perennial ryegrass
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- Kills poison ivy and poison oak
- Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- clover control [as little as one week]
- Controls clover in one week
- Kills XX [types of] [brush and] weeds [roots and all]** **see inside [booklet] for weed list
- Kills weed roots
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on types of hard-to-kill weeds [Our toughest formula [ever] [or the toughest weeds]
- Season long [weed] control* [*as listed/ for dandelion and/& clover]
- [Up to] 3 month [weed] control* [*as listed/ dandelion and clover]
- Post-emergent: kills existing [listed] weeds

- Kills/clears out/takes out/stops/controls/eliminates weeds/Dandelion(s) [and/& Clover(s)] [for up to [3 months/ a season/12 weeks/90 days], [guaranteed [*]]
- Clear[s] out weeds* [for up to [3 months/ a season/12 weeks/90days], [guaranteed[*]] (*dandelion and clover)]
- Control[s] weeds* [for up to [3 months/ a season/ all season long/12 weeks/90 days], [guaranteed[*]] (* dandelion and clover)]
- Stop[s] weeds* [for up to [3 months/ a season/ all season long/12 weeks/90 days], [guaranteed[*]] (* dandelion and clover)]
- Kill weeds* [for up to [3 months /a season/ all season long/12 weeks/90 days], [guaranteed[*]] (*dandelion and clover)]
- Take[s] out weeds* [for up to [3 months/ all season long/ a season/12 weeks/90 days], [guaranteed[*]] (*dandelion and clover)]
- Eliminate(s) weeds* [for up to [3 months /a season/ all season long/12 weeks/90 days], [guaranteed[*]] (*dandelion and clover)]
- Apply once and you are/you're done [with dandelions and clover][for up to][3 months/ a season/ all season long/12 weeks/90 days], [guaranteed[*]]
- One step weed control [for dandelion and clover] [for up to] [3 months/12 weeks/90 days]
- One [1] [easy] solution for [your] total weed control needs
- Use it now and you won't see weeds* [for up to] [3 months/ all season long/12 weeks/90 days], [guaranteed[*]] (*dandelion and clover)

SPEED

- [Fast-acting for] visible results in [8] hours
- Visible results in [8] hours
- Overnight results
- [See] results in hours
- Consistently fast on tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact [immediately]
- [Our] fastest formula ever
- [Our] fastest lawn weed killer ever

WEATHER

- [Cool][all] weather performance
- Proven [all] [cool] weather performance
- Performs in both hot and cold weather

RAINPROOF

- Rainproof in [x] hours [rain drop image]
- Rainproof — [For control that] won't wash away
- [Rainfast][Rainproof] [in hours [Won't wash away]]
- Rainproof — Won't wash away

GUARANTEE

- [*] Guaranteed (we guarantee it) qualify guarantee
- [*] Guaranteed results [with one application] qualify guarantee
- [*] Guaranteed to kill to the root so weeds won't come back qualify guarantee
- [*] Guaranteed Satisfaction qualify guarantee
- [*] [GUARANTEED RESULTS or your money back.] If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.
- [*] [GUARANTEED RESULTS] If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

OTHER

- People and pets may enter treated area after spray has dried.
- DID YOU KNOW? [insert claims from appendix]
- Be smarter than your weeds
- Before [insert graphic of live weed] / After [insert graphic of dead weed]
- Not All Weed Killers Are the Same
- Great for spot treatments or larger areas
- This bottle [may] contain[s] an anti-theft device, [either inside or on the back of the bottle]. [It does not affect product performance].
- Won't harm your lawn [guaranteed] qualify guarantee
- All-in-one [3-in-1] weed control [for lawns]
- [3-in-1] weed control [for lawns]
- All-in-One Weed Killer for Lawns
- All-in-One [3-in-1] weed control [for lawns]
- One [1] [easy] solution for crabgrass, dandelions, clover and nutsedge
- Won't Harm Lawns* *When used as directed
- Won't harm grass [when used as directed]
- Kills Weeds – Won't Harm Lawns* * when used as directed
- Kills Weeds – Won't Harm Lawns Guaranteed qualify guaranty* * when used as directed
- Will not Harm [Your] Lawn[s]* * when used as directed
- Easy on lawns [grass], tough on weeds!
- Lawn Friendly
- Kills Crabgrass [plus] [over XX] Broadleaf Weeds
- No more hand pulling
- One easy solution for [pick any combination of weeds from the weed list]
- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window
- For home lawn care
- For home lawns only
- For a beautiful, weed-free lawn
- Helps keep lawns weed-free
- Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed
- Kills yellow nutsedge
- Kills both broadleaf and grassy weeds
- Kills types of weeds
- Rainfast in 3 hours

PROMOTIONAL OFFERINGS OPTIONS/ COMBO/ CLUB PACK

- Bonus [Size/ Pack/ Pak]
- Bundle Pack
- [Insert number] Bottles [Included]
- [Insert value]% Free [More] [than X] **qualify**
- [Insert value]% More Value size [than X] **qualify**
- Club [Pack/ Pak]
- Combo [Pack/ Pak]
- **NEW! Use only if new package or formulation**
- **New and Improved! Use only if new package or formulation**

- New! Larger size [covers up to [Insert value] sq ft]
- **NOW! Use only if new package or formulation**
- Refill [Included]
- VALUE [SIZE/ SIZED]
- Value [Pack/ Pak]
- Refill[s] pouch[es]/Roundup for Lawns Flexi/Product Name] included inside[!]
- Refill[s] included inside[!]
- [Insert number] Ready-to-use [bottle[s]] and [Insert number] Refill[s]
- [Insert number] QuickHand™ [Sprayer] Name [bottle[s]] and [Insert number] Refill[s]
- [club] [Insert number] [Combo] pack
- Comes with [reusable] applicator/trigger/sprayer/wand

ADDITIONAL LANGUAGE

- If weeds in non-lawn areas [like garden beds, patios, and driveways,] are a problem, try RoundUp® Ready-To-Use Weed & Grass Killer III] *{Note to reviewer: EPA Reg. No. 71995-33, contains glyphosate and pelargonic acid}*.
- If weeds in non-lawn areas [like garden beds, patios, and driveways,] are a problem, try [Insert Brand Name(s) for EPA Reg. No. 71995-64 or 71995-65.] *{Note to reviewer: EPA Reg No. 71995 64 and 71995-65 contain Fluazifop-P-butyl, Triclopyr, and Diquat Dibromide}*
- Weed problems in non-lawn areas? Try RoundUp® Ready-To-Use Weed & Grass Killer III *{Note to reviewer: EPA Reg. No. 71995-33, contains glyphosate and pelargonic acid}*.
- Weed problems in non-lawns areas? Try [Insert Brand Name(s) for EPA Reg. No. 71995-64 or 71995-65.] *{Note to reviewer: EPA Reg No. 71995 64 and 71995-65 contain Fluazifop-P-butyl, Triclopyr, and Diquat Dibromide}*
- For best results in non-lawn areas [like garden beds, patios and driveways,] use Roundup(R) Ready-To-Use Weed & Grass Killer III *{Note to reviewer: EPA Reg. No. 71995-33, contains glyphosate and pelargonic acid}*
- For best results in non-lawn areas [like garden beds, patios and driveways,] use [Insert Brand Name(s) for EPA Reg No. 71995-64 or 71995-65.] *{Note to reviewer: EPA Reg No. 71995 64 and 71995-65 contain Fluazifop-P-butyl, Triclopyr, and Diquat Dibromide}*
- Learn [more] [about [how] our/Roundup's [sustainability] efforts to reduce plastic waste] at roundup.com]

Pump 'N Go(TM) [2] Sprayer

- Consistent spray for maximum accuracy
- Continuous, adjustable spray
- Convenient [extendable wand]
- Cover more ground faster
- Easy to use tank sprayer
- Extendable wand provides greater accuracy without bending over
- No [constant] pumping
- Quickly covers large areas
- [Up to] [5/10] [minutes of] Continuous spray

Refill Container

- Do Not Reuse Container [with any other product]
- Don't Forget Your Refill
- The fast and easy way to refill your [insert packaging type] [container/sprayer]
- There is no mixing and no measuring, you just pour and go
- Refill/Fill-Up/Reload/Renew [[Use to] fill[s] up][for] [use with] the [Ready-to-Use Bottle] [[with] Extended Wand/Comfort Wand®/Sure Shot® Wand/Trigger Sprayer/Aquamax [wand]/QuickHand™ [Sprayer]]
- [Small/compact pouch] [super] Easy to store/pour, easy to use/ [go/spray]

- Keep it simple. [Small. Simple. Easy] [Refill available]
- Save space/Less Mess/ Less waste.
- Reduce. Refill. Reuse.
- [And] now [using/uses] [up to] 90/XX% less plastic [!]+ + compared to 1 gallon refill bottle
- Reduce[s] plastic [waste] by [up to] 90/X%[!]+ + compared to 1 gallon refill bottle
- Save[s]/Reduce[s] plastic. [and] [Reduce[s]] waste [with every refill]
- Every refill saves plastic [waste].
- [Easy] [Roundup] Refill/Dose/dosing [System]
- Reusable [Insert Applicator Name]
- Reuse with [Insert Applicator Name/ QuickHand]

Battery Operated Sprayer with Wand:

- Batteries included
- Battery Operated
- Powered by Duracell(R)
- Power Up with Duracell(R)
- Comfort Wand(TM) [with extended reach/with continuous spray]
- Consistent spray for maximum accuracy
- Continuous Spray
- Continuous spray wand [with extended reach]
- Continuous, adjustable spray
- Easy reach extendable spray wand
- Extended Reach [Wand]
- Extendable spray wand – less bending
- Extendable [insert applicator name] spray wand
- Quickly covers large areas

Battery Operated Sprayer with Extendable Wand:

- Extended [Reach/Continuous Spray] Wand [with extended reach/with continuous spray]
- Extended/Extendable] wand puts more distance between you and the spray
- Extends 2 feet so no more [bending over/aching back]
- Extends 2 ft
- Ideal for [use/ targeting] weeds in hard to reach places
- [Wand/Insert Applicator Name] [extends 2 feet] [to] Reduce[s] [back] bending [and the] [continuous spray wand helps reduces hand fatigue] [putting more distance between you and the spray]

Primo/Quickhand/Quick Hand Applicator

- [Battery-operated/ battery powered] [One-handed/handheld] [Ergonomic] [Compact] [Lightweight] applicator/trigger/sprayer/bottle/weed killer/weed control [[just] one hand]
- [[Grab 'n/and go] [Ergonomic/Comfortable handle/applicator/trigger/sprayer] [Reusable applicator/trigger/sprayer/bottle] weed control/killer
- 3/Three [spray patterns/solutions][optimized for treating weeds [in your landscape/in hardscapes] in [in your lawn/yard] 1/One [applicator/sprayer/trigger [for [quick and easy] spot control and second/two [spray pattern] edging/edges/border(s) application]
- [Can be operated with one hand]Quick/Easy [kill/spray] to use with [just] one hand [instead of two]
- [This applicator is/was] [[Designed for ease/comfort/ quick/ small jobs/ tasks/ projects/ to-dos]/ Easy to/created] [Simply] Grab/Grip/Toggle/Slide/Lock/[Point and] Press with [just] one hand [and go][start spraying [to listed weeds]
- [Quick] [and] [Easy] to use [and] [refill] [refillable container/bottle]
- No [initial] assembly required

- [Right-sized [for easy handling/storage][Compact/small size makes this bottle] easy to [use/maneuver and] store
- Spray [small] from multiple angles to help [get/kill/control [the toughest] weeds] reach difficult/challenging/awkward/small places

Other Applicator Language:

- [This applicator/sprayer is] Redesigned/ improved [enhanced/upgraded/revised applicator] [Insert Applicator Name/Sprayer] [and is] [Quick and] Easy to Use [in hard-to-reach areas] [borders/edges/edging]
- [The] new [, easy] [Continual/continuous/consistent/dependable/steady spray] [for even coverage] [and precise/precision/accuracy/accurate] way to kill weeds[!]
- Easy to spray [when you first see [a] weed/weeds [list of weeds]]
- Spray without bending[!]
- No [more] tired/fatigued hands/squeezing/pumping
- Less squeezing, more weed killing
- Convenient [for] [spot treatment] [and] [for edging/edges/use along fences]
- Use with confidence [and/to control] [weeds in [your] lawns/yards/lawn/yard]
- Ideal/[Great] for areas/spaces/lawns/yards

EQUAL MEASURES:

- 1 fl.oz. = 2 Tablespoons = 6 Teaspoons (tsp.)
- 2 fl.oz. = 4 Tablespoons
- 4 fl.oz. = 1/2 cup
- 8 fl.oz. = 1 cup
- 16 fl.oz. = 1 pint
- 32 fl.oz. = 1 quart

PRODUCT FACTS What it Does: [optional info box]

What It Does: Kills major broadleaf and troublesome grass weeds Including dandelion, chickweed and clover as well as crabgrass, foxtail, and yellow nutsedge. (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the weeds not the lawn

When to Use:

Apply when daytime temperatures are between 45° and 90°F.

Questions & Comments: (icon phone)(icon computer)

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

WEEDS			
Amaranth, purple	Cupid shaving brush	Mugwort	Speedwell, common
Amaranth, slender	Cudweed	Mustard, ball	Speedwell, corn
Aster, heath	Daisy, English	Mustard, black	Speedwell, ivyleaf
Aster, white heath	Daisy, oxeye	Mustard, blue	Speedwell, Persian
Aster, purple	Dandelion, common	Mustard, hedge	Speedwell, purslane
Aster, white prairie	Dandelion, false	Mustard, Indian,	Speedwell, slender
Artichoke	Day flower	Mustard, tansy	Speedwell, snow
Austrian fieldcress	Deadnettle	Mustard, tumble	Speedwell, thymeleaf
Bedstraw, catchweed	Dichondra	Mustard, white	Spiny amaranth
Bedstraw, smooth	Dock, broadleaf	Mustard, wormseed	Spurge, spotted

WEEDS			
Bedstraw, northern	Dock, curly	Nettle, stinging (burning)	Spurge, prostrate
Bedstraw, pineywoods	Dogbane	Nettle, tall	Spurweed
Beggarticks, hairy	Dogfennel	Nettle, wood	Star of Bethlehem
Betony, Florida	Dollarweed	Parsley-piert	Strawberry, Indian mock
Bindweed, Field	(pennywort)	Parsnip	Tansy ragwort
Bindweed, hedge	Doveweed	Pearlwort	Tanweed
Bitter Wintercress	Elderberry	Pennycress (Frenchweed)	Thistle, blessed
Bittercress, hairy	Falseflax	Pepperweed, perennial	Thistle, bull
Bitterweed	False sunflower	Pepperweed, Virginia	Thistle, Canada
Black-eyed Susan	Fiddleneck	(peppergrass)	Thistle, flodman (prairie)
Black medic	Filaree, redstem	Pigweed, prostate	Thistle, musk
Blood flower milkweed	Filaree, whitestem	Pigweed, redroot	Thistle, platte
Blue lettuce	Fleabane, daisy	Pigweed, Russian	Thistle, plumeless
Brassbuttons	(annual)	Pigweed, smooth	Thistle, Russian
Bristly oxtongue	Fleabane, rough	Pigweed, tumble	Thistle, Scotch
Broomweed	Galinsoga, hairy	Pineappleweed	Thistle, wavyleaf
Buckhorn	Galinsoga, smallflower	Plains coreopsis (tickseed)	Thistle, yellow (horrible)
Bullnettle	Goldenrod	Plantain, blackseed	Trailing crownvetch
Burclover	Ground ivy	Plantain, bracted	Velvetleaf
Burdock	Groundsel	Plantain, broadleaf	Vervain, blue
Burweed, lawn (spurweed)	Gumweed	Plantain, buckhorn	Vervain, hoary
Buttercup, bulbous	Hairy fleabane	Plantain, hoary	Vervain, prostrate
Buttercup, creeping	Hawkweed, meadow	Plantain, narrowleaf	Vervain, tall
Buttonweed, common	Hawkweed, mouseear	Plantain, slender	Vetch, bird
(poorjoe)	Hawkweed, orange	Plantain, woolly	Vetch, hairy
Buttonweed, Virginia	Hawkweed, yellow	Poison ivy	Vetch, milk
Carolina geranium (wild)	Healall	Poison oak	Vetch, narrowleaf
Carpetweed	Heartleaf drymary	Pokeweed	Vetch, wild
Catnip	Hemp	Prairie sunflower	Virginia creeper
Catsear, spotted (false dandelion)	Henbit	Prickly lettuce (compass plant)	Western clematis
Chamber bitter	Hoary cress	Prickly sida	Western salsify
Chickweed, common	Horsenettle	Prostrate knotweed	Wild aster
Chickweed, mouseear	Horseweed	Puncturevine	Wild buckweat
Chickweed, sticky	Jimsonweed	Purslane, common	Wild carrot
Chicory	Johnny-Jumpup violet	Pusley, Brazil	Wild four-o'clock
Cinquefoil	Knawel	Pusley, Florida	Wild garlic
Clover, crimson	Knotweed, prostrate	Pusley, large flower	Wild lettuce
Clover, alsike	Kochia	Ragweed, bur	Wild marigold
Clover, hop	Lambsquarters	Ragweed, common	Wild mustard (yellow rocket)
Clover, rabbit foot	Lespedeza	Ragweed, lanceleaf	Wild onion
Clover, red	Mallow, alkali	Ragweed, western	Wild parsnip
Clover, strawberry	Mallow, bristly	Redstem filaree	Wild radish
Clover, yellow sweet	Mallow, common	Rough cinquefoil	Wild rape
Clover, white sweet	Mallow, dwarf	Scarlet pimpernel	Wild strawberry
Clover, white	Mallow, Venice	Shepherdspurse	Wild sweet potato
Cockle	Marcela	Smartweed, ladysthumb	Wild violet
Cocklebur	Matchweed	Smartweed, pale	Woodsorrel, creeping
Cocklebur, oriental	Mexicanweed	Smartweed, Pennsylvania	Woodsorrel, violet
Cocklebur, spiny	Moneywort	Smooth chaff-flower	Woodsorrel, yellow (Oxalis)
Common mullein	Morningglory, bigroot	Smooth dock	Woolly croton
Corn spurry	Morningglory, ivyleaf	Sorrel, red (sheep)	Wormseed
Creeping beggarweed	Morningglory, Mexican	Sowthistle, annual	Yarrow, common
Creeping Jenny (creeping Charlie)	Morningglory, red	Sowthistle, spiny	Yarrow, western
	Morningglory, tall	Spanish needles	Yarrow, yellow
	Morningglory, woolly	Speedwell, bi-lobed	




EH-1462 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:









Aster, white heath & white prairie	Dollarweed (*pennywort)	Lawn burweed	Ragweed
	False dandelion (*spotted	Lespedeza, common	Redweed

Bedstraw	catsear & common catsear)	Mallow, common	Red sorrel (*sheep sorrel)
Beggarweed, creeping	Field bindweed	Matchweed	Shepherdspurse
Bindweed	(*morningglory & creeping jenny)	Mouseear chickweed	Spurge
Black medic	Field oxeye-daisy	Old world diamond flower	Thistle
Broadleaf plantain	(*creeping oxeye)	<i>Oxalis</i> (*yellow woodsorrel & creeping woodsorrel)	Virginia buttonweed
Buckhorn plantain	Filaree, whitestem & redstem	Parsley-piert	White clover (*Dutch clover, honeysuckle clover, white trefoil, & purplewort)
Bull thistle	Florida betony	Pennsylvania smartweed	Wild carrot
Burdock, common	Florida pusley	Pepperweed	Wild garlic
Buttercup, creeping	Ground ivy	Pigweed	Wild geranium
Carpetweed	Groundsel	Pineappleweed	Wild lettuce
Chickweed, common	Hawkweed	Plantain	Wild mustard
Chicory	Healall	Poison ivy	Wild onion
Cinquefoil	Henbit	Poison oak	Wild strawberry
Clover	Innocence (Blue-eyed Mary)	Prickly lettuce (*compass plant)	Yarrow
Curly dock	Knotweed	Puncturevine	Yellow rocket
Dandelion	Lambsquarters	Purple cudweed	
Dayflower		Purslane	
Deadnettle			
Dock			
Dogfennel			
*Synonyms			

3: Optional/Example Graphics

The following are representative examples of graphics that could be used in the marketed label. If the graphic is used, minor changes to the exact color, shapes or orientation of items depicted, or the amount or size of graphic may occur based on marketing decisions and the available space on the label.


























Graphic potentially used on front label	
	
Optional graphics potentially used for Roundup® Graphics Wheel component claims	
	For optional use with speed of results claims (i.e. Starts Working Immediately)
	For optional use with rainproof/rainfast claims (i.e. Rainproof in [X] Hours)

	For optional use with efficacy claims (i.e. Kills Roots Guaranteed)
	Crabgrass
	Dandelion
	Clover
	Yellow Nutsedge
	Optional illustration to be used in conjunction with explanatory label text. (i.e. Extended Wand Spray) <i>(Grey shading behind images is done to show white arrows)</i>
	Optional illustration to be used in conjunction with explanatory label text. (i.e. Insert Plug at End of Hose into Knob on Cap Until it Clicks. Twist Knob to On)
	Optional illustration to be used in conjunction with explanatory label text. (i.e. There is no mixing and no measuring you just pour and go.)

Example graphics potentially used in conjunction with explanatory text for Battery Operated Sprayer Directions for Use.



Additional example graphics for connecting applicators:

				
Additional example graphics for Refills:				
				
Additional graphics for Battery Operated Sprayers:				
				
Example graphics potentially used in conjunction with explanatory text for PRIMO/Quickhand/Quick Hand applicators:				
				
Example graphics potentially used in conjunction with explanatory text for trigger applicators:				
				
Example graphics potentially used in conjunction with explanatory text for flexible packaging:				
				
General example graphics:				
		 (People & Pets)		

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00917.20250819.notif-proposed-highlighted

2. Reason for Issue: Alternate guarantee/warranty statement