WING MILITAL AROTECTION	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW	EPA Reg.Number: 2217-923	Date of Issuance:
	Washington, D.C. 20460	Term of Issuance:	1
	NOTICE OF PESTICIDE:	Conditional	
	X Registration	Name of Pesticide P	roduct:
	(under FIFRA, as amended)	EH-1468 ORI)
Name and Address PBI / Gordon C 1217 West 12 th PO Box 014090 Kansas City, M	Street		
Registration Division pr On the basis of inform Fungicide and Rodenti In order to protect heal posticide in accordance	ng differing in substance from that accepted in connection with this replied to use of the label in commerce. In any correspondence on this pro- ation furnished by the registrant, the above named pesticide is here cide Act. Registration is in no way to be construed as an endorsem th and the environment, the Administrator, on his motion, may at a with the Act. The acceptance of any name in connection with the	bduct always refer to the above by registered/reregistered ur thent or recommendation of the any time suspend or cancel the registration of a product un	EPA registration number. der the Federal Insecticide, his product by the Agency, he registration of a
	registrant a right to exclusive use of the name or to its use if it has conditionally registered in accordance with FII	. *	provided that you:
1 4			
2) Add the phra Number and Ne	aires all registrants of similar products to submase "EPA Reg. No. 2217-923" to the labeling a t Contents are also on the label.	and assure that the E	• •
 Add the phra Number and Ne Assure that the statement of the statement	ase "EPA Reg. No. 2217-923" to the labeling a	and assure that the E	• •
 Add the phra Number and Ne Assure that the rate for each app Add "TO TH second sentence CASE SHALL OR SPECIAL I 	ase "EPA Reg. No. 2217-923" to the labeling a t Contents are also on the label. ne maximum application restrictions do not ex	and assure that the E ceed the highest cur BLE LAW" at the t WITH APPLICABL NCIDENTAL, COI	rently registered beginning of the E LAW, IN NO NSEQUENTIAL,
 Add the phra Number and Ne Assure that tl rate for each app Add "TO TH second sentence CASE SHALL OR SPECIAL I PRODUCT." NOTE: Mark requesting addit 	ase "EPA Reg. No. 2217-923" to the labeling a t Contents are also on the label. ne maximum application restrictions do not ex propriate application site E EXTENT CONSISTENT WITH APPLICA to read "TO THE EXTENT CONSISTENT W THE MANUFACTURER BE LIABLE FOR I	and assure that the E ceed the highest cur BLE LAW" at the t WITH APPLICABL NCIDENTAL, CON DR HANDLING OF t be substantiated. V cain data in your file	rently registered beginning of the E LAW, IN NO NSEQUENTIAL, THIS While we are not
 Add the phra Number and Ne Assure that the rate for each appert (Add "TO THE second sentence CASE SHALL OR SPECIAL IN PRODUCT." NOTE: Marketing addite marketing claim 	ase "EPA Reg. No. 2217-923" to the labeling a t Contents are also on the label. ne maximum application restrictions do not ex propriate application site E EXTENT CONSISTENT WITH APPLICA to read "TO THE EXTENT CONSISTENT W THE MANUFACTURER BE LIABLE FOR I DAMAGES RESULTING FROM THE USE C	and assure that the E ceed the highest cur BLE LAW" at the t WITH APPLICABL NCIDENTAL, CON DR HANDLING OF t be substantiated. V cain data in your file	rently registered beginning of the E LAW, IN NO NSEQUENTIAL, THIS While we are not
 Add the phra Number and Ne Assure that the rate for each appert (A) Add "TO TH second sentence CASE SHALL OR SPECIAL IN PRODUCT." NOTE: Mark requesting addite marketing claim 	ase "EPA Reg. No. 2217-923" to the labeling a t Contents are also on the label. The maximum application restrictions do not ex- propriate application site E EXTENT CONSISTENT WITH APPLICATE to read "TO THE EXTENT CONSISTENT WITH THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT WITH CONTINUES OF THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE LIABLE FOR IN DAMAGES RESULTING FROM THE USE CONSISTENT OF THE MANUFACTURER BE FOR ADDITIONAL COMMENTS	and assure that the E ceed the highest cur BLE LAW" at the t WITH APPLICABL NCIDENTAL, CON DR HANDLING OF t be substantiated. V cain data in your file	rently registered beginning of the E LAW, IN NO NSEQUENTIAL, THIS While we are not

7

Page 2 of 2 Notice of Registration, Conditional EH-1468 Lanoisseforp EPA Reg. No. #2217-923

6) Replace "[Product Name]" with the "EH-1468 ORP" throughout the document.

7) Per 40 CFR Part 156.140 Subpart H, Pesticide Registration (PR) Notice 2007-4, and Chapter 13 of the Label Review Manual (LRM), the container residue removal instructions in the container handling statement on page 5 must be modified to reflect the new container handling requirements. Per Table 5 (pages 25-28) in Chapter 13 of the LRM, the container handling statement in the Storage and Disposal box on page 5 of the label must include residue removal instructions.

For additional information, consult the following EPA web sites:

http://www.epa.gov/PR_Notices/pr2007-4.pdf http://www.epa.gov/pesticides/regulating/containers.htm http://www.epa.gov/pesticides/regulating/containerquestions.htm

8) Note: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

ACCEPTED with COMMENTS in EPA Latter Dated

UNE22,200

EH-1468 ORP

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

EPA Reg. No. 2217-YYY

-923 んんし

ACTIVE INGREDIENT:	
Imazapyr, isopryopylamine salt	1.74%
Glyphosate, isopropylamine salt	
INERT INGREDIENTS	
TOTAL	

THIS PRODUCT CONTAINS:

0.12 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3pyridinecarboxylic acid) per gallon or 1.42%

0.24 lb Glyphosate (N-(phosphonomethyl)glycine) per gallon or 2.83%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are natural rubber. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- · long-sleeved shirt and long pants,
- shoes and socks,
- chemical-resistant gloves for all mixers and loaders, plus applicators using handheld equipment.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

An Employce-Owned Company 1217 West 12th Street Kansas City, Missouri 64101

1 of 5 002217-00YYY.20090618.proposed.doc

First Aid		
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
Have the proc	luct container or label with you when calling a poison control center or doctor or going for	

treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.

Physical or Chemical Hazards Statement

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Application Restrictions

- Do not enter or allow others to enter treated areas until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use on feed or food crops.

General Information [What It Does]

[Product Name] is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, vines, brush, and trees. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. [Product name] will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

Use Sites [Where To Use]

[Product name] may be used to control weeds in: [In fencerows, hedgerows, agricultural uncultivated areas, shelter belts, farm yards; and farm premises. Around domestic dwellings, outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses. Along fences of paddocks, corrals, feedlots, and livestock holding areas. For the establishment and maintenance of wildlife openings. In roadways, roadsides, airports, landing fields, industrial sites, storage yards, lumber yards, tank farms, pumping installations, fuel tanks, pipelines, non-agricultural uncultivated areas or soils, paved areas (including crack and crevice), curbs, sidewalks, driveways, parking areas, brick walks, gravel paths, paths, patios, and vacant lots, urban areas, cemeteries, recreational areas, play areas, and tennis courts. Along fences.]

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. This product is not intended for treating aquatic plants. In lawns, do not use for individual weed control.

[If you **do not** desire to suppress regrowth, use a product which only contains glyphosate [such as product name] instead.

[Application Directions]

For Total Vegetation Control (Including Bareground Treatment)

Use hand-operated spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can. Mix 18 fl.oz. of product [0.74 lb imazapyr ae/A, 1.47 lb glyphosate ae/A] with water to produce 3 to 5 gallons of spray solution. Weeds should be growing vigorously at the time of application for maximum herbicide activity. [Addition of a surfactant to the spray solution will enhance performance.]

For Broadcast Treatments: Uniformly spray the area where bareground is desired. 18 fl.oz. of product will cover 1000 sq.ft.

For Spot Treatments: Spray the foliage of clumps of weeds. Apply no more than 18 fl.oz. of product per 1000 sq.ft. 1 spot treatment may be used after a broadcast treatment to control weed escapes.

For Brush Control

Use hand-operated spray equipment such as backpack sprayers or pump-up sprayers. Mix 36 fl.oz. of product [1.47 lbs imazapyr ae, 2.94 lbs glyphosate ae] with water to produce 1 gallon of spray solution. Uniformly spray the foliage of woody weeds. Excessive wetting of foliage is not recommended. Weeds should be growing vigorously at the time of application for maximum herbicide activity. [Addition of a surfactant to the spray solution will enhance performance.]

The maximum number of applications is 1 broadcast and 1 spot treatment per year OR 2 spot treatments per year OR 1 brush control application per year. The maximum annual rate is 36 fl.oz. per 1,000 sq.ft. per year [1.47 lbs imazapyr ae/A/yr, 2.94 lbs glyphosate ae/A/yr].

Equipment Cleanup: Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

For All Application Types: Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

- Runoff: Do not over apply causing runoff from the treated foliage. Do not apply to slopes.
 Spray Drift: Spray drift from applying this product may result in damage to sensitive plants
- adjacent to the treatment area. Avoiding spray drift is the responsibility of the applicator. • Applicators are required to use a nozzle height below 4 feet above the ground or plant
 - Applicators are required to use a hozzle height below 4 heet above the ground of plant canopy and Coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 microns or greater.
 - Applications with wind speeds greater than 10 mph are prohibited.
 - Applications into temperature inversions are prohibited.
- 3. **Roots of Trees and Shrubs:** Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
- 4. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

Weeds Controlled

[Product name] will control or suppress most grasses, broadleaf weeds, woody brush, vines, and trees. The degree of control and residual varies by plant species. [List of weeds controlled:]

[Optional weed list table. Some or all may be included on label.

GRASSES				
Annual bluegrass	Crowfootgrass	Itchgrass	Sandbur	
Bahiagrass	Dallisgrass	Johnsongrass	Smooth brome	
Barnyardgrass	Downy brome	Kentucky bluegrass	Timothy	
Beardgrass	Fall panicum	Lovegrass	Torpedograss	
Bermudagrass	Feathertop	Orchardgrass	Vaseygrass	
Big bluestem	Fescue	Panicum spp.	Wild barley	
Broadleaf signalgrass	Foxtail	Prairie cordgrass	Wild oats	
Canada bluegrass	Giant reed	Prairie threeawn	Wirestem muhly	
Cheat	Goosegrass	Quackgrass	Witchgrass	
Cogongrass	Guineagrass	Reed canarygrass	Woolly cupgrass	
Crabgrass	Italian ryegrass	Sand dropseed		

BROADLEAF WEEDS

Arrowwood	Dogfennel	Mullein	Smartweed
Broom snakeweed	Fiddleneck	Nettleleaf goosefoot	Sorrell
Bull thistle	Filaree	Oxeye daisy	Sowthistle
Burclover	Fleabane	Pepperweed	Spurge, annual
Burdock	Giant ragweed	Pigweed	Stinging nettle
Camphorweed	Goldenrod	Plantain	Sunflower
Canada thistle	Gray rabbitbrush	Pokeweed	Sweet clover
Carolina geranium	Henbit	Primrose	Tansymustard
Carpetweed	Hoary vervain	Puncturevine	Texas thistle
Chickweed, mouseear	Horseweed	Purple loosestrife	Velvetleaf
Clover	Indian mustard	Purslane	Western ragweed
Cocklebur	Japanese	Pusley, Florida	Wild carrot
Common chickweed	bamboo/knotweed	Rocket, London	Wild lettuce
Common ragweed	Knotweed, prostrate	Rush skeletonweed	Wild parsnip
Cudweed	Kochia	Russian knapweed	Wild turnip
Dandelion	Lambsquarters	Russian thistle	Woollyleaf bursage
Desert camelthorn	Little mallow	Saltbush	Yellow starthistle
Diffuse knapweed	Milkweed	Shepherdspurse	Yellow woodsorrel
Dock	Miner's lettuce	Silverleaf nightshade	

VINES			· · · · · ·
Field bindweed	Poison ivy	Virginia creeper	Wild rose (Including:
Hedge bindweed	Redvine	Wild buckwheat	Multiflora and Macartney
Honeysuckle	Trumpetcreeper	Wild grape	rose)
Morningglory			

WOODY BRUSH AND T			
Alder	Chinaberry	Madrone	Sassafras
American beech	Chinese tallow-tree	Maple	Sourwood
Ash	Chinquapin	Melaleuca	Sumac
Aspen	Cottonwood	Mulberry	Sweetgum
Autumn olive	Cypress	Oak	Sycamore
Bald cypress	Dogwood	Persimmon	Tanoak
Bigleaf maple	Eucalyptus	Poison oak	Titi
Birch	Hawthorn	Popcorn-tree	Tree of heaven
Black oak	Hickory	Poplar	Vaccinium spp.
Blackgum	Huckleberry	Privet	(Including: Blueberry and
Boxelder	Lyonia spp. (Including:	Red alder	Sparkleberry)
Brazilian peppertree	Fetterbush and	Red maple	Willow
Ceanothis	Staggerbush)	Saltcedar	Yellow-poplar
Cherry			

End optional weed list table.]

4 of 5 002217-00YYY.20090618.proposed.doc Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a locked storage area. Keep from freezing.

Pesticide Disposal: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable federal, state, or local procedures.

Container Handling: Nonrefillable container: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- · See next panel for additional Precautionary Statements and First Aid
- Net Contents:
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Offers long-term weed control in places where no growth is wanted
- Kills [Controls] [unwanted] [weeds], [brush], [plants], and [grasses]
- Prevents weeds and vegetative growth for up to 1 year.
- Apply only where no vegetation growth is wanted for up to 1 year.
- Kills [Controls] all vegetation
- XX fl.oz. of product treats up to YYYY sq.ft

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00YYY.20090618.proposed.doc

2. Reason for Issue: New product, change product name