

2217-924

3/7/2011

1 of 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

James Kunstman
PBI/Gordon Corporation
1217 West 12th Street
P.O. Box 014090
Kansas City, Missouri 64101-0090

3-7-11

Subject: Label Amendment
EPA Reg. No.: 2217-924 / EH-1468 Herbicide

Dear Mr. Kunstman:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Note: When you send the label for final printing, add the correct EPA Est. # and Net Contents.


Submit one copy of the final printed label for the record before you release the product for shipment. A stamped copy of the label is enclosed for your records. This label supersedes all previously accepted labels. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

EH-1468 HERBICIDE

EPA Reg. No. 2217-924



Alternate Brand Names:
 Gordon's Pronto Fast Acting Vegetation Killer
 GroundWork Concentrate Year-Long Vegetation Killer
 Gordon's Barrier Year-Long Vegetation Killer Concentrate

ACTIVE INGREDIENT:

Imazapyr, isopropylamine salt	1.74%
Glyphosate, isopropylamine salt	3.82%
INERT INGREDIENTS:	<u>94.44%</u>
TOTAL:	100.00%

THIS PRODUCT CONTAINS:
 0.12 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridinecarboxylic acid) per gallon or 1.42%
 0.24 lb Glyphosate (N-(phosphonomethyl)glycine) per gallon or 2.83%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks, and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.



Physical or Chemical Hazards Statement

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Product Application Restrictions

- Do not allow people or pets to enter treated areas until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use on feed or food crops.
- For residential use only.

2. Product Information [What It Does]

EH-1468 Herbicide is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, vines, brush, and trees. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. EH-1468 Herbicide will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

3. Use Sites [Where To Use]

EH-1468 Herbicide may be used to control weeds in: [In fencerows, hedgerows, shelter belts. Around domestic (residential) dwellings, residential storage areas, residential buildings, structures and shelters such as stables, and dog kennels. Along fences of paddocks and corrals. For the establishment and maintenance of wildlife openings. Paved areas (including crack and crevice), curbs, sidewalks, driveways, parking areas, brick walks, gravel paths, paths, patios, and vacant lots, urban areas, recreational areas, play areas, and tennis courts. Along fences.]

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. This product is not intended for treating aquatic plants. In lawns, do not use for individual weed control.

[If you do not desire to suppress regrowth, use a product which only contains glyphosate [such as xxx] instead.]

4. Application Directions

The maximum number of applications is 1 broadcast and 1 spot treatment per year OR 2 spot treatments per year OR 1 brush control application per year. The maximum annual rate is 36 fl.oz. per 1,000 sq.ft. per year [1.47 lbs imazapyr ae/A/yr, 2.94 lbs glyphosate ae/A/yr].

Equipment Cleanup: Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

4.1 For Total Vegetation Control (Including Bareground Treatment)

Use hand-operated spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can. Mix 18 fl.oz. of product [0.74 lb imazapyr ae/A, 1.47 lb glyphosate ae/A] with water to produce 3 to 5 gallons of spray solution. Weeds should be growing vigorously at the time of application for maximum herbicide activity. [Addition of a surfactant to the spray solution will enhance performance.]

For Broadcast Treatments: Uniformly spray the area where bareground is desired. 18 fl.oz. of product will cover 1000 sq.ft.

For Spot Treatments: Spray the foliage of clumps of weeds. Apply no more than 18 fl.oz. of product per 1000 sq.ft. 1 spot treatment may be used after a broadcast treatment to control weed escapes.

4.2 For Brush Control

Use hand-operated spray equipment such as backpack sprayers or pump-up sprayers. Mix 36 fl.oz. of product [1.47 lbs imazapyr ae, 2.94 lbs glyphosate ae] with water to produce 1 gallon of spray solution. Uniformly spray the foliage of woody weeds. Excessive wetting of foliage is not recommended. Weeds should be growing vigorously at the time of application for maximum herbicide activity. [Addition of a surfactant to the spray solution will enhance performance.]

5. For All Application Types: Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

1. **Runoff:** Do not over apply causing runoff from the treated foliage. Do not apply to slopes.
2. **Spray Drift:** Spray drift from applying this product may result in damage to sensitive plants adjacent to the treatment area. Avoiding spray drift is the responsibility of the applicator. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.
3. **Roots of Trees and Shrubs:** Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
4. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

6. Weeds Controlled

EH-1468 Herbicide will control or suppress most grasses, broadleaf weeds, woody brush, vines, and trees. The degree of control and residual varies by plant species. [List of weeds controlled:]

[Optional weed list table. Some or all may be included on label.]

GRASSES			
Annual bluegrass	Crowfootgrass	Itchgrass	Sandbur
Bahiagrass	Dallisgrass	Johnsongrass	Smooth brome
Barnyardgrass	Downy brome	Kentucky bluegrass	Timothy
Beardgrass	Fall panicum	Lovegrass	Torpedograss
Bermudagrass	Feathertop	Orchardgrass	Vaseygrass
Big bluestem	Fescue	<i>Panicum</i> spp.	Wild barley
Broadleaf signalgrass	Foxtail	Prairie cordgrass	Wild oats
Canada bluegrass	Giant reed	Prairie threeawn	Wirestem muhly
Cheat	Goosegrass	Quackgrass	Witchgrass
Cogongrass	Guineagrass	Reed canarygrass	Woolly cupgrass
Crabgrass	Italian ryegrass	Sand dropseed	

BROADLEAF WEEDS			
Arrowwood	Dogfennel	Mullein	Smartweed
Broom snakeweed	Fiddleneck	Nettleleaf goosefoot	Sorrell
Bull thistle	Filaree	Oxeye daisy	Sowthistle
Burclover	Fleabane	Pepperweed	Spurge, annual
Burdock	Giant ragweed	Pigweed	Stinging nettle
Camphorweed	Goldenrod	Plantain	Sunflower
Canada thistle	Gray rabbitbrush	Pokeweed	Sweet clover
Carolina geranium	Henbit	Primrose	Tansymustard
Carpetweed	Hoary vervain	Puncturevine	Texas thistle

BROADLEAF WEEDS			
Chickweed, mouseear	Horseweed	Purple loosestrife	Velvetleaf
Clover	Indian mustard	Purslane	Western ragweed
Cocklebur	Japanese bamboo/knotweed	Pusley, Florida	Wild carrot
Common chickweed	Knotweed, prostrate	Rocket, London	Wild lettuce
Common ragweed	Kochia	Rush skeletonweed	Wild parsnip
Cudweed	Lambsquarters	Russian knapweed	Wild turnip
Dandelion	Little mallow	Russian thistle	Woollyleaf bursage
Desert camelthorn	Milkweed	Saltbush	Yellow starthistle
Diffuse knapweed	Miner's lettuce	Shepherdspurse	Yellow woodsorrel
Dock		Silverleaf nightshade	

VINES			
Field bindweed	Poison ivy	Virginia creeper	Wild rose (Including: Multiflora and Macartney rose)
Hedge bindweed	Redvine	Wild buckwheat	
Honeysuckle	Trumpetcreeper	Wild grape	
Morningglory			

WOODY BRUSH AND TREES			
Alder	Chinaberry	Madrone	Sassafras
American beech	Chinese tallow-tree	Maple	Sourwood
Ash	Chinquapin	Melaleuca	Sumac
Aspen	Cottonwood	Mulberry	Sweetgum
Autumn olive	Cypress	Oak	Sycamore
Bald cypress	Dogwood	Persimmon	Tanoak
Bigleaf maple	Eucalyptus	Poison oak	Titi
Birch	Hawthorn	Popcorn-tree	Tree of heaven
Black oak	Hickory	Poplar	<i>Vaccinium</i> spp.
Blackgum	Huckleberry	Privet	(Including: Blueberry and Sparkleberry)
Boxelder	<i>Lyonia</i> spp. (Including: Fetterbush and Staggerbush)	Red alder	Willow
Brazilian peppertree		Red maple	Yellow-poplar
Ceanothis		Saltcedar	
Cherry			

End optional weed list table.]

For nonrefillable plastic containers less than 2.5 gallons

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For refillable containers from 55 gallons to 295 gallons

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of

the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Offers long-term weed control in places where no growth is wanted
- Kills [Controls] [unwanted] [tough] [weeds], [brush], [plants], and [grasses]
- Prevents [weeds and] [vegetative] [New] growth for up to 1 year.
- Apply only where no vegetation growth is wanted for up to 1 year.
- Kills [Controls] all vegetation
- XX fl.oz. of product treats up to YYYY sq.ft
- Covers [up to] XXXX sq.ft.
- Year-long control of tough weeds & brush
- For driveways, patios, fence rows, and other places where no vegetation is desired.
- Use Where No Growth Is Desired
- Fencerows, Driveways, And More Sites As Listed . . . Around Residential Buildings, Residential Storage Areas
- Dual-Action technology kills and prevents weeds, grass and brush for up to 12 months
- Goes to the roots to stop growth fast
- Apply where no vegetation is desired in areas such as fencerows, driveways, around residential buildings, propane tanks, around residential storage areas, parking areas, patios, and pathways,[and more areas listed on label].



DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00924.20110214.amend-proposed-clean-revised.doc

2. Reason for Issue: Correct site list, correct ad claims, restate DFU