UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Eric Smith PBI/Gordon Corporation 1217 W. 12th Street P.O. Box 014090

Subject:

Label Amendment (Use Rate Revisions)

EPA Reg. No.: 2217-928 / EH-1472 Herbicide

Dear Mr. Smith:

The amended master label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

*Remember to add the correct EPA Est. # to the label.

Submit one copy of the final printed label for the record before you release the product for shipment. A stamped copy of the label is enclosed for your records. This master label supersedes all previously accepted labels. The next label printing of this product must use this labeling unless subsequent changes have been approved. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

Kable "Bo" Davis Product Manager 25 Herbicide Branch

Registration Division (7505P)

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217 928

EH-1472 HERBICIDE

EPA Reg. No. 2217-928

Alternate Brand Names: Gordon's Pronto Fast Acting Vegetation Killer Ready-To-Use, Tractor Supply Co GroundWork Fast Acting Vegetation Killer Ready-To-Use

ACTIVE	INGREDI	ENTS:

Imazapyr, isopropylamine salt	0.266%
Glyphosate, isopropylamine salt	0.583%
OTHER INGREDIENTS:	99.151%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

0.018 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3pyridinecarboxylic acid) acid equivalent per gallon or 0.217% 0.036 lb Glyphosate (N-(phosphonomethyl)glycine) acid equivalent per gallon or 0.433%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW **DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	duct container or label with you when calling a poison control center or doctor or going for additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated we areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below , the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[1.] Application Restrictions

- Do not enter or allow others to enter treated areas until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use on feed or food crops.

[2.] Use Information [What It Does]

[Product Name] is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, vines, brush, and trees. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. [Product name] will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

[3.] Use Sites [Where To Use]

[Product name] may be used to control weeds in: [In fencerows. Around domestic dwellings, outdoor buildings, structures and shelters such as dairy barns. In roadsides, paved areas (including crack and crevice), curbs, sidewalks, driveways, parking areas, brick walks, gravel paths, paths, patios, and vacant lots, urban areas, play areas, and tennis courts. Along fences.]

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. This product is not intended for treating aquatic plants. In lawns, do not use for individual weed control.

[If you **do not** desire to suppress regrowth, use a product which only contains glyphosate [such as product name] instead.]

[4. Application Directions]

[4.1] For Total Vegetation Control (Including Bareground Treatment)

Use hand-operated spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can. Apply product undiluted. Weeds should be growing vigorously at the time of application for maximum herbicide activity.

For Broadcast Treatments: Uniformly spray the area where bareground is desired. 1 gallon of product will cover 600 sq.ft. [or equivalent rate expressed as: XXX gal/fl.oz. of product will cover YYX constant.] [To Reviewer: The rate is equal to 1.31 lb imazapyr ae/A, 2.61 lb glyphosate ae/A.]

For Spot Treatments: Spray the foliage of clumps of weeds. Apply no more than 1 gallon of product per 600 sq.ft. [or equivalent rate expressed as: Apply no more than XXX gal/fl.oz. of product per YXX cq.ft.] [1.31 lb imazapyr ae/A, 2.61 lb glyphosate ae/A]. One gallon of product will treat 1200 linear feet of fence line with a 6-inch band width. [or equivalent rate expressed as: XXX linear feet of fence line with a YY-inch band width.]

[4.2] For Brush Control

Use hand-operated spray equipment such as backpack sprayers or pump-up sprayers. Apply product undiluted. Uniformly spray the foliage of woody weeds. Excessive wetting of foliage is not recommended. Weeds should be growing vigorously at the time of application for maximum herbicide activity.

The maximum number of applications is 1 broadcast OR 1 spot treatment per year OR 1 brush control application per year. The maximum annual rate is 1 gallons per 600 sq.ft. per year [1.31 lb imazapyr ae/A/yr, 2.61 lb glyphosate ae/A/yr].

Equipment Cleanup: Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

[5.] For All Application Types: Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

- 1. Runoff: Do not over apply causing runoff from the treated foliage. Do not apply to slopes.
- Spray Drift: Spray drift from applying this product may result in damage to sensitive plants
 adjacent to the treatment area. Avoiding spray drift is the responsibility of the applicator.
 Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature
 inversions are prohibited.
- 3. Roots of Trees and Shrubs: Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
- 4. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

[6.] Weeds Controlled

[Product name] will control or suppress most grasses, broadleaf weeds, woody brush, vines, and trees. The degree of control and residual varies by plant species. [List of weeds controlled:]

[Optional weed list table. Some or all may be included on the retail container label.

GRASSES				
Annual bluegrass	Crowfootgrass	Itchgrass	Sandbur	
Bahiagrass	Dallisgrass	Johnsongrass	Smooth brome	
Barnyardgrass	Downy brome	Kentucky bluegrass	Timothy	
Beardgrass	Fall panicum	Lovegrass	Torpedograss	
Bermudagrass	Feathertop	Orchardgrass	Vaseygrass	
Big bluestem	Fescue	Panicum spp.	Wild barley	
Broadleaf signalgrass	Foxtail	Prairie cordgrass	Wild oats	
Canada bluegrass	Giant reed	Prairie threeawn	Wirestem muhly	((((
Cheat	Goosegrass	Quackgrass	Witchgrass	
Cogongrass	Guineagrass	Reed canarygrass	Woolly cupgrass	
Crabgrass	Italian ryegrass	Sand dropseed	, .,	

BROADLEAF WEEDS				Ç (((
Arrowwood	Dogfennel	Mullein	Smartweed	((
Broom snakeweed	Fiddleneck	Nettleleaf goosefoot	Sorrell	i c
Bull thistle	Filaree	Oxeye daisy	Sowthistle	, , ,
Burclover	Fleabane	Pepperweed	Spurge, annual	ί,
Burdock	Giant ragweed	Pigweed	Stinging nettle	((((
Camphorweed	Goldenrod	Plantain	Sunflower	(
Canada thistle	Gray rabbitbrush	Pokeweed	Sweet clover	
Carolina geranium	Henbit	Primrose	Tansymustard	41.11

BROADLEAF WEEDS			
Carpetweed	Hoary vervain	Puncturevine	Texas thistle
Chickweed, mouseear	Horseweed	Purple loosestrife	Velvetleaf
Clover	Indian mustard	Purslane	Western ragweed
Cocklebur	Japanese	Pusley, Florida	Wild carrot
Common chickweed	bamboo/knotweed	Rocket, London	Wild lettuce
Common ragweed	Knotweed, prostrate	Rush skeletonweed	Wild parsnip
Cudweed	Kochia	Russian knapweed	Wild turnip
Dandelion	Lambsquarters	Russian thistle	Woollyleaf bursage
Desert camelthorn	Little mallow	Saltbush	Yellow starthistle
Diffuse knapweed	Milkweed	Shepherdspurse	Yellow woodsorrel
Dock	Miner's lettuce	Silverleaf nightshade	

VINES				
Field bindweed Hedge bindweed Honeysuckle Morningglory	Poison ivy Redvine Trumpetcreeper	Virginia creeper Wild buckwheat Wild grape	Wild rose (Including: Multiflora and Macartney rose)	

WOODY BRUSH AND TREES				
Alder	Chinaberry	Madrone	Sassafras	
American beech	Chinese tallow-tree	Maple	Sourwood	
Ash	Chinquapin	Melaleuca	Sumac	
Aspen	Cottonwood	Mulberry	Sweetgum	
Autumn olive	Cypress	Oak	Sycamore	
Bald cypress	Dogwood	Persimmon	Tanoak	
Bigleaf maple	Eucalyptus	Poison oak	Titi	
Birch	Hawthorn	-Popcorn-tree	Tree of heaven	
Black oak	Hickory	Poplar	Vaccinium spp.	
Blackgum	Huckleberry	Privet	(Including: Blueberry and	
Boxelder	Lyonia spp. (Including:	Red alder	Sparkleberry)	
Brazilian peppertree	Fetterbush and	Red maple	Willow	
Ceanothis	Staggerbush)	Saltcedar	Yellow-poplar	
Cherry	<u> </u>			

End optional weed list table.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of the purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY

STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

- 1. Statements which may appear on different label components depending on packaging configuration.
 - See next panel for additional Precautionary Statements and First Aid
 - Net Contents: 1 pint, I quart, 40 fl.oz., 1 gallon, 2.5 gallons, 5.0 gallons
 - EPA Est. No. _____
- 2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

Herbicide Benefit Claims:

- Offers long-term weed control in places where no growth is wanted
- Kills [Controls] [unwanted] [weeds], [brush], [plants], and [grasses]
- Prevents weeds and vegetative growth for up to 1 year.
- · Apply only where no vegetation growth is wanted for up to 1 year.
- · Kills [Controls] all vegetation
- Year-Long Control Of Tough Weeds & Brush

General Marketing Claims:

- XX [fl.oz./gallons] of product treats up to YYYY sq.ft
- Covers XXXX sq.ft.
- · For driveways, patios, fencerows, and other places where no vegetation is desired.

DOCUMENT CONTROL INFORMATION

- 1. Unique Label Identifier: 002217-00928.20140606.amend-proposed-clean
- 2. Reason for Issue: standardize rate across broadcast, spot, and brush treatments