

2217-940 8.6.2010

1/12



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Chemical Safety and Pollution Prevention  
Registration Division (7505P)  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg. Number: 2217-940  
Date of Issuance: AUG - 6 2010

NOTICE OF PESTICIDE:  
 Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance: Conditional  
Name of Pesticide Product: EH-1484 Herbicide

Name and Address of Registrant (include ZIP Code):  
  
PBI / Gordon Corporation  
1217 West 12<sup>th</sup> Street  
Kansas City, MO 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1) Submit and/or cite all data required for registration/re-registration review of your product when the Agency requires all registrants of similar products to submit data. If required, failure to submit acceptable data to fulfill these requirements may result in registration cancellation in accordance with FIFRA section 6(e).
- 2) Add the phrase "EPA Reg. No. 2217-940" to the labeling and assure that the EPA Establishment Number and Net Contents are also on the label.
- 3) Generate one-year storage stability (830.6317) and corrosion characteristics (830.6320) data on the product. The observations should be made at 0, 3, 6, 9, and 12 month intervals. The results must be submitted to the Agency in electronic and hard copy format within 15 months of the date on this notice.
- 4) NOTE: The IF SWALLOWED statement in the First Aid box is not required for this product. The statement may remain on the label as additional safety information or it may be removed from the label.

SEE NEXT PAGE FOR ADDITIONAL COMMENTS

Signature of Approving Official:  
Kathryn V. Montague  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)

Date: AUG - 6 2010

2/12

5) Add the phrase "and do not reuse for any other purpose" to the end of the third sentence in the pesticide disposal and container handling instructions on page 5 for the statement to read:

"The Power Pump [Spray] can be refilled up to 5 times with EH-1484 Herbicide. Keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not refill more than 5 times and do not reuse for any other purpose. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain."

6) Per the Mecoprop-p (MCP-p) Reregistration Eligibility Document, assure the following statement is in the Directions for Use section of the label:

"Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water to the point of runoff or apply when raining or when rain is expected that day."

7) NOTE: The optional marketing claim on page 7 that reads "Refillable" may only be used for those containers that are refillable.

8) NOTE: While no additional data is being requested at this time, marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.

9) NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

3/12

**ACCEPTED**  
**with COMMENTS,**  
**In EPA Letter Dated:**

**AUG - 6 2010**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

**2217-940**

# EH-1484 HERBICIDE

## EPA Reg. No. 2217-YYY

**ACTIVE INGREDIENT:**

MCPA, dimethylamine salt .....	0.332%
Mecoprop-p, dimethylamine salt .....	0.119%
Dicamba, dimethylamine salt .....	0.031%
<b>OTHER INGREDIENTS:</b> .....	<b>99.518%</b>
<b>TOTAL</b> .....	<b>100.000%</b>

**THIS PRODUCT CONTAINS (on weight basis):**

- 0.023 lb MCPA acid equivalent per gallon or 0.271%
- 0.008 lb Mecoprop-p acid equivalent per gallon or 0.098%
- 0.002 lb Dicamba acid equivalent per gallon or 0.026%

CAS Numbers: MCPA dimethylamine salt (2039-46-5), Mecoprop-p dimethylamine salt (66423-09-4), Dicamba dimethylamine salt (2300-66-5)

[NOTE: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then we ask to add a referral statement and present the substatement on the back panel: See back panel for substatement of ingredient statement.]

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

<b>First Aid</b>	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**Environmental Hazards**

This pesticide may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**PRECAUTIONS AND RESTRICTIONS:**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

**For home lawn care:**

EH-1484 Herbicide is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf weeds.

- This 32 fl.oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 250 sq.ft.
- This 128 fl.oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 1,000 sq.ft.
- This 1.3 gallon retail container size treats approximately 1,300 weeds or up to 1,300 sq.ft.

**Limitations on spot treatments:**

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 1 gallon of product per 1,000 sq.ft. per application (0.008 lb MCPP-p acid equivalent per acre per application). The maximum number of spot treatments is limited to 2 per year with a minimum of 30 days between applications.

**BROADLEAF WEEDS CONTROLLED:**

EH-1484 Herbicide will control or suppress the following broadleaf weeds. A partial list is presented below:

Broadleaf Weeds			
Bedstraw	Ground ivy	Peppergrass	Sheep sorrel
Black medic	Healall	Pigweed	Shepherdspurse
Buckhorn	Henbit	Plantain	Speedwell
Burdock	Knotweed	Poison ivy	Spurge
Chicory	Lambsquarters	Poison oak	Wild carrot
Chickweed	Lawn burweed	Purple cudweed	Wild garlic
Clover	Lespedeza	Purslane	Wild lettuce
Corn speedwell	Mallow	Ragweed	Wild onion
Dandelion	Morningglory	Redweed	Yarrow
Dock			

**HAND SPRAYER PRODUCT**

(Directions & Storage and Disposal)

1. Shake well.
2. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
3. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays. Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)

4. Spray just enough [EH-1484 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 85° F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

**USE TIPS**

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be reapplied.]
- Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.
- Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**TRIGGER SPRAYER PRODUCT**

(Directions & Storage and Disposal)

1. Shake well.
2. Adjust nozzle to coarse spray pattern to minimize wind drift. (graphic)
3. Spray just enough [EH-1484 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.** Do not apply when daytime temperatures are above 85°F as lawn injury can occur. (graphic) Spray only the weeds, not the entire lawn.
4. Weeds will begin wilting and browning overnight.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**USE TIPS**

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.

- Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.

**[Optional Directions for Use]**

**CLAIMS, DIRECTIONS AND STORAGE AND DISPOSAL FOR THE POWER PUMP**

Patent Pending

[Revolutionary (NEW) Power Pump(TM) [Spray] • Works like a pressure sprayer • Ready to Pump and Spray • Refillable • Power Pump Pressure Sprayer • Pump & Spray Your Weeds Away • Rest Your Trigger Finger]

EH-1484 Herbicide kills more than [number] types of [broadleaf] [lawn] weeds down to the root. [ALTERNATE: EH-1484 Herbicide kills all major [broadleaf] [lawn] weeds down to the root. And EH-1484 Herbicide is formulated to kill only the weeds, not the lawn.] And the revolutionary Power Pump [Spray] eliminates the need to squeeze a trigger sprayer over and over again. The Power Pump [Spray] works like a pressure sprayer - just pump it a few times and spray. And the Power Pump [Spray] can be refilled up to 5 times with EH-1484 Herbicide [brand name] for incredible value!

**Use to Spot Treat:** Bedstraw, Black medic, Buckhorn, Canada Thistle, Chickweed, Chicory, Clover, Cudweed, Curly dock, Dandelion, Filaree, Fleabane, Ground ivy, Heal-all, Henbit, Knotweed, Lambsquarters, Lespedeza, Matchweed, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Prickly lettuce, Purslane, Ragweed, Sheep sorrel, Shepherdspurge, Speedwell, Spurge, Wild carrot, Wild garlic, Wild lettuce, Wild onion, Yarrow and more!

1. **CONNECT WAND HOSE TO POWER PUMP [SPRAY] BOTTLE.** Unwrap the wand. Unscrew and discard the Black Cap on the bottle. Push the Clear Tube down through the small opening on the bottle. (graphic) Tightly screw the Green Hose Connector Cap onto the bottle. (graphic) Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic)
2. **PRESSURIZE THE POWER PUMP [SPRAY].** Break off the **Pump Handle "TAB"** with your thumb. (graphic) Pump 20 to 30 times to build up pressure.  
NOTE: The Power Pump [Spray] bottle may bulge slightly as it is pressurized. Never pressurize by any means other than the pump included. You'll need to pump occasionally during use to keep the Power Pump [Spray] pressurized.
3. **SHAKE WELL.** (graphic)
4. **SPRAY WEEDS.** Spray just enough [EH-1484 Herbicide] [product] to lightly cover [broadleaf] weeds. **Excessive spraying can injure some lawns.**  
Just press the Green Button on the wand to spray. If needed, the button can be locked "ON" by pushing it down and forward at the same time. The reverse motion will lock it "OFF." Do not apply when daytime temperatures are above 85°F as lawn injury may occur. Spray only the weeds, not the entire lawn.
5. Weeds will begin wilting and browning overnight.

**USE TIPS**

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications
- Rainproof [Rain fast] – rain or watering 3 hours after application will not wash away effectiveness. [If rainfall occurs within 3 hours of application, the product should be re-applied.]
- Do not allow spray to drift onto desirable plants since injury may result.
- Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.

**REFILLING**

The Power Pump [Spray] can be refilled up to 5 times with EH-1484 Herbicide. Add six (6) (OR 5.8 if container size is critical) fl.oz. of concentrate and dilute to a gallon with water. Use "Fill to Here" mark on the side of the Power Pump [Spray] bottle as a guide. Shake well to mix.

4/12

This dilution rate results in a product with the same strength as that supplied in the Power Pump [Spray] when purchased. Make sure the Green Pump Cap and the Green Hose Connector Cap are tightly secured before re-pressurizing. Make sure the Green Button on the wand is "OFF" or "UP" before pressurizing. (graphic) **IMPORTANT: Do not refill more than 5 times.**

To keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not use any product other than EH-1484 Herbicide in this Power Pump [Spray]. Incompatible chemicals may damage the pump making it unsafe to use.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Always release pressure by unscrewing the pump cap before storing. Store in original container in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** The Power Pump [Spray] can be refilled up to 5 times with EH-1484 Herbicide. Keep track of the number of times refilled, put a mark through the appropriate number: (1) (2) (3) (4) (5-final). Do not refill more than 5 times. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[Satisfaction Guaranteed:** If for any reason you are not completely satisfied with the performance or results of this [brand name] product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

## [Optional Directions for Use]

### DIRECTIONS FOR USE for Spectracide Weed Stop EzSPRAY(TM) applicator:

#### EzSPRAY(TM) EASY SET UP

1. Remove sprayer from side holder. Gently pull tubing out.
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the green plug into hole in cap.
4. Remove plastic tab near bottom of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE to SPRAY to STREAM.
6. [graphics included for each of the five steps above]

#### HOW TO USE THE EzSPRAY(TM)

- A. Aim toward target weeds/plants, and away from people and pets.
- B. Press the trigger to spray.
- C. Release the trigger to stop spray.

#### After use:

1. Twist nozzle completely to CLOSE position
2. Secure sprayer upright in holder.
3. **Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holder may result in leakage and damage to property or injury to people or animals.**

#### To replace batteries:

1. Slide battery compartment door to unlatch and open.
2. Remove used batteries and insert four new AA batteries in **correct positions** as marked per diagram inside of battery compartment. Never insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries.
3. Securely close battery compartment door.
4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

**Additional operating notes:**

- Do not submerge in water
- Before each use inspect sprayer carefully—makes sure hose is flexible and not kinked, worn or cracked, and that all connections are tight.
- When storing sprayer for prolonged periods remove batteries.

**REFILL DIRECTIONS**

Refill only with EH-1484 Herbicide [brand name]. Remove cap. Carefully measure and mix 6 fl.oz. (12 Tbsp.) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

Additional advertising items to be included on **EzSPRAY(TM)** container label:

- Battery Powered [with graphic]
- **EzSPRAY(TM) NO PUMPING – NO PULLING – NO FATIGUE!**
- 4 AA Batteries Included! [with graphic]

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area inaccessible to children and pets. Keep from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do not reuse container except to refill (refer to REFILL DIRECTIONS). **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assume all responsibility for safety and use not in accordance with directions. **GUARANTEED RESULTS or your money back.** If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

**Questions or comments?** Call toll free 1-800-xxx-xxxx.  
[telephone number, address, website information for supplemental registrant or distributor].

**APPENDIX**

**1. Statements which may appear on different label components depending on packaging configuration.**

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: \_\_\_\_\_
- EPA Est. No. \_\_\_\_\_

**2. Advertising claims and marketing phrases that may be presented on promotional materials and the container labels of supplemental registrants.**

- Cool and Warm Season Grasses Bluegrass, Fescue, Zoysia, Bermuda, St. Augustinegrass\*, Bentgrass, Centipede, Bahia, Perennial Ryegrass \* (note: Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.)
- Kills the Weeds, not the Lawn
- Kills xx+ [Listed] Weed Types Roots and All [As Listed]
- Kills xx+ [Listed] Weeds [As Listed]
- Kills over 250 [Listed] Weeds [As Listed], Including Clover and Dandelion



- 9/12
- Kills weed roots
  - Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back. See Results in Hours.
  - Overnight results • Rainproof in hours • Rainproof in as little as 3 hours — won't wash away.
  - Water-Based
  - Refillable
  - Especially effective on all types of hard-to-kill weeds
  - Kills xx+ [listed] types of weeds [as listed] • Kills weed roots! • Kills major broadleaf weeds
  - Clear-view measuring window
  - For home lawn care.
  - Kills over xx [listed] weed types [as listed] including dandelion, chickweed, wild onion, plantain and poison ivy
  - Kills broadleaf weeds in lawns
  - Kills major broadleaf weeds, roots and all. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
  - Kills dandelion and many other broadleaf weeds
  - [Brand name] controls more than xx troublesome weeds including dandelion, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both cool and warm season lawns.
  - Use on Lawns to Kill the Toughest Weeds, Like Clover and Dandelion.
  - Won't Harm Lawns\*
    - \*When used as directed: Do not use on 'Floritam' or 'Bitterblue' varieties of St. Augustinegrass.

#### EFFICACY

- Tough weed killer
- Kills even the toughest broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills even tough broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Treats Cool and Warm Season Grasses
- Treats Bluegrass, Fescue, Zoysia, Bermuda, St. Augustine\*, Bentgrass, Centipede, Bahia, Perennial ryegrass \* (note: Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.)
- Destroys the hard-to-kill broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills major broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others. [See Weed details on back.]
- Kills [major] broadleaf weeds
- Kills broadleaf weeds in lawns
- Kills poison ivy and poison oak
- Provides broadleaf control
- [Controls][Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Clobbers clover
- [Complete] clover control [ as little as one week]
- Controls clover in one week
- Kills XX [types of] [listed] [brush and] weeds [as listed] [roots and all]
- Kills weed roots
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Especially effective on all types of hard-to-kill weeds [Superior results] [Kills more weeds] than the competition [Our toughest formula [ever] [or the toughest weeds]

**SPEED**

- On tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact

**WEATHER**

- [Cool][all] weather performance
- Proven [all] [cool] weather performance
- Performs in both warm and cool weather

**RAINPROOF**

- Rainproof - [For control that] won't wash away
- [Rainfast][Rainproof] [ in hours [ Won't wash away]
- Rainproof - Won't wash away
- [Rainproof] [Rainfast] in [as little as] 3 hours

**OTHER**

- Water-based
- Guaranteed [results] or your money back
- Clear-view measuring window
- For home lawn care
- For home lawns
- Helps keep lawns weed-free
- Ideal for spot treating individual lawn weeds
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [ down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses] [the lawn] unharmed

**MEASUREMENT CALCULATIONS**

- Total lawn area in square feet = length x width.

**EQUAL MEASURES:**

- Tablespoons
- 4 fl.oz. = 1/2 cup;
- 8 fl.oz. = 1 cup;
- 16 fl.oz. = 1 pint;
- 32 fl.oz. = 1 quart

**PRODUCT FACTS**

**What It Does:**  
 [Kills all Major Broadleaf Weeds including Dandelion, Chickweed and Clover] [Kills over 60 types of weeds including Poison Ivy, Poison Oak]

**Where To Use:** (icon weeds)  
 Lawns: Kills the Weeds not the Lawn  
 (note: Do not use on 'Floritam' or other improved varieties of St. Augustinegrass grown in Florida.)

**When To Use:**  
 Apply when daytime temperatures are between 50°F and 85°F.

**Questions & Comments:** (icon phone) (icon computer)  
 Call 1-800-xxx-xxxx or Visit our Website at [www.companyname.com](http://www.companyname.com)

Controls (Number) weeds! (Listing of weeds may include the following.)

WEEDS			
Amaranth, purple	Cupid shaving Brush	Mugwort	Speedwell, common
Amaranth, slender	Cudweed	Mustard, ball	Speedwell, corn
Aster, heath	Daisy, English	Mustard, black	Speedwell, ivyleaf
Aster, white heath	Daisy, oxeye	Mustard, blue	Speedwell, persian
Aster, purple	Dandelion, common	Mustard, hedge	Speedwell, purslane
Aster, white prairie	Dandelion, false	Mustard, indian,	Speedwell, slender
Artichoke	Day flower	Mustard, tansy	Speedwell, snow
Austrian fieldcress	Deadnettle	Mustard, tumble	Speedwell, thymeleaf
Bedstraw, Catchweed	Dichondra	Mustard, white	Spiny amaranth
Bedstraw, smooth	Dock, broadleaf	Mustard, wormseed	Spurge, spotted
Bedstraw, Northern	Dock, curly	Nettle, stinging (burning)	Spurge, prostrate
Bedstraw, pineywoods	Dogbane	Nettle, tall	Spurweed
Beggarticks, hairy	Dogfennel	Nettle, wood	Star of Bethlehem
Betony, Florida	Dollarweed	Parsley-piert	Strawberry, India mock
Bindweed, Field	(Pennywort)	Parsnip	Tansy ragwort
Bindweed, Hedge	Dove weed	Pearlwort	Tanweed
Bitter Wintercress	Elderberry	Pennycress (frenchweed)	Thistle, blessed
Bittercress, hairy	Falseflax	Pepperweed, perennial	Thistle, bull
Bitterweed	False sunflower	Pepperweed, virginia	Thistle, canada
Black-eyed Susan	Fiddleneck	(Peppergrass)	Thistle, flodman (prairie)
Black Medic	Filaree, redstem	Pigweed, prostate	Thistle, musk
Blood flower milkweed	Filaree, whitestem	Pigweed, redroot	Thistle, platte
Blue lettuce	Fleabane, daisy	Pigweed, russian	Thistle, plumeless
Brassbuttons	(annual)	Pigweed, smooth	Thistle, russian
Bristly oxtongue	Fleabane, rough	Pigweed, tumble	Thistle, scotch
Broomweed	Galinsoga, hairy	Pineapple weed	Thistle, wavyleaf
Buckhorn	Galinsoga, smallflower	Plains coreopsis (tickseed)	Thistle, yellow (horrible)
Bullnettle	Goldenrod	Plantain, blackseed	Trailing crownvetch
Burclover	Ground ivy	Plantain, bracted	Velvetleaf
Burdock	Groundsel	Plantain, broadleaf	Vervain, blue
Burweed, lawn (spurweed)	Gumweed	Plantain, buckhorn	Vervain, hoary
Buttercup, bulbous	Hairy fleabane	Plantain, hoary	Vervain, prostrate
Buttercup, creeping	Hawkweed, meadow	Plantain, narrowleaf	Vervain, tall
Buttonweed, common	Hawkweed, mouseear	Plantain, slender	Vetch, bird
(poorjoe)	Hawkweed, orange	Plantain, woolly	Vetch, hairy
Buttonweed, virginia	Hawkweed, yellow	Poison ivy	Vetch, milk
Carolina geranium (wild)	Healall	Poison oak	Vetch, narrowleaf
Carpetweed	Heartleaf drymary	Pokeweed	Vetch, wild
Catnip	Hemp	Prairie Sunflower	Virginia creeper
Catsear, spotted (false	Henbit	Prickly lettuce (compass plant)	Western clematis
dandelion)	Hoary cress	Prickly sida	Western salsify
Chamber bitter	Horsenettle	Prostrate knotweed	Wild aster
Chickweed, common	Horseweed	Puncturevine	Wild buckweat
Chickweed, mouseear	Jimsonweed	Purslane, common	Wild carrot
Chickweed, sticky	Johnny-Jumpup violet	Pusley, brazil	Wild four-o'clock
Chicory	Knawel	Pusley, florida	Wild garlic
Cinquefoil	Knotweed, prostrate	Pusley, large flower	Wild lettuce
Clover, crimson	Kochia	Ragweed, bur	Wild marigold
Clover, alyce	Lambsquarters	Ragweed, common	Wild mustard (yellow rocket)
Clover, hop	Lespedeza	Ragweed, lancleaf	Wild onion
Clover, rabbit foot	Mallow, alkali	Ragweed, western	Wild parsnip
Clover, red	Mallow, bristly	Redstem filaree	Wild radish
Clover, strawberry	Mallow, common	Rough cinquefoil	Wild rape
Clover, yellow sweet	Mallow, dwarf	Scarlet pimpernel	Wild strawberry
Clover, white sweet	Mallow, venice	Shepardspurge	Wild sweet potato
Clover, white	Marcela	Smartweed, ladythumb	Wild violet
Cockle	Matchweed	Smartweed, pale	Woodsorrel, creeping
Cocklebur	Mexicanweed	Smartweed, pennsylvania	Woodsorrel, violet
Cocklebur, oriental	Moneywort	Smooth chaff-flower	Woodsorrel, yellow (Oxalis)
Cocklebur, spiny	Morningglory, bigroot	Smoothdock	Woolly croton

WEEDS			
Common mullein	Morningglory, ivyleaf	Sorrel, red (sheep)	Wormseed
Corn Spurry	Morningglory, mexican	Sowthistle, annual	Yarrow, common
Creeping Beggarweed	Morningglory, red	Sowthistle, spiny	Yarrow, western
Creeping Jenny (creeping charlie)	Morningglory, tall	Spanish needles	Yarrow, yellow
	Morningglory, wolly	Speedwell, bi-lobed	Yellow nutsedge

**DOCUMENT CONTROL INFORMATION**

- 1. Unique Label Identifier: 002217-00YYY.20100311.new-proposed-EH1484.doc
- 2. Reason for Issue: New registration