



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 18, 2025

Brittany Wilkerson
Regulatory Affairs Label Specialist
PBI/Gordon Corporation
P.O. Box 860350
Shawnee, Kansas 66286

Subject: Label Amendment - Registration Review Mitigation for Dichlobenil
Product Name: EH-1571 Herbicide
EPA Registration Number: 2217-1012
Case Number: 673018
Application Date: May 17, 2019

Dear Brittany Wilkerson:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Dichlobenil Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Concepción Rodríguez by phone at 202-566-0820, or via email at rodriguez.concepcion@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Julie Javier", with a stylized flourish at the end.

Julie Javier, Team Leader
Risk Mitigation and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

EH-1571 HERBICIDE

EPA Reg. No. 2217-1012

ACCEPTED

Dec 18, 2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 2217-1012

ACTIVE INGREDIENTS:

Dichlobenil	0.84%
Glyphosate, isopropylamine salt	0.74%
OTHER INGREDIENTS:	98.42%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

0.071 lb. Dichlobenil (2,6-dichlorobenzonitrile) per gallon or 0.84%
0.047 lb. Glyphosate (N-(phosphonomethyl)glycine) per gallon or 0.55%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground-water contamination.

Non-Target Organism Advisory:

This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

Physical or Chemical Hazards Statement

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated area until sprays have dried.

1. Product Information [What It Does]

EH-1571 HERBICIDE is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, vines, brush, and trees. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. EH-1571 HERBICIDE will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

2. Use Sites [Where To Use]

EH-1571 HERBICIDE may be used to control weeds and maintain bare ground in the following areas: [Around domestic (residential) dwellings, outdoor buildings/sheds/shelters]; [Paved areas (including cracks and crevices of driveways, brick walks, gravel paths, and patios)]; [and along fences].]

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. In lawns, do not use for individual weed control.

3. Application Directions

Apply as a broadcast or spot treatment. Uniformly spray the area where total vegetation control (bare ground) is desired. For best results, apply in fall through spring when the temperature is below [70°F to 85°F] and do not disturb treated areas after application to maintain the herbicidal barrier. Use hand-operated, non-mechanically pressurized, spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can.

Mix [19 to 38] fl.oz. of product with water to produce 1 gallon of spray solution. Spray the 1 gal of spray solution over 100 sq.ft. [4.6 to 9.2 lb dichlobenil/A, 3.0 to 6.1 lb glyphosate ae/A]. Watering the treated area is not required. Weeds should be growing vigorously at the time of application for maximum herbicide activity.

Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

4. Application Restrictions

- The maximum number of applications is 1 application at 38 fl.oz. per 100 sq.ft. or 2 applications at 19 fl.oz. per 100 sq.ft.. The maximum annual rate is 38 fl.oz. per 100 sq.ft. per year [9.2 lb dichlobenil/A, 6.1 lb glyphosate ae/A].
- Do not use on feed or food crops.
- Do not use in areas where desirable plants will be planted or seeded within 1 year of application.
- Do not use in enclosed structures.
- Do not graze livestock in treated areas.

- Aerial application prohibited.
- Do not apply with a mechanically pressurized handgun to non-agricultural ornamental, and non-crop areas.
- Do not apply with a backpack sprayer to gardens and trees.
- Do not apply with a hose-end sprayer to lawns and turf.
- Do not apply to foundations and/or perimeters using backpack sprayer

5. Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

1. **Runoff:** Do not apply in a way to cause runoff. Avoid applying to slopes as movement on soil surface may damage desirable plants down the slope.
2. **Roots:** Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
3. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

6. Spray Drift Advisories

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

7. Weeds Controlled

EH-1571 HERBICIDE will control or suppress most grasses, broadleaf weeds, woody brush, vines, and trees. The degree of control and residual varies by plant species. [List of weeds controlled:]

[Optional weed list table. Some or all may be included on label.]

GRASSES			
Annual bluegrass	Crowfootgrass	Itchgrass	Sandbur
Bahiagrass	Dallisgrass	Johnsongrass	Smooth brome
Barnyardgrass	Downy brome	Kentucky bluegrass	Timothy
Beardgrass	Fall panicum	Lovegrass	Torpedograss
Bermudagrass	Feathertop	Orchardgrass	Vaseygrass
Big bluestem	Fescue	<i>Panicum</i> spp.	Wild barley
Broadleaf signalgrass	Foxtail	Prairie cordgrass	Wild oats
Canada bluegrass	Giant reed	Prairie threeawn	Wirestem muhly
Cheat	Goosegrass	Quackgrass	Witchgrass
Cogongrass	Guineagrass	Reed canarygrass	Woolly cupgrass
Crabgrass	Italian ryegrass	Sand dropseed	

BROADLEAF WEEDS			
Arrowwood	Dogfennel	Mullein	Smartweed
Broom snakeweed	Fiddleneck	Nettleleaf goosefoot	Sorrell
Bull thistle	Filaree	Oxeye daisy	Sowthistle
Burclover	Fleabane	Pepperweed	Spurge, annual
Burdock	Giant ragweed	Pigweed	Stinging nettle
Camphorweed	Goldenrod	Plantain	Sunflower
Canada thistle	Gray rabbitbrush	Pokeweed	Sweet clover
Carolina geranium	Henbit	Primrose	Tansymustard
Carpetweed	Hoary vervain	Puncturevine	Texas thistle
Chickweed, mouseear	Horseweed	Purple loosestrife	Velvetleaf
Clover	Indian mustard	Purslane	Western ragweed

BROADLEAF WEEDS			
Cocklebur	Japanese bamboo/knotweed	Pusley, Florida	Wild carrot
Common chickweed	Knotweed, prostrate	Rocket, London	Wild lettuce
Common ragweed	Kochia	Rush skeletonweed	Wild parsnip
Cudweed	Lambsquarters	Russian knapweed	Wild turnip
Dandelion	Little mallow	Russian thistle	Woollyleaf bursage
Desert camelthorn	Milkweed	Saltbush	Yellow starthistle
Diffuse knapweed	Miner's lettuce	Shepherdspurse	Yellow woodsorrel
Dock		Silverleaf nightshade	

VINES			
Field bindweed	Poison ivy	Virginia creeper	Wild rose (Including: Multiflora and Macartney rose)
Hedge bindweed	Redvine	Wild buckwheat	
Honeysuckle	Trumpet creeper	Wild grape	
Morning glory			

WOODY BRUSH AND TREES			
Alder	Chinaberry	Madrone	Sassafras
American beech	Chinese tallow-tree	Maple	Sourwood
Ash	Chinquapin	Melaleuca	Sumac
Aspen	Cottonwood	Mulberry	Sweetgum
Autumn olive	Cypress	Oak	Sycamore
Bald cypress	Dogwood	Persimmon	Tanoak
Bigleaf maple	Eucalyptus	Poison oak	Titi
Birch	Hawthorn	Popcorn-tree	Tree of heaven
Black oak	Hickory	Poplar	Vaccinium spp.
Blackgum	Huckleberry	Privet	(Including: Blueberry and Sparkleberry)
Boxelder	<i>Lyonia</i> spp. (Including: Fetterbush and Staggerbush)	Red alder	Willow
Brazilian peppertree		Red maple	Yellow-poplar
Ceanothus		Saltcedar	
Cherry			

End optional weed list table.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Offers long-term weed control in places where no growth is wanted
- Kills [Controls] [unwanted] [weeds], [plants], and [grasses]
- Prevents [weeds and] [vegetative] [New] growth for up to 1 year [all season] [all season long].
- Kills weeds for up to 1 year [all season] [all season long].
- Apply only where no vegetation growth is wanted for up to 1 year [all season] [all season long]..
- Kills [Controls] all vegetation
- Kills weeds and grasses down to the root
- Prevents weed seeds from growing for up to 1 year [all season] [all season long].
- XX fl.oz. of product treats up to YYYY sq.ft
- Covers [Treats] XXXX sq.ft.
- Covers [up to] XXXX sq.ft.
- 1 qt covers [42 to 84] sq.ft.,
- 40 floz covers [53 to 105] sq.ft.,
- 1 gal covers [168 to 336] sq.ft.,
- 2.5 gal covers [420 to 840] sq.ft.
- Treats up to XXX linear feet
- Two way action
- Year-long [all season] [all season long] control of tough weeds
- For driveways, patios, fence rows, and other places where no vegetation is desired.
- Ideal for use on driveways, sidewalks, patios, brick walks, gravel paths, and fence lines.
- [Before, photo] [After, photo]
- Use Where No Growth Is Desired
- Knockdown plus residual
- Fencerows, Driveways, And More Sites As Listed . . . Farmyards, Around Buildings, Storage Areas
- Dual-Action technology kills and prevents weeds, grass and brush for [season-long control] [up to 12 months]
- Season-long control of tough weeds, grass, and brush
- Goes to the roots to stop growth fast
- Apply where no vegetation is desired in areas such as fencerows, driveways, around buildings, propane tanks, around storage areas, farmyards, parking areas, patios, and pathways, [and more areas listed on label].

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-01012.20240426.amend-proposed-clean

2. Reason for Issue: Registration Review - Dichlobenil EPA Comments #1