



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2217-1075

Date of Issuance:

7/14/23

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

EH-1665 Herbicide

Name and Address of Registrant (include ZIP Code):

PBI/Gordon Corporation
P.O. Box 860350
Shawnee, KS 66286

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Mindy Ondish, Product Manager 23
Herbicide Branch, Registration Division (7505T)

Date:

7/14/23

2. You are required to comply with the data requirements described in the generic data call-in (GDCI) identified below:
 - a. Dicamba GDCI-029801-1659

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Re-Evaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. You have 18 months from the date of registration to provide these data.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):


- Basic CSF dated 07/19/2021
- Alternate CSFs 1-12 dated 07/19/21

If you have any questions, please contact Curtis Hildebrandt by phone at (202) 566-2770, or via email at hildebrandt.curtis@epa.gov.

Enclosure

EH-1665 HERBICIDE

EPA Reg. No. 2217-1075



ACTIVE INGREDIENTS:

2,4-D, DMA salt	0.1590%
Quinclorac	0.0800%
Dicamba, DMA salt	0.0200%
Sulfentrazone	0.0100%
Pyrimisulfan	0.0072%
OTHER INGREDIENTS:	<u>99.7238%</u>
TOTAL	100.0000%

THIS PRODUCT CONTAINS:

- 0.0110 lb 2,4-D acid equivalent per gallon or 0.1320%.
- 0.0067 lb Quinclorac acid per gallon or 0.0800%.
- 0.0014 lb Dicamba acid equivalent per gallon or 0.0170%.
- 0.0008 lb Sulfentrazone per gallon or 0.0100%.
- 0.0006 lb Pyrimisulfan per gallon or 0.0072%.

[Note: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then add a referral statement and present this substatement on the back panel: "See back panel for substatement of ingredient statement".]

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

See attached booklet [inside pages] for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

Net Contents: _____

EPA Est. No. _____

Company Name and Address:

PBI/Gordon Corporation
PO Box 860350
Shawnee, KS 66286



{Label text may also appear all or in part in [a foreign language] [insert one or more foreign language]in addition to English.}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

First Aid	
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice [and other product related inquiries].	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Product Description

EH-1665 HERBICIDE is a post-emergent, selective herbicide specifically designed to target a broad spectrum of sedges, crabgrass, and broadleaf weeds. Engineered with a proprietary formulation of five active ingredients, EH-1665 HERBICIDE controls more than [90][250] listed weeds found in your lawn:

1. **broadleaf weeds**, including dandelion, clover, henbit, chickweed, and plantain
2. **grassy weeds**, including crabgrass and foxtail
3. **sedges**, including yellow and purple nutsedge

EH-1665 HERBICIDE may be applied to lawns containing Kentucky bluegrass, fine and tall fescues, perennial ryegrass, Bermudagrass, zoysiagrass, and bentgrass.

2. Use Restrictions

- For residential lawn use only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until spray has dried.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not use on food crops (gardens, fruits, and vegetables), forage crops, or ornamental plants (flowers, trees, shrubs, hedges, woody ornamentals, groundcovers, groundcovers established in landscape plantings).
- Do not use on Carpetgrass, Dichondra, Buffalograss, St. Augustinegrass, and turfgrass species that are not listed on this label. Do not apply this product to bentgrass mowed under 1/2 inch.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.
- This product is for spot treatment only.
- Wait at least 30 days between applications to previously treated weeds.
- Do not collect grass clippings from treated turfgrass for use as mulch around plants or in compost for 3 weeks after treatment.

3. Where To Use

EH-1665 HERBICIDE may be used on residential [home] lawns without harming lawn grasses when used as directed. Turfgrass species which may be treated include Kentucky Bluegrass, Perennial Ryegrass, Fine Fescues, Tall Fescue, Bentgrass, Common and Hybrid Bermudagrasses, and Zoysiagrass.

4. When To Use

- Spray when weeds are actively growing.
- **Temperature:** Some turf injury may be expected with spot treatments when air temperatures exceed 90F.
- Hard to kill weeds may require a repeat application in 30 days.

5. Sprayer Instructions

[For non-battery operated (trigger) sprayers

1. Shake well before each use.
2. Adjust nozzle to narrow fan spray, to prevent excessive wetting and waste of product. Aim at center of the weed and spray to [until] wet.]

[for Battery-Operated Trigger Sprayers:

1. Remove wand from side clip.
2. Pull connector by slightly twisting from holder and unwrap hose completely.
3. Loosen screws of battery cover.
4. Remove the insulation strip.
5. Tighten screws again.
6. Remove cover from cap and insert plug end of hose into knob opening on cap until it clicks.
7. Flip open wand until it clicks and locks into position. Extend wand fully.
8. Slide trigger lock on wand handle to the unlocked position.
9. Twist nozzle toward STREAM until medium-coarse droplets are delivered.

[Optional graphics depicting droplet size]


Heavy Droplets



Medium-Coarse Droplets



Fine mist (for comparison)



How to use the battery operated sprayer:

1. Point nozzle away from body and hold trigger for continuous spray.
2. Hold tip of wand approximately 12-18 inches away from the target weed and spray to wet.
3. Release the trigger to stop spray.

Important Use Information: Do not submerge in water. When storing sprayers for long periods, remove batteries.]

{Example coverage statements for different container sizes, the registrant must present one of the following options on the container label. }

- [This 24 fl.oz. [retail] container treats approximately 200 weeds or up to 200 sq.ft.]
- [This 32 fl.oz. [(1.0 quart)] [retail] container treats approximately 250 weeds or up to 250 sq.ft.]
- [This 128 fl.oz. [(1.0 gallon)] [retail] container treats approximately 1,000 weeds or up to 1,000 sq.ft.]
- [This 1.33 gallon [retail] container treats approximately 1,300 weeds or up to 1,300 sq.ft.]

[6. How to Refill

[Option 1] [For Ready-To-Use Containers with Applicators Intended to be Reused/Refilled

To refill this product, use the EH-1665 HERBICIDE refill, and carefully pour the entire contents of the 1.33 gal [XXX fl.oz./XXX gal] refill bottle [container] directly into this empty ready-to-use container equipped with spray applicator. DO NOT add water.]

[Option 2] [For Ready-To-Use Containers with Applicators Intended to be Reused/Refilled]

1. Remove the cap from the EH-1665 HERBICIDE refill bottle.
2. Remove the sprayer wand, cap with attached tube, and holster from the original bottle of EH-1665 HERBICIDE.
3. Insert cap with attached tube into the refill bottle.
4. Attach the sprayer wand and holster onto the refill bottle.
5. Screw sprayer tube on tightly
6. Proceed as before.]

7. For Best Results

- **Irrigation:** Delay watering lawn until 2 hours after treatment.
- **Seeding before application:** This product may be applied to newly seeded grasses approximately 6 weeks after seedling emergence or after the third mowing.

8. Weeds Controlled

[Broadleaf Weed List Option 1]

Broadleaf Weeds

Amaranth, purple
Amaranth, slender
Artichoke
Aster, heath
Aster, purple
Aster, white heath
Aster, white prairie
Austrian fieldcress
Bedstraw, catchweed
Bedstraw, smooth
Bedstraw, Northern
Bedstraw, pineywoods
Beggarticks, hairy
Betony, Florida
Bindweed, Field
Bindweed, Hedge
Bitter Wintercress
Bittercress, hairy
Bitterweed
Black-eyed Susan
Black Medic
Blood flower milkweed
Blue lettuce
Brassbuttons
Bristly oxtongue
Broomweed
Buckhorn
Bullnettle
Burclover
Burdock
Burweed, lawn (*spurweed)
Buttercup, bulbous
Buttercup, creeping
Buttonweed, common (*poorjoe)
Buttonweed, Virginia
Carolina geranium (*wild)
Carpetweed
Catnip
Catsear, spotted (*false
dandelion)
Chamber bitter
Chickweed, common
Chickweed, mouseear
Chickweed, sticky
Chicory
Cinquefoil
Clover, aslike
Clover, crimson
Clover, hop
Clover, rabbit foot
Clover, red
Clover, strawberry
Clover, white
Clover, white sweet
Clover, yellow sweet
Cockle
Cocklebur
Cocklebur, oriental
Cocklebur, spiny
Common mullein
Corn Spurry
Creeping Beggarweed

Creeping Jenny (*creeping
charlie)
Cudweed
Cupid shaving Brush
Daisy, English¹
Daisy, oxeye
Dandelion, common
Dandelion, false
Day flower
Deadnettle
Dichondra
Dock, broadleaf
Dock, curly
Dogbane
Dogfennel
Dollarweed (*Pennywort)
Dove weed
Elderberry
False sunflower
Falseflax
Fiddleneck
Field violet (pre-emergent)
Filaree, redstem
Filaree, whitestem
Fleabane, daisy (*annual)
Fleabane, rough
Galinsoga, hairy
Galinsoga, smallflower
Goldenrod
Ground ivy
Groundsel
Gumweed
Hairy fleabane
Hawkweed, meadow
Hawkweed, mouseear
Hawkweed, orange
Hawkweed, yellow
Healall
Heartleaf drymary
Hemp
Henbit
Hoary cress
Horsenettle
Horseweed
Innocence (*Blue-eyed Mary)
Jimsonweed
Johnny-Jumpup violet
Knawel
Knotweed, prostrate
Kochia
Lambsquarters
Lespedeza
Mallow, alkali
Mallow, bristly
Mallow, common
Mallow, dwarf
Mallow, venice
Marcela
Matchweed
Mexicanweed
Moneywort
Morningglory, bigroot

Morningglory, ivyleaf
Morningglory, mexican
Morningglory, red
Morningglory, tall
Morningglory, wolly
Mugwort
Mustard, ball
Mustard, black
Mustard, blue
Mustard, hedge
Mustard, Indian
Mustard, tansy
Mustard, tumble
Mustard, white
Mustard, wormseed
Nettle, stinging (*burning)
Nettle, tall
Nettle, wood
Old world diamond flower
Oxalis (*yellow woodsorrel &
creeping woodsorrel)
Parsley-piert
Parsnip
Pearlwort
Pennycress (*frenchweed)
Pepperweed, perennial
Pepperweed, Virginia
(*Peppergrass)
Pigweed, prostrate
Pigweed, redroot
Pigweed, Russian
Pigweed, smooth
Pigweed, tumble
Pineapple weed
Plains coreopsis (*tickseed)
Plantain, blackseed
Plantain, bracted
Plantain, broadleaf
Plantain, buckhorn
Plantain, hoary
Plantain, narrowleaf
Plantain, slender
Plantain, woolly
Poison ivy
Poison oak
Pokeweed
Prairie Sunflower
Prickly lettuce (*compass plant)
Prickly sida
Prostrate knotweed
Puncturevine
Purslane, common
Pusley, brazil
Pusley, Florida
Pusley, large flower
Ragweed, bur
Ragweed, common
Ragweed, lancleaf
Ragweed, western
Redstem filaree
Redweed
Rough cinquefoil

Scarlet pimpernel
 Shepard's purse
 Smartweed, ladysthumb
 Smartweed, pale
 Smartweed, Pennsylvania
 Smooth chaff-flower
 Smoothdock
 Sorrel, red (*sheep)
 Sowthistle, annual
 Sowthistle, spiny
 Spanish needles
 Speedwell, bi-lobed
 Speedwell, common
 Speedwell, corn
 Speedwell, ivyleaf
 Speedwell, persian
 Speedwell, purslane
 Speedwell, slender
 Speedwell, snow
 Speedwell, thymeleaf
 Spiny amaranth
 Spurge, prostrate
 Spurge, spotted
 Spurweed
 Star of Bethlehem
 Strawberry, India mock

Tansy ragwort
 Tanweed
 Thistle, blessed
 Thistle, bull
 Thistle, Canada
 Thistle, flodman (*prairie)
 Thistle, musk
 Thistle, platte
 Thistle, plumeless
 Thistle, Russian
 Thistle, scotch
 Thistle, wavyleaf
 Thistle, yellow (*horrible)
 Trailing crownvetch
 Velvetleaf
 Vervain, blue
 Vervain, hoary
 Vervain, prostrate
 Vervain, tall
 Vetch, bird
 Vetch, hairy
 Vetch, milk
 Vetch, narrowleaf
 Vetch, wild
 Virginia creeper
 Western clematis

Western salsify
 Wild aster
 Wild buckweat
 Wild carrot
 Wild four-o'clock
 Wild garlic
 Wild lettuce
 Wild marigold
 Wild mustard (*yellow rocket)
 Wild onion
 Wild parsnip
 Wild radish
 Wild rape
 Wild strawberry
 Wild sweet potato
 Wild violet¹
 Woodsorrel, creeping
 Woodsorrel, violet
 Woodsorrel, yellow (*oxalis)
 Woolly croton
 Wormseed
 Yarrow, common
 Yarrow, western
 Yarrow, yellow
 Yellow Rocket

[Broadleaf Weed List Option 2]

Broadleaf Weeds

Aster, white heath & white prairie
 Bedstraw
 Beggarweed, creeping
 Bindweed
 Black medic
 Broadleaf plantain
 Buckhorn plantain
 Bull thistle
 Burdock, common
 Buttercup, creeping
 Carpetweed
 Chickweed, common
 Chicory
 Cinquefoil
 Clovers
 Curly dock
 Dandelion
 Dayflower
 Deadnettle
 Dock
 Dogfennel
 Dollarweed (*pennywort)
 English Daisy¹
 False dandelion (*spotted
 catsear & common catsear)
 Field bindweed (*morningglory &
 creeping jenny)
 Field oxeye-daisy (*creeping

oxeye)
 Field violet (pre-emergent)
 Filaree, whitestem & redstem
 Florida betony
 Florida pusley
 Ground ivy (*Creeping Charlie,
 Creeping Jenny)
 Groundsel
 Geranium (Carolina)
 Hairy Bittercress
 Hawkweed
 Healall
 Henbit
 Innocence (Blue-eyed Mary)
 Knotweed
 Lambsquarters
 Lawn burweed
 Lespedeza, common
 Mallow, common
 Matchweed
 Morningglory spp.
 Mouseear chickweed
 Old world diamond flower
 Oxalis (*yellow woodsorrel &
 creeping woodsorrel)
 Parsley-piert
 Pennsylvania smartweed
 Pepperweed

Pigweed
 Pineappleweed
 Plantain
 Poison ivy
 Poison oak
 Prickly lettuce (*compass plant)
 Puncturevine
 Purple cudweed
 Purslane
 Ragweed
 Redweed
 Red sorrel (*sheep sorrel)
 Shepherdspurse
 Speedwell *Veronica (Common,
 Slender and Thymeleaf)
 Spurge
 Thistles
 Virginia buttonweed
 White clover (*Dutch clover,
 honeysuckle clover, white
 trefoil, & purplewort)
 Wild carrot
 Wild garlic
 Wild geranium
 Wild lettuce
 Wild mustard
 Wild onion
 Wild strawberry

Wild Violet¹ | Yarrow | Yellow rocket

Grass Weeds

Crabgrass^{1, 2} (large and smooth) | Japanese stiltgrass³ | Signalgrass¹ (Broadleaf)
Foxtail¹ (green, yellow and giant)

Sedges, Kyllinga, and Rushes (including ALS resistant annual sedges)

Yellow Nutsedge (*watergrass) | Green Kyllinga | Cockscomb Kyllinga
Purple Nutsedge | False Green Kyllinga | Path Rush

*Synonyms

¹ Follow-up application in 30 days may be required.

² Biotypes of large and smooth crabgrass in California have shown varied response to quinclorac. If weed control is not achieved with a sequential (or follow-up) application, do not reapply this product.

³ Not for use in California

[Alternate Storage and Disposal for use on Nonrefillable containers without refill directions for use.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call you local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Alternate Storage and Disposal for use on Nonrefillable containers with reuse/refill directions for use]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

[Applicator Name] can be reused with [Product name refill bottle/container]. Follow instructions in the REFILL section when using [applicator name]. Nonrefillable container. Do not reuse or refill this container unless the directions for use allow refill according to the directions contained in the REFILL section. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.]

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY

STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

{Back Panel}

Kills listed broadleaf weeds, grassy weeds and sedges – in one formulation!

Getting Started

[What It Does/Kills/Controls]: Kills a wide variety of listed tough lawn weeds, including crabgrass, nutsedge, clover, dandelion, and plantain, [without harming the lawn*. *when used as directed.]

Where To Use: On residential [home] lawns.
[Won't harm lawns, when used as directed.]

When To [Use/Apply]: Spray when broadleaf weeds are young and actively growing for best results. Apply in spring, summer, or fall.

Includes: Easy-to-use Sprayer and Batteries. Just Aim & Spray

For questions or comments call toll-free 800.884.3179 Mon.-Fri. 8:00 a.m. – 4:30 p.m. CST or visit: GordonsUSA.com

APPENDIX

Advertising claims and other statements that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- The only weed killer you'll need for your lawn.
- [Kills][Controls] [many of the most common] listed weeds found in your lawn – [insert any weed listed in Directions for Use of this label, i.e. dandelion, crabgrass, and nutsedge/sedge]
- [Kills][Controls] listed broadleaf weeds, grassy weeds and sedges – in one formulation!
- [Kills][Controls] over [90][250] listed [nuisance] [tough] weeds
- Effective control of [tough/nuisance/lawn] listed weeds [like/including] [insert any weed listed in Directions for Use of this label]] [found in your lawns]
- [Kills][Controls] crabgrass [and over [90][250] listed weeds]
- [Kills][Controls] crabgrass, [and nutsedge] [and many other listed weeds]
- [Kills][Controls] [yellow] [and purple] nutsedge
- [Kills][Controls] even the tough[est] broadleaf weeds [like clover, dandelion, oxalis] as listed
- [Kills][Controls] hard-to-kill broadleaf weeds [like clover, dandelion, oxalis] [plus grassy weeds] [and nutsedge] [and crabgrass] as listed
- [Kills][Controls] major broadleaf weeds [like clover, dandelion, oxalis] as listed plus crabgrass and nutsedge
- [Kills][Controls] dandelion, chickweed, wild onion, oxalis, plantain, poison ivy and many others as listed
- [Kills][Controls] tough lawn weeds, [including [insert any weed listed in Directions for Use of this label]] as listed
- Weed control [for lawns] [for many types of weeds as listed] [for a variety of tough listed weeds]
- Reseeding interval – 3 weeks
- Powered by Vexis® [Technology]



- Tough weed killer
- [Kills][Controls] the hard-to-kill broadleaf weeds [like clover, dandelion, oxalis] as listed
- [Kills][Controls] [major] broadleaf weeds as listed
- [Kills][Controls] clover, dandelion, plantain, chickweed [and other listed broadleaf weeds] [and others as listed]
- [Kills][Controls] weed [down to the] roots
- [Kills][Controls] the root
- [Kills][Controls] even [tough/ the toughest] weeds** ** see inside [booklet] for weed list
- [Kills][Controls] weeds*, [including the roots]* *see inside for complete list of weeds controlled
- Spray the [weed/leaves] to kill the root
- [Cool][all] weather performance
- Performs in both warm and cool weather
- [Rainfast/Rainproof] in [as little as] 2 hours [Won't wash away]
- Great for spot treatments
- [Kills][Controls] Crabgrass [plus] [over XX] Broadleaf Weeds** ** see inside [booklet] for weed list
- [Kills][Controls] crabgrass [yellow nutsedge] [foxtail] [and broadleaf weeds]** **as listed
- [Kills][Controls] [lawn] listed weeds
- Targets the toughest [stubborn] weeds as listed like [insert any weed listed in Directions for Use of this label, i.e. dandelion, crabgrass, and nutsedge/sedge].
- [Kills][Controls] the toughest weeds as listed - down to the root
- For use on [Bluegrass, Fescue, Zoysia, Perennial Ryegrass] lawns
- [Kills][Controls] [over] xx[+] listed Weeds
- [Kills][Controls] Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others** ** see inside [booklet] for weed list. See Results in Hours.
- Water-Based [Formula/Formulation]
- Especially effective on all types of hard-to-kill weeds as listed
- [Kills][Controls] xx+ [listed] types of weeds [as listed] [including the roots]
- [Kills][Controls] over xxx [listed] weed types [as listed] including dandelion, chickweed, wild onion, plantain and poison ivy.
- [Kills][Controls] listed broadleaf weeds in lawns
- [Kills][Controls] major broadleaf weeds as listed, [,including the roots]
- [Kills][Controls] dandelion and many other broadleaf weeds as listed
- Use on Lawns to Kill the Toughest listed Weeds like [insert any weed listed in Directions for Use of this label, i.e. dandelion, crabgrass, and nutsedge/sedge]
- [Kills][Controls] listed Weeds, Won't Harm Lawns* * when used as directed
- [Will not/Won't] Harm [Lawns/Grass]* *When used as directed
- [Kills the root so] weeds won't come back
- Starts working immediately
- [Kills][Controls] weeds [dandelions] [clover] [oxalis] [crabgrass] [yellow nutsedge] completely - [down to the root].
- [Even] works in cold [and hot] weather [temperatures]
- [Kills][Controls] weeds, [not lawn grasses/not the lawn/not lawns]
- [Kills][Controls] [insert any weed listed in Directions for Use of this label]
- [Kills][Controls] both broadleaf and grassy weeds and sedges!
- [Kills][Controls] [over] xx[+] types of weeds as listed [including the roots]
- The next generation Trimec® performance [product]







Applicator Claims:









- Easy to use [sprayer]
- Continuous [action] power sprayer
- Press and hold technology
- [Just] Aim & spray
- Comfort-Power-Precision
- With extendable wand [for improved accuracy]
- With adjustable wand [for improved accuracy]
- Reduced hand fatigue [when spraying around entire home]

- [X] AA batteries included
- [Easy-to-Use] Refill [Available]
- For use with reusable sprayer
- Continuous Spray
- Continuous Wand Sprayer
- [Convenient], [Easy-to-use] Sprayer [Application]
- [For] Convenient Application
- Includes Easy-to-use Sprayer and batteries

Optional/Example Graphics

The following are representative examples of graphics that could be used in the marketed label. If the graphic is used, minor changes to the exact color, shapes or orientation of items depicted, or the amount or size of graphic may occur based on marketing decisions and the available space on the label.

Example Graphic/Icon	Example Explanatory Label Text
	For optional use near explanatory label text (Ex. Rainfast [Rainfast in 2 hours])
	For optional use near explanatory label text (Ex. Selective [Selective formulation. Safe on lawns* *when used as directed])
	For optional use near explanatory label text (Ex. Broadleaf weeds [Kills/Controls listed broadleaf weeds])
	For optional use near explanatory label text (Ex. Grassy weeds [Kills/Controls listed grassy weeds, including crabgrass])
	For optional use near explanatory label text (Ex. Sedge [Kills/Controls listed sedges])
	For optional use near explanatory label text (Ex. Time [Starts working immediately])

 <p>GRASS/ LAWNS</p>	<p>For optional use near explanatory label text (Ex. Grass/Lawn [Apply to Lawns/Safe on Lawns* *when used as directed])</p>
  <p>ALL-IN-ONE</p>	<p>For optional use near explanatory label text (Ex. All-In-One All-In-One* *One Product, Three Types of Weeds*)</p>
 	<p>For use in close proximity to consumer access numbers.</p>
 	<p>Before [Insert graphic of live weed]/ After [Insert graphic of dead weed]</p>
	<p>For optional use near explanatory label text (ex. Do not allow people or pets to enter the treated area until sprays have dried.)</p>

DOCUMENT CONTROL INFORMATION

1. **Unique Label Identifier:** 002217-0XXXX.20230615.new-proposed-EH1665 - clean

2. **Reason for Issue:** New registration

<p>Internal Usage Notes</p>