

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Wear protective clothing, natural rubber gloves and goggles. In case of contact, wash immediately with water. Do not breathe fumes or spray mist. Wear an AO R-6053 respirator with an R-58 cartridge, or equivalent for protection during handling.

After use, wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food. Do not use or store in or around the home.

In case of spillage, cover with absorbent such as clay, sawdust, lime or soda ash. Shovel up and bury at least 18" below ground away from water supplies. Decontaminate spill area with strong alkaline solution and flush with water.


This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of equipment, or disposal of wastes.

CONTAINER DISPOSAL: Do not reuse empty containers. In the United States, containers should be returned to Mobil Chemical Company. Otherwise, the containers should be crushed or perforated and buried in a safe place away from water supplies.

SYMPTOMS OF POISONING: A sense of "tightness" in chest, sweating, stomach pains, vomiting, diarrhea, constriction of pupils.

FIRST AID: Call a physician immediately in case of poisoning. If swallowed, induce vomiting by giving a tablespoon of salt or a teaspoon of mustard in a glass of warm water. Administer milk or water freely, induce vomiting until vomit fluid

Mobil



Technical grade Ethoprop

O-Ethyl-S, S-Dipropyl Phosphorodithioate

FOR FORMULATORS USE ONLY

USES: Formulations of this product in accordance with manufacturer's directions as MOCAP 10% Granular or as MOCAP Liquid Concentrate are used to control nematodes, wireworms and rootworms on a variety of crops.



DANGER! POISON

KEEP OUT OF REACH OF CHILDREN

(SEE ANTIDOTE AND PRECAUTIONARY INFORMATION ON PANELS)

ACTIVE INGREDIENT:

O-Ethyl-S, S-Dipropyl Phosphorodithioate 93%

INERT INGREDIENTS: 7%

U. S. Patent Nos.
3,112,244; 3,268,393

NET WEIGHT 450 lbs.

EPA Reg.
No. 2224-38

Mobil Chemical

Mobil Chemical Company Industrial Chemicals Division Richmond, Virginia

RECEIVED
DEC 5 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC POISONING STER-
EED UNDER NO. 227-37 SUBJECT
TO ATTACHED COMMENTS.

is clear. Never give anything by mouth to an unconscious person. If not breathing, give mouth-to-mouth artificial respiration.

In case of skin contact, immediately remove all contaminated clothing, and wash skin with soap and water. Wash clothing before reuse. Discard contaminated shoes. For eyes, flush with plenty of water for at least 15 minutes. Call a physician immediately in all cases of suspected poisoning.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Warning symptoms include weakness, headaches, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Administer atropine, 2 mg. intramuscularly or intravenously. Repeat dose every 3 to 8 minutes until signs of atropinization occur. Give pralidoxime chloride (protopam or 2-PAM), 2.5 gm. in 100 cc of sterile water, intravenously, slowly in 15 to 30 minutes or by deep intramuscular injection of 1 gram in 3 cc of distilled water. Repeat every half hour if respiration weakness or muscle fasciculation or convulsion recur. Clear chest by postural drainage. Artificial respiration may be necessary. Observe patient continuously for 48 hours. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.