

### DIRECTIONS

#### For Sanitizing Eating and Cooking Utensils:

1. Scrape and pre-wash dishes, glasses and utensils whenever possible.
2. Wash with a good detergent or compatible cleanser.
3. Rinse with clean water.
4. Sanitize in a solution of one BACAT tablet to six quarts of water (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain-board to air dry.

**For Dairy Plants:** Thoroughly wet the surfaces of clean equipment with BACAT solution (1 tablet to each six quarts of water) and allow to stand for at least two minutes before processing milk.

**For General Sanitizing:** To sanitize floors and equipment in rest rooms or shower rooms, rinse thoroughly with BACAT solution containing 3 tablets to each gallon of water. Clean with detergent to remove all organic matter before rinsing with BACAT solution.

For sanitizing refrigerators, cabinets and serving tables, clean first with detergent and then soak surface with BACAT solution containing 1 tablet for each six quarts of water.

For deodorizing garbage containers and coffee urns, soak or flush thoroughly with BACAT solution containing one tablet for each gallon of water. Rinse coffee urns with potable water to remove BACAT solution before use.

# Bacats® 50

## Sanitizing Tablets (Indicating)

100 TABLETS

NET. WT. 8 OUNCES

One tablet per 6 quarts—200 ppm quaternary  
Prepare solutions in warm water

ACTIVE INGREDIENT ..... 50%  
Alkyl (C14 95%, C12 3%, C16 2%) dimethyl benzyl  
ammonium chloride dihydrate

INERT INGREDIENTS ..... 50%

### DANGER

**Keep Out of Reach of Children**  
(See Left Panel for First Aid  
and Other Precautions)

Manufactured for

**Mobil Chemical Company**

INDUSTRIAL CHEMICALS DIVISION

Richmond, Virginia 23219

### Odorless—Non-Corrosive To Metals—Self-Measuring

This product fulfills the criteria of Appendix F for the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U. S. Public Health Service in waters up to 500 ppm of hardness calculated as CaCO<sub>3</sub> when tested by the AOAC Germicidal and Detergent Sanitizers-Official Method.

**DANGER:** Keep out of reach of children. Tablets may be harmful or fatal if swallowed. May cause skin irritation or eye damage. Avoid prolonged skin contact. Do not get in eyes. Wash thoroughly after handling. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water. For eyes, get prompt medical attention. If skin irritation persists, get medical attention. If tablets are swallowed, drink promptly a large quantity of milk, egg whites or gelatin solution. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

**Always Follow Local Health Department Regulations**

EPA Reg. No. 2224-45

