Mobil

MOCOWN[™] herbicide

80% Wettable Powder

Active Ingredient:
Bifenox [Methyl 5-(2', 4'-dichlorophenoxy)-2-nitrobenzoate]
Inert Ingredients

80% 20%


KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary information

Same Harriston

M bil Chemical



NET WHICHT

POHNO

Mobil

MOGOWN herbicide

80% Wettable Powder

Active Ingredient:
Bifenox [Methyl 5-(2', 4'-dichlorophenoxy)-2-nitrobenzoate]
Inert Ingredients

80% 20%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary information


U.S. Pat. No. 3,652,645

Mobil Chemical

1. In the complete of the homological regional deservations.
2. A description of the complete of the

NET WEIGHT

POUNDS



HAZARUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed Prolonged or epoater innalation or contact with skin may be harmful. Avoid contact with skin and eyes. Wash thoroughly after finding.

FIRST AID: In case of contact with eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician, Wash skin with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not use in areas where crayfish and fish farming are agricultural practices. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTAINER DISPOSAL

Empty bags should be buried 18 inches deep in an isolated location away from water supplies. Empty bags should not be reused for any purpose.

Mixing: Mix the recommended amount of MODOWN herbicide with enough water (usually 20 to 40 gallons of water per acre) to uniformly cover the area to be treated. Best results may be obtained by first mixing the MODOWN herbicide with enough water in a pail to make an easy-to-pour slurry. The slurry should be added to the spray tank with agitation. Continue mixing while spraying.

SOYBEAN

For control of: Jimsonweed, Lambsquarters Pigweed. Smartweed and Velvetleaf.

Preemergence treatment: Use 21 pounds per acre Apply after planting but before crop seedlings emerge Do not incorporate Incorporation decreases weed control activity

Do not use as a "cracking" treatment.

Use with other herbicides: MODOWN herbicide may be used in a weed control program with certain grass-killing herbicides to provide control of the broadleaf weeds listed above and certain grasses.

"Piggy-back" or sequential application with Treflan' herbicide: Treflan (trifluralin) emulsifiable concentrate containing 4 pounds trifluralin per gallon may be applied preplant and incorporated at 1 to 2 pints per acre. See the Treflan label for specific information on directions and precautions for use MODOWN herbicide can be applied to the same area as a preemer

gence treatment as directed above on this label. Treflan will control crabgrass, barnyard grass, foxtails, cheat grass and certain other grasses when used as directed on the label.

Tank-mix application with Lasso ** herbicide: MODOWN he bicide may be tank-mixed with Lasso (alachlor) emulsifiable concentrate for pre-emergence application. Use 2 pounds of MODOWN 80% Wettable Power per acre with 2 to 21% quarts of Lasso emulsifiable concentrate containing 4 pounds alachlor per gallon. See the Lasso label for specific information on directions and precautions for use

Lasso will control barnyard grass, crabgrass, fox tails and certain other grasses when used as directed on the label. Observe all precautions on the label.

To obtain a good tank-mix, fill the spray tank one half full of water. Make an easy-to-pour slurry of the recommended amount of MODOWN herbicide and add it to the tank with agitation. Mix well; then slowly add the recommended amount of Lasso emulsifiable concentrate with agitation. Mix well and add the rest of the water to the spray tank. Continue mixing while spraying

Band Treatment: For band treatment with MODOWN herbicide, the broadcast rates should be reduced proportionately to the band width to be treated and the distance between the rows. For example, if rows are 36 inches apart and the band to be treated is 12 inches wide, one-third of the total area will be treated and one-third of the broadcast rate should be used.

NOTE: Do not use as a "cracking" treatment. Rainfall after application, especially rainfall at the time of crop emergence, may cause severe crop injury. Rainfall which splashes treated soil onto crop plants may cause injury.

Do not rotate freated area until the following year except with soybeans and corn. Cover crops planted after harvest should be plowed under and not grazed.

CONDITIONS OF SALE. WARRANTY, LIMITATION OF LIABILITY: The directions for use on this label reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions presence of other materials or the manner of use or application all of which are beyond the control of Mobil or the Seller.

Mobil warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes described on the label subject to the inherent risks referred to above. Anything else an this label to the contrary notwithstanding. Mobil makes no other express or implied warranty in futing any warranty of fitness or merchantability. In no case shall Mobil or the Seller be liable for consequential special or indirect damages such as loss of profits or values resulting from the use or handling of this product. Mobil and the Seller offer this product and user accept it, subject to the foregoing conditions of sale warranty and limitation of liability which may be carried only by an agreement in writing signed by a duly authorized emptoyee of Mobil.

⁽²⁾ The respect to the property of the temperature of the expert of the expert of the expert of the part of the expert of the