


PRICE 85¢

CONTENTS 6 FL. OZS.

SINGLETON'S



PEST CONTROL

- KILLS -

RATS • MICE • ANTS
FLIES • ROACHES

DANGER
KEEP FROM
CHILDREN
AND PETS



POISON!

See back panel for antidote statement and other required warning statement.

Active Ingredients: Arsenic Trioxide 1.50%
Inert Ingredients: 98.50%
(Total Arsenic expressed as metallic all in water soluble form 1.136%).

AVOID FREEZING

USDA REG. NO. 2227-1
MANUFACTURED BY
SINGLETON & CO., INC.
ROCKY MOUNT, N. C.

DIRECTIONS

RATS AND MICE—(1) For bait, do not shake bottle. Pour liquid into jar tops or other suitable containers, and place at intervals where rats and mice run. Flavor with orange juice or sugar if desired. Do not place in areas accessible to children. Most effective in dry places or dry weather. (2) For food baits, shake bottle, and quickly add contents to one pound of corn meal, bread, oatmeal, fish or hamburger.

ANTS—(1) Add ten drops to teaspoon sugar, and place where ants run, to kill sugar eating ants. (2) For grease eating ants, add eight drops to teaspoon bacon grease, and use as bait. (3) Place where ants run near door sills, windows and back of stove or refrigerator.

FLIES—(1) Mix tablespoon milk, ice cream, or molasses with tablespoon Pest Control. Place in shallow container in exposed place as bait. (2) Place ¼ lb. pork liver, raw beef, or raw fish in quart fruit jar. Allow to rot. Pour in bottle Pest Control, hang by barn, pigpen, or fly breeding place.

ROACHES—Put 2 tablespoons corn meal in flat container, add tablespoon sugar plus teaspoon bacon grease. Add four tablespoons Pest Control. If there is heavy infestation, use several in each room. Leave bait out at least seven days.

SATISFACTION GUARANTEED—MONEY REFUNDED IF NOT COMPLETELY SATISFIED.

Place baits in area, inaccessible to children, pets and domestic animals or in tamper proof bait boxes. May be fatal if swallowed. Dispose of empty container. Do not reuse.

POISON!

ANTIDOTE: Use emetic to induce vomiting—salt or mustard in warm water. Give a mixture of Chloride of Iron and Magnesia, or Hydrated Oxide of Iron freely. Follow with plenty of water, olive oil, butter, lard, or white of eggs.

Call a Physician at Once.

WARNING

Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

ACCEPTED

MAR 28 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 2227-1... SUBJECT
TO ATTACHED COMMENTS.

PRICE 85¢

CONTENTS 6 FL. OZS.

SINGLETTY'S



PEST CONTROL

- KILLS
RATS • MICE • ANTS
FLIES • ROACHES

DANGER
KEEP FROM
CHILDREN
AND PETS



POISON!

See back panel for antidote statement and other required warning statement.

Active Ingredients: Arsenic Trioxide 1.50%
Inert Ingredients: 98.50%
(Total Arsenic expressed as metallic all in water soluble form 1.136%)

AVOID FREEZING

USDA REG. NO. 2227-1
MANUFACTURED BY
SINGLETTY & CO., INC.
ROCKY MOUNT, N. C.

DIRECTIONS

RATS AND MICE—(1) For *ju* baits, do not shake bottle. Pour liquid into jar tops or other suitable containers, and place at intervals where rats and mice run. Flavor with orange juice or sugar if desired. Do not place in areas accessible to children. Most effective in dry places or dry weather. (2) For food baits, shake bottle, and quickly add contents to one pound of corn meal, bread, oatmeal, fish or hamburger.

ANTS—(1) Add ten drops to teaspoon sugar, and place where ants run, to kill sugar eating ants. (2) For grease eating ants, add eight drops to teaspoon bacon grease, and use as bait. (3) Place where ants run near door sills, windows and back of stove or refrigerator.

FLIES—(1) Mix tablespoon milk, ice cream, or molasses with tablespoon Pest Control. Place in shallow container in exposed place as bait. (2) Place 1/4 lb. pork liver, raw beef, or raw fish in quart fruit jar. Allow to rot. Pour in bottle Pest Control, hang by barn, pigpen, or fly breeding place.

ROACHES—Put 2 tablespoons corn meal in flat container, add tablespoon sugar plus teaspoon bacon grease. Add four tablespoons Pest Control. If there is heavy infestation, use several in each room. Leave bait out at least seven days.

SATISFACTION GUARANTEED—MONEY REFUNDED IF NOT COMPLETELY SATISFIED.

Place baits in areas inaccessible to children, pets and domestic animals or in tamper proof bait boxes. May be fatal if swallowed. Dispose of empty container. Do not reuse.

POISON!

ANTIDOTE: Use emetic to induce vomiting—salt or mustard in warm water. Give a mixture of Chloride of Iron and Magnesia, or Hydrated Oxide of Iron freely. Follow with plenty of water, olive oil, butter, lard, or white of eggs.

Call a Physician at Once

WARNING

Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

ACCEPTED

MAR 28 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTERED
UNDER NO. 2227-1 SUBJECT
TO ATTACHED COMMENTS.

T-319

Ref. 3

Reason to issue: To initiate label

U.S. LABEL

Base Pre-Reg. (599)

Date of Draft: 9/25/67 (Pre-Reg.)

To Be Printed As A Single Panel Label

BAY 73

70% WETTABLE POWDER

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

8, 20 204

GUARANTEE

ACTIVE INGREDIENT:

2-Aminoethanol salt of 2', 5'-
-4'-nitrosalicylanilide + 70%

INERT INGREDIENTS: 30%
100%

U.S. Patent Nos. 3,079,297 and 3,113,067

USDA Reg. No. 3125-_____

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse

Rinse equipment and dispose of waste by burying in non-crop lands away from water supplies. In case of spillage, sweep up and bury. Reuse of container by burning (Keep out of smoke). Never reuse container

NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property arising out of the use or handling and accepts the product on these conditions

MANUFACTURED BY

CHEMAGRO CORPORATION

KANSAS CITY, MO.