62% CHLORDANE

Concentrate

Can Be Mixed with Water or Oil

Active Ingredients:

Total 100%

CAUTION

Keep Out of Reach of Children


Do not reuse container. Destroy when empty.


See other warnings on side panels.

USDA Reg. No. 2230 Net Contents 1 gallon

Manufactured by:

WARSAW CHEMICAL COMPANY, INC. Argonne Road, P. O. Box #168 Warsaw, Indiana 46580 Phone 219/267-3251





CAUTIONS

Harmful if swallowed. Contact with skin causes toxic symptoms. Avoid contamination of feed and foodstuffs. Avoid breathing spray mist. Keep out of reach of children. This product is toxic to fish and wildlife.

Antidote

External: In case of spillage on skin, wash promptly with soap and water.

Internal: Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.



^{*} Equivalent to 37.2% Octachloro - 4, 7 - Methanotetrahydroindane plus 24.8% related insecticidal compounds.

11:24-17-1965

Use Instructions:

217 35

A. Control of Plies, Cockroaches, Mosquitoes

Flies -- Use 2½ fl. oz. of 62% Chlordane to 1 gallon of water or oil. Spray on all resting places such as around doors, windows, along baseboards inside the house. Use 7 fl. oz. of 62% Chlordane to 1 gallon of water or oil for control of flies outside. Repeat as often as necessary to maintain effective control.

Cockroaches -- Us. 2% fl. oz. of 62% Chlordane to 1 yallon of oil. Spray or brush onto roach harborages--cracks baseboards, behind since, etc. in the home.

Mosquitoes --

Residual Sprin -- Use if fl. oz. of 62% Chlordane to 1 gallon of with. Apply at the rare of 1 gallon per 1,000 will fit.


space Sprays -- Use 2 teaspoons of 62% Chlordane to 1 gallon of water. Apply the emulsion to foliage, at the rate of 1 gallon per 1,000 sq. ft.

Caution: Do not us, on or around food crops. Do not apply oil solutions to foliage of flower:

. Hawn or Ornamental Turf Applications:

For ants, army worms, crickets, grasshopper, spiders, chiggers, earwigs, ticks -- Use 18 fl. oz. of 52% Chlordane in enough water to treat or spray one work.

For chinch bugs, sod webworms, lawn moths -- Use 36 fl. oz. of 62% Chlordane in enough water to treat one acre of lawn or ornamental turf.



For white grubs, Japanese beetle grubs, white-fringed beetle and wire worms -- Use 45 ll. oz. of 62% Chlordane in enough water to treat one acre. Mash the Chlordane into the soil immediately after application.

Caution: Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

C. Household Applications:

For ants, silverfish, brown dog ticks, carpet beetles, crickets, spiders, centipedes, and boxelder bugs — Use 2½ fl. oz. of 62% Chlordane to 1 gallon of water and treat thoroughly all areas where these pests congregate. Use around mindows, doors, porches, baseboards, cracks, etc. For poxelder bugs, spot treat those areas where the insect enters the home. Do not contaminate food or eating utensils with this product. Repeat spot treatments as often as necessar, to maintain effective control.

Caution: applications in the home should be limited to spot treatments only.

D. Termite Control Applications:

Use 3 fl. oz. of 62% Chlordane per gallon of water, and impregnate the soil around the building to a depth of l or 2 feet away from the building by pouring along the wall or by digging a trench and treating the soil as it is replaced. Apply 2 gallons of the diluted Chlordane solution per 5 linear feet. Treat all surfaces in the building where termites appear by painting or spraying with the diluted Chlordane solution.