

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply where runoff is likely to occur. Do not apply when weather favors drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or spill near heat or open flame.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put it in trash collection.

Item No. 4010046

EPA REG. No. 2269-93
EPA EST. No. 2269-GA-1

**CHLORDANE 8
SPRAY CONCENTRATE**

Provides Barrier Against Termites
INGREDIENTS

ACTIVE INGREDIENTS:

*Technical Chlordane	72.00%
Xylene Range Aromatic Solvent	22.00%
INERT INGREDIENTS	6.00%
Total	100%

CONTAINS 8 POUNDS CHLORDANE PER GALLON

*Equivalent to 43.2% Octachloro-4,7-Methanotetrahydroindane and 28% related compounds



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

If swallowed - Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled - Remove victim to fresh air and apply respiration if indicated.

If on skin - Wash promptly with soap and water. Rinse thoroughly.

If in eyes - Rinse eyes for at least 15 minutes with water and call a physician immediately.

Manufactured by GOLD KIST INC., Atlanta, Georgia
NET CONTENTS 1/2 U.S. GALLON/1.9 LITERS

ACCEPTED

AUG 06 1982

U.S. Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2269-94

It is a violation of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to use this pesticide in a manner inconsistent with its labeling.

SUBSTITUTION DIRECTION:
TERMITE CONTROL
Buildings with
First remove all wall
piers, pipes, chimney
poured concrete dig
deep. For brick and
about 12 inches deep
deep, make holes with
foot apart that extend
top of the footing. Mix
soils. NEVER DRY
FOOTING. Apply
trench at a rate of 4
depth. Apply half of
along the inside of
ings. Cover treated

For raised porch
holes at one foot intervals
and pour one-half gallon
each hole. Refill holes
heat pipes should be
operator.

The object is to
will prevent termite
require treatment.
areas, basements, etc.
gested that you call
Extension Service
Pest Control Service

Avoid contaminating
supplies by following
a hose or any type

HLORDANE 8 PRAY CONCENTRATE

Provides Barrier Against Termites
INGREDIENTS

TS:	
ane	72.00%
omatic Solvent	22.00%
TS	6.00%
	100%
NS 8 POUNDS CHLORDANE PER GALLON	
tachloro-4,7-Methanotetrahydroindane and 28% related compounds	

OUT OF REACH OF CHILDREN CAUTION

Washed - Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Seek medical attention immediately.
Washed - Remove victim to fresh air and apply respiration if needed.
Washed - Wash promptly with soap and water. Rinse thoroughly.
Washed - Rinse eyes for at least 15 minutes with water and call physician immediately.

Manufactured by GOLD KIST INC., Atlanta, Georgia
NET CONTENTS 1/2 U.S. GALLON/1.9 LITERS

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SUBTERREANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE TERMITE CONTROL IN EXISTING STRUCTURES Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the

termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the use of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: **Do Not Apply Under Pressure.** Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

RETREATMENT RESTRICTIONS

1. Retreatment for subterranean termites should only be made when there is evidence of re-infestation after the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc.

2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

Routine retreatment of the entire premises should be avoided.

ACCEPTED

AUG 06 1982

U.S. Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2269-94