



**EQUIPMENT**

- 1 Wear water proof pants, coat, hat, rubber gloves.
- 3 Wear mask or respirator approved by OSHA.
- 4 Wear heavy duty, natural rubber gloves.

**WORK SPACE**

Keep all unprotected persons and children away from drift. Workers entering field within 24 hours after application should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel unwell, call a doctor, physician, clinic, or hospital. Report to parathion and describe his condition. See him or let a doctor know if a doctor cannot come, take victim to hospital.

**IMPORTANT:** Before removing gloves, wash the entire body with soap and water before removing.

**AFTER WORK:** Take off all work clothes and clean clothes when leaving job. Do not wear protective equipment with soap and water often replaced according to instructions included with product.

**POISON SIDE EFFECTS**

Parathion is a very dangerous poison. It rapidly affects the brain and eyes. Clothing wet with this material may receive prompt medical treatment or they may become paralyzed.

Some of the signs and symptoms of poisoning include: blurred vision, pin-point pupils, tightness in breathing, fits, drooling or frothing at mouth.

**FIRST AID**

Call a doctor, physician, clinic or hospital and report to parathion and describe his condition.

If breathing has stopped, start artificial respiration. If swallowed and victim is aware, constricting finger down throat or by giving liquid is clear. Never give anything by mouth to an unconscious person. See doctor immediately.

In case of contact, immediately flush eyes or skin with running uncontaminated clothing or water while removing contaminated clothing or skin.

**NOTE TO DOCTOR**

In this product mixture, methyl parathion is present. This is a stimulant of the parasympathetic nervous system. It is important to treat promptly with atropine to the heart. Improved chances for survival. 2 PAM may be administered if oxygen is helpful. Morphine should not be used in parathion poisoning. Turpentine produces central nervous system acid derivatives, but this drug should not be relieved symptoms." VERY CLOSE SUPPLY AT LEAST 48 HOURS.

**POST TREATMENT**

Consult your State Agricultural Extension Service for areas.

**DANGEROUS IF BREATHED**  
spray mist or dust may be fatal.

**S TO FISH AND WILDLIFE**

Toxic to fish and wildlife. Birds and other areas may be killed. Keep out of any areas not apply when weather conditions permit. Do not apply where run-off may occur.

Highly toxic to bees exposed to direct residues on crops. Protective information available from your Cooperative Agricultural

Protect water by cleaning of equipment wastes. Apply this product only as directed on label.

**CTIONS FOR USE**

Adults, Thrips, Aphids, Fleahoppers and certain Mites.

Cottonworm, Fall Armyworm, use 1 qt. - 2 qts. in the

the 2 to 4 leaf stage or at first squaring, if weeds intervals as necessary, during mid and late season. Control and repeat 4 to 5 day intervals as necessary until small bollworm larvae are found per 100 bud terminals. Season control of bollworm may require applications in the buds and on the leaves of seedling cotton, as needed.

At 4 leaf stage and make 2 to 3 applications at weekly stations occur. For leafworm, apply when worms are needed. For spider mites (does not control all species) if damage to the leaves indicates damage, repeat as needed. Use 1 qt. of water per acre depending upon the size of the

in 7-15 gallons of water depending on the size of application.

# COTTON SAVER

CONTAINS 6 LBS. TOXAPHENE AND  
1½ LBS. METHYL PARATHION PER GALLON

**ACTIVE INGREDIENTS**

Toxaphene*	55.53%
O,O-dimethyl O-p-nitrophenyl phosphorothioate**	13.88%
Aromatic petroleum derivative solvent	26.09%
<b>INERT INGREDIENTS</b>	<b>4.50%</b>
Total	100.00%

\* Technical chlorinated camphene containing 67% to 72% camphene.

\*\* Methyl Parathion

## NOT FOR HOME USE



Manufactured by

GOLD KIST, INC., Atlanta, Georgia 30301

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

# ON SAVER

5 LBS. TOXAPHENE AND  
1 L PARATHION PER GALLON

phosphorothioate**	55.53%
Solvent	13.88%
	26.09%
	4.50%
Total	100.00%

## OR HOME USE

Manufactured by

NC., Atlanta, Georgia 30301

P-770

## WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Workers entering fields within 24 hours after application should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section), and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before sticking, eating or drinking.

**AFTER WORK:** Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

## POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

## FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is aware, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soupy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

## NOTE TO PHYSICIAN

In this product mixture, methyl parathion is the dominant toxic ingredient exerting muscarinolike effects that is stimulation of the parasym pathetic nervous system. Poisoning victims should be treated promptly with atropine to the limit of the victim's tolerance to relieve symptoms and to improve chances for survival. 2 PAM may be administered in conjunction with atropine. The administration of oxygen is helpful. Morphine should not be given to persons suspected of parathion poisoning. Toxaphene produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete or partialization fails to relieve symptoms. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

## POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treated areas.

Item No. 40300 - 15 Gal.  
40300 - 5 Gal.

B E L B E F O R E U S I N G !



## DANGER

Keep Out of  
Reach of  
Children

# ON SAVER

LBS. TOXAPHENE AND  
PARATHION PER GALLON

.....	55.53%
Phosphorothioate**	13.88%
solvent	26.09%
.....	4.50%
Total	100.00%

DO NOT USE, POUR, SPILL, OR STORE  
NEAR HEAT OR OPEN FLAME

### Container Disposal

DO NOT REUSE THE CONTAINER. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supply. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

Do not use container in any connection with feed, food, and drinking water.

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given hereinafter.

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1 Wear waterproof pants, coat, hat, rubber boots or rubber overshoes.
- 2) Wear safety goggles.
- 3 Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- 4 Wear heavy duty, natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Workers entering fields within 24 hours after application should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic, or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section), and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

### POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is aware, conscious, make him vomit quickly. If he is vomiting by sticking finger down throat or by giving soupy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep