

DANGER—POISON—PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DIRECTIONS

The material should be diluted or mixed with water for application as a spray. To mix, pour correct amount of concentrate into known volume of water in spray tank and stir or agitate thoroughly, or allowed to stand after mixing, re-agitate thoroughly before use. Contamination is required during application.

COTTON: To control boll weevils, armyworms, cotton leafworms, aphids, thrips, lygus bug and other insects, use 1 1/2 gallon (1.50 pounds chlorinated camphene, 0.175 pounds methyl parathion and 0.175 pounds parathion) in the amount of water required for uniformity through spraying of 1/2 acre of cotton.

For Bollworms and Cottonworms, use 1 1/2 gallon (2.0 pounds chlorinated camphene, 0.50 pounds methyl parathion, 0.50 pounds parathion) in the amount of water required for uniformity through spraying of 1/2 acre of cotton.

For general applications, apply diluted insecticides at 3 to 4 gallons per acre.

DO NOT APPLY within 5 days of harvest or handpicking cotton.

DO NOT use, pour, spill or store near heat or open flame.

DO NOT graze or feed trash to dairy animals or animals being finished for slaughter.

Not for use or storage in or around the home.

This product is HIGHLY TOXIC to BEES exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

STOP—READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

GK DOUBLE TROUBLE

CONTAINS: 6 lbs. toxaphene 1 1/2 lbs. parathion
and 1 1/2 lbs. methyl parathion per gallon.


ACTIVE INGREDIENTS:

Toxaphene*	53.10%
Parathion (O, O-diethyl O-p-nitrophenyl Phosphorothioate)	13.20%
O, O-dimethyl O-p-nitrophenyl phosphorothioate**	13.30%
INERT INGREDIENTS	20.40%
TOTAL	100.00%

*Technical chlorinated camphene (chlorine content 67% to 69%)

**Methyl parathion

NOT FOR HOME USE



Manufactured by

GOLD KIST INC Atlanta, Georgia 30301



DO NOT

Decontaminate a completely empty table-spoonful of water, 2 pounds into container a meter of chemical vapor absorber. Multiple use.

Buyer assumes liability with direction given.

USE ON

(1) Wear water-proof boots. (3) Wear mask. (4) Wear hat.

Keep all unprotective of drift.

Do not rub eyes right away. Call a doctor immediately. First Aid Treatment IMPORTANT! Before work, wash face and arms with soap and water. AFTER WORK, take clean clothes, wash and protect cleaned and filtered.

Parathion is a very surface and eye person must receive. Some of the signs: weakness, blurred vision, sweating, and coma.

Call a doctor (if exposed to parathion). If breathing has stopped, see victim. If still vomiting, stop. Repeat until vomit. In case of contact, victim lie down. In case of contact, remove clothes while removing.

Antidote—administer intramuscularly if signs of atropine in conjunction with strong cholinesterase inhibitor. Cardiac should be given if the poison may cause CLOSE SUPERVISION.

Consult your State treated areas.

See attached label.

Use only according to label.

STOP—READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

GK DOUBLE TROUBLE


CONTAINS: 6 lbs. toxaphene, 1½ lbs. parathion
and 1½ lbs. methyl parathion per gallon.

ACTIVE INGREDIENTS:

Toxaphene*	53.10%
Parathion (O, O-diethyl O-p-nitrophenyl Phosphorothioate)	13.20%
O, O-dimethyl O-p-nitrophenyl phosphorothioate**	13.30%
INERT INGREDIENTS	20.40%
TOTAL	100.00%

*Technical information complete (calamine) at 97% to 99%
**Methyl parathion

NOT FOR HOME USE



Manufactured by

GOLD KIST INC Atlanta, Georgia 30301



NOTICE

DO NOT REUSE EMPTY CONTAINERS FOR ANY PURPOSE

Decontaminate and destroy all empty containers. To decontaminate, proceed as follows: Completely empty contents. For containers of 5 gallons or less: use 1 quart of water and 1 tablespoonful of household detergent; for containers larger than 5 gallons: use 1 gallon of water, 2 pounds caustic soda (household lye), and 1 cupful detergent. Drain contents into container and carefully pour to wet all inner surfaces with the solution. Drain, untreated chemical and rinse solution at least 15 minutes into drain, isolated from any water supplies. Break or punch holes in top and bottom of container and thoroughly burn or incinerate locally.

NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with direction given herewith.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, perspiration, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO intramuscularly as soon as cyanosis is overcome. Repeat signs of atropinization appear. 2-PAM chloride is also an adjunct with atropine. DO NOT GIVE MORE than 0.5 strong cholinesterase inhibitor affecting the central and inducing cardiac and respiratory depression. At first sign the poison may occur and fatal relapses have been reported. CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR

30 mg. intravenously or minute intervals until may be administered in 12 HRS. Parathion is a nervous systems and peripheral edema, the patient continued absorption of vital improvement. VERT 151 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

Camerasman's Note
Poor Copy