





This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed.



Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



Breathing vapors, spray mist or dust may be fatal.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

1. Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. 4. Wear heavy-duty natural rubber gloves.

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and clothes with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower and wash with soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

Parathion is a very dangerous poison. It rapidly enters the body on contact with the skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, rapid breathing, nervousness, sweating, watering of eyes, drooping of eyelids, fainting and convulsions, and coma.

Get medical help immediately and take the person to hospital if possible. Explain that the victim has been exposed to parathion and this is the name of the poison.

If you feel sick, stop work immediately, get help and maintain contact with the doctor. If you are sick, do not eat or drink until you feel better. If you are sick, do not drink water to drink. Repeat until you feel better. Do not give anything by mouth to anyone who is poisoned. Have victim lie down and keep quiet. See doctor immediately.

In case of contact with eyes, wash with plenty of water for at least 15 minutes while removing contaminated clothing. If you feel sick, see doctor immediately.

EPA Reg. No. 100-100-01

REGISTERED  
with Patent  
Application  
No. 2,758,115



REGISTERED  
with Patent  
Application  
No. 2,758,115

# BIG G-E-M

## GUTHION—METHYL PARATHION SPRAY CONCENTRATE FOR EFFECTIVE CONTROL OF COTTON INSECTS

### ACTIVE INGREDIENTS:

**O, O-Dimethyl S-[4-oxo-1, 2, 3-benzotriazin-3(1H)-ylmethyl] phosphorodithioate†** 8.4%

**O, O-Dimethyl O-p-nitrophenyl phosphorothiate††** 33.7%

**Aromatic Petroleum Distillate** 51.9%

**INERT INGREDIENTS:** 6.0%

100.0%

U.S. Patent No. 2,758,115  
Canadian Patent No. 552,610  
Methyl Parathion



Manufactured by  
**GOLD KIST INC., Atlanta, Georgia 30301**

Product Name is Reg. TM in U.S. and Can. Pat. App. by Farbwerke Bayer, Aktiengesellschaft, Leverkusen, Germany.

Do not administer at rate sufficient to cause...  
MURKIN OR TRANQUILIZERS. Pa...  
THE PATH

IMPORTANT: Read these entire...  
CONDITIONS OF SALE: These D...  
the Seller offer, and the buyer u...

MIXING: GUTHION METHYL PAR...  
DOSAGE: Use specified dosage...  
SPRAY: For best results make a...

### RECOMME

#### INSECT

- Trips
- Cotton Fleahopper
- LYRUS bugs
- CITRUS leaf miner
- Aphids
- Leaf Weevil
- Grasshopper
- Mites (late season)
- Garden Webworm
- Earl Armyworm
- Bullworm (late season)
- Beet Armyworm
- Soft scale (early season)
- Yellow striped Armyworm
- Cotton Fleahopper
- Cutworm
- Stinkbug
- Cotton Fleahopper

#### USE TH

Recommended Dosa  
Pints 50 per Acre

#### DO NOT RE USE THE CONTAINER

Do not reuse the container...  
Do not reuse the container...

swallowed even in small  
may be fatal if swallowed.

or spilled or splashed on  
liquid goes through clothes.)

dust may be fatal.

and wildlife. Birds and other  
be killed. Keep out of any  
weather conditions favor  
apply where runoff is likely

shoes. 2. Wear safety goggles  
for parathion protection. 3. Wear

where there is danger of dirt.  
STOP work and get help right  
that the victim has been exposed  
First Aid Treatment Section.

ter. Always wash hands, face, and  
soap and water. Wash only when  
protective clothing and gloves can  
be cleaned and if the required

contact with skin, surface, and  
exposed persons must receive prompt

used vomiting, cramps, weakness,  
tingling, nervousness, sweating, watering  
eyes.

if the victim has been exposed to

maintain until first aid is given.  
Induce vomiting by sticking finger  
down and keep quiet. See doctor

water for at least 15 minutes while



**DANGER**

# BIG G-E-M

## GUTHION—METHYL PARATHION SPRAY CONCENTRATE FOR EFFECTIVE CONTROL OF COTTON INSECTS

### ACTIVE INGREDIENTS:

- O, O-Dimethyl S-[1-oxo-1, 2, 3-benzotriazin-3(1H)-ylmethyl] phosphorodithioate†** 8.4%
- O, O-Dimethyl O-p-nitrophenyl phosphorothioate††** 33.7%
- Aromatic Petroleum Distillate** 51.9%
- INERT INGREDIENTS:** 6.0%

100.0%

U.S. Patent No. 2,758,115  
Canadian Patent No. 512,660  
†Methyl Parathion



Manufactured by  
**GOLD KIST INC., Atlanta, Georgia 30301**

\*GUTHION is Reg. TM in U.S. and Can. Pat. Offs. by Farbwerke Hoechst A.G. (Chemagro Corporation), licensee.

### HOW TO DEMYSTIFY

How to demystify atropine sulfate in large doses. TW... (text continues with medical information regarding atropine sulfate and its effects on the body, including symptoms like dry mouth, blurred vision, and tachycardia).

### DIRECTIONS FOR USE

**IMPORTANT:** Read these entire Directions and Conditions of Sale...  
**CONDITIONS OF SALE:** These Directions for Use refer to the proper application...  
**MIXING:** GUTHION METHYL PARATHION Spray Concentrate forms an emulsion...  
**DOSAGE:** Use specified dosage of the spray concentrate...  
**SPRAY:** For best results make applications in the afternoon...

### RECOMMENDED APPLICATIONS ON COTTON

INSECT	Pints SC	REMARKS
Trips	1.0-1.5	
Cotton Fleahopper	1.0-1.5	
Leafhoppers	1.0-1.5	
Leafhoppers (early season)	1.0-1.5	
Aphids	1.0-1.5	Apply early in the morning...
Root Weevil	1.0-1.5	Apply early in the morning...
Grasshoppers	1.0-1.5	Apply early in the morning...
Mites (late season)	1.0-1.5	Apply early in the morning...
Garden Webworm	1.0-1.5	Apply early in the morning...
Fall Armyworm	1.0-1.5	Apply early in the morning...
Beet Armyworm	1.0-1.5	Apply early in the morning...
Spotted Armyworm	1.0-1.5	Apply early in the morning...
Yellow striped Armyworm	1.0-1.5	Apply early in the morning...
Cabbage Looper	1.0-1.5	Apply early in the morning...
Cutworm	1.0-1.5	Apply early in the morning...
Stinkbugs	2.0-3.0	Apply early in the morning...
Cotton Bollworm	1.0-1.5	Apply early in the morning...

USE THIS AMOUNT to Obtain the Above Dosage Rates

Recommended Dosage  
Pints SC per Acre



### RESTRICTIONS

Do not use this product on... (text continues with restrictions on the use of the product, including restrictions on application to certain crops and areas).

### CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER... (text continues with instructions for the proper disposal of the spray concentrate container, including rinsing and recycling instructions).

FOR FURTHER INFORMATION, CONTACT...