



**DANGER—POISON—PRECAUTIONS**

**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray mist or dust are breathed.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**ATROPINE IS AN ANTIDOTE**

**CONSULT PHYSICIAN FOR EMERGENCY SUPPLY**

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

E.P.A. Reg. No. 2269-155

**STOP—READ THE LABEL BEFORE USING!**

**POISON**

See side panels for antidote and precautions



**DANGER**

Keep out of reach of children

**GK 6-3 Ethyl-Methyl**

6 lbs. Ethyl Parathion, 3 lbs. Methyl Parathion


PARATHION INSECTICIDE

For controlling certain insects on fields, vegetable and forage crops.

**Complete Directions for Use**

Use only according to these label instructions.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED.



**ACTIVE INGREDIENTS:**

\*Parathion: O,O-diethyl O-p-nitrophenyl phosphorothioate 57.39%

\*O,O-dimethyl O-p-nitrophenyl phosphorothioate 28.69%

**INERT INGREDIENTS:** 13.92%

100.00%

\*Equivalent to 6.0 lbs. of 100% parathion and 3.0 lbs. of 100% methyl parathion per gallon.



**NOT FOR HOME USE**

Manufactured by

**GOLD KIST INC., Atlanta, Georgia 30301**

1M-12/72

Antidote—administer intramuscularly as soon as possible. Atropine should be administered in conjunction with physostigmine. Atropine is a strong cholinergic antagonist and producing cardiac stimulation. Patient should be given 1 mg of the poison may require VERY CLOSE SUPERVISION.

Consult your State Agricultural Experiment Station for information on treated areas. TO PREVENT PERSONAL INJURY Keep all persons and animals away from treated areas until the insecticide has dissipated. Do not use in any manner that may cause injury to humans or animals. To avoid excessive residues found under "DO NOT SWALLOW" be applied. If handled indoors, provide adequate ventilation. Do not apply or allow to be inhaled. Do not use or store in areas where food is prepared or stored. Do not store near food. This product is highly flammable. For more information may be obtained from the manufacturer.

DISPOSAL OF EMPTY CONTAINERS—Empty containers and bottles should be buried in a hole 6 inches deep in an isolated area. Rinse with detergent and caustic soda. Bury at least 6 inches deep in an isolated container and bury at least 6 inches deep.

Be sure to read the product label. This product is designed for use with appropriate equipment. The hazard information is equally applicable to the concentrate. Add the concentrate to the tank agitator means of a tank agitator. Be treated with spray. Do not use later than indicated on the label. The Food and Drug Administration and the State Agricultural Experiment Station should be consulted for recommendations regarding use. The following dosage rate is for use at least 3 gallons of concentrate per acre.

DO NOT APPLY GOLD KIST TO PEACHES—For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre. For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre. For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre. For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre.

DO NOT APPLY GOLD KIST TO PEACHES—For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre. For control of peach tree trunk from ground to 5 feet. Use 1/2 to 1 pint per acre.

Gold Kist Company warrants that this product is reasonably safe for use as directed. It is sold subject to the limitations which may result in loss of use. For example incompatibility with other products. OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR ANY AND ALL PURPOSES, ARE DISCLAIMED. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT INVOLVED. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT INVOLVED. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT INVOLVED.

**STOP—READ THE LABEL BEFORE USING!**



**DANGER**

Keep out of reach  
of children

SON  
panels  
antidote  
cautions

**GK 6-3 Ethyl-Methyl**

lbs. Ethyl Parathion, 3 lbs. Methyl Parathion


PARATHION INSECTICIDE

ertain insects on fields, vegetable and forage crops.

**Complete Directions for Use**

ng to these label instructions.

"WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF TERMS ARE  
LE RETURN AT ONCE UNOPENED.



<b>EDIENTS:</b>	
<b>O,O-diethyl O-p-nitrophenyl phosphorothioate</b>	<b>57.39%</b>
<b>yl O-p-nitrophenyl phosphorothioate</b>	<b>28.69%</b>
<b>DIENTS:</b>	<b>13.92%</b>
	<b>100.00%</b>

of 100% parathion and 3.0 lbs. of 100%  
gallon.

**NOT FOR HOME USE**

Manufactured by

**GOLD KIST INC., Atlanta, Georgia 30301**

1M-12/72

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**TO PREVENT PERSONAL INJURY AND POSSIBLE FATALITIES:**

Keep all persons and animals out of treated areas for 48 hours. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

Do not use in any manner other than recommended on this label.

To avoid excessive residues of parathion on food or forage crops, always observe the statements found under "Directions for Use," limiting the time before harvest when parathion may be applied.

If handled indoors, provide mechanical exhaust ventilation.

Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals.

Do not use or store in or around the home. Keep out of reach of children and domestic animals. Do not store near food or feed products. Bury spillage; clean up area with strong lye solution.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**CONTAINER DISPOSAL**

**DISPOSAL OF EMPTY CONTAINER**—Do not re-use this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burying at least 18 inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18 inches deep in a supervised public or private dump.

**DIRECTIONS FOR USE**

Be sure to read the precautionary statements before using!

This product is designed to be applied by trained operators using airplane or power ground equipment. The hazards and precautions for handling the product in this container are equally applicable to it after dilution with water for spray application.

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should not be exceeded. Never apply later than indicated to assure residue levels at harvest are below tolerances established by the Food and Drug Administration.

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding use interval before harvest, application, dosage and timing of sprays. The following dosage rates are to be used in sufficient water to cover the specified area. Use at least 3 gallons of water per acre. For application by aircraft add the desired amount of concentrate per acre to 1/2 to 3 gallons of water.

**FIELD AND FORAGE CROPS**

**DO NOT APPLY GOLD KIST 6-3 ON THE FOLLOWING CROPS WITHIN 7 DAYS OF HARVEST.**

**COTTON**—For control of cotton leafworms, fleahoppers, Lygus bugs, red spider mites, thrips and garden webworms, use 1/2 pint per acre. For control of cabbage loopers and boll weevils, use 2/3 to 1 1/2 pints per acre. For bollworms and budworms use 1 1/2 pints per acre. For aphids, cotton leaf perforators, armyworms up to third instar, stink bugs and salt-marsh caterpillars, use 1 pint per acre. Application to cotton should be made at 4 to 5 day intervals until control is obtained.

**CAUTION**—When necessary to enter treated cotton fields within 48 hours after application, protective clothing should be worn. Do not handpick or harvest within 7 days of application.

**TOBACCO**—For control of aphids, stink bugs and tobacco suckflies, use 1/2 pint per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with the skin or other parts of the body of those who are engaged in cutting the crop.

**ON SOYBEANS, DO NOT APPLY MORE THAN 2 APPLICATIONS PER GROWING SEASON. DO NOT APPLY WITHIN 20 DAYS OF GRAZING OR HARVEST.**

**SOYBEANS**—For control of two-spotted mites, use 1/2 pint per acre. For stink bugs use 2/3 pint per acre. For bollworms, fall armyworms, green cloverworms, velvet bean caterpillars and webworms, use 7/8 pint per acre.

**FRUITS**

**DO NOT APPLY GOLD KIST 6-3 ON THE FOLLOWING CROPS WITHIN 14 DAYS OF HARVEST.**

**PEACHES**—For control of aphids, plum curculio and Oriental fruit moths, use 1/2 pint per 100 gallons of water. Apply at petal fall and every 10 to 14 days thereafter until control is achieved. For peach tree borers, use 1/2 pint per 100 gallons of water. Apply 2 or 3 sprays to trunk from ground to scaffold limbs timed with moth flight.

**LIMIT OF WARRANTY AND LIABILITY**

Gold Kist Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. GOLD KIST MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY. The exclusive remedy of the user or buyer and the limit of the liability of Gold Kist or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.